

Package ‘rank’

July 9, 2024

Title Customisable Ranking of Numerical and Categorical Data

Version 0.1.0

Description Provides a flexible alternative to the built-in rank() function called smartrank().
Optionally rank categorical variables by frequency (instead of in alphabetical order), and control whether ranking is based on descending/ascending order.
smartrank() is suitable for both numerical and categorical data.

License MIT + file LICENSE

Suggests covr, testthat (>= 3.0.0)

Config/testthat/edition 2

Encoding UTF-8

RoxygenNote 7.3.1

URL <https://github.com/selkamand/rank>,
<https://selkamand.github.io/rank/>

BugReports <https://github.com/selkamand/rank/issues>

NeedsCompilation no

Author Sam El-Kamand [aut, cre, cph] (<<https://orcid.org/0000-0003-2270-8088>>)

Maintainer Sam El-Kamand <sam.elkamand@gmail.com>

Repository CRAN

Date/Publication 2024-07-09 15:30:02 UTC

Contents

smartrank	2
Index	4

`smartrank`*Rank a vector based on either alphabetical or frequency order*

Description

This function acts as a drop-in replacement for the base `rank()` function with the added option to:

1. Rank categorical factors based on frequency instead of alphabetically
2. Rank in descending or ascending order

Usage

```
smartrank(  
  x,  
  sort_by = c("alphabetical", "frequency"),  
  desc = FALSE,  
  ties.method = "average",  
  na.last = TRUE,  
  verbose = TRUE  
)
```

Arguments

<code>x</code>	A numeric, character, or factor vector
<code>sort_by</code>	Sort ranking either by "alphabetical" or "frequency". Default is "alphabetical"
<code>desc</code>	A logical indicating whether the ranking should be in descending (<code>TRUE</code>) or ascending (<code>FALSE</code>) order. When input is numeric, ranking is always based on numeric order.
<code>ties.method</code>	a character string specifying how ties are treated, see ‘Details’; can be abbreviated.
<code>na.last</code>	a logical or character string controlling the treatment of <code>NA</code> s. If <code>TRUE</code> , missing values in the data are put last; if <code>FALSE</code> , they are put first; if <code>NA</code> , they are removed; if "keep" they are kept with rank <code>NA</code> .
<code>verbose</code>	verbose (flag)

Value

The ranked vector

Note

When `sort_by = "frequency"`, ties based on frequency are broken by alphabetical order of the terms

When `sort_by = "frequency"` and input is character, `ties.method` is ignored. each distinct element level gets its own rank, and each rank is 1 unit away from the next element, irrespective of how many duplicates

Examples

```
## CATEGORICAL INPUT -----
fruits <- c("Apple", "Orange", "Apple", "Pear", "Orange")

# rank alphabetically
smartrank(fruits)
#> [1] 1.5 3.5 1.5 5.0 3.5

# rank based on frequency
smartrank(fruits, sort_by = "frequency")
#> smartrank: Sorting a categorical variable by frequency: ignoring ties.method
#> [1] 2 3 2 1 3

# rank based on descending order of frequency
smartrank(fruits, sort_by = "frequency", desc = TRUE)
#> smartrank: Sorting a categorical variable by frequency: ignoring ties.method
#> [1] 1 2 1 3 2

## NUMERICAL INPUT -----

# rank numerically
smartrank(c(1, 3, 2))
#> [1] 1 3 2

# rank numerically based on descending order
smartrank(c(1, 3, 2), desc = TRUE)
#> [1] 3 1 2

# always rank numerically, irrespective of sort_by
smartrank(c(1, 3, 2), sort_by = "frequency")
#> smartrank: Sorting a numeric variable. Ignoring `sort_by` and sorting numerically
#> [1] 1 3 2
```

Index

NA, [2](#)

smartrank, [2](#)