

Package ‘forgts’

January 31, 2025

Title Convert Formatted Spreadsheets to Presentation-Ready Display Tables

Version 0.0.1

Description Reads cell contents plus formatting from a spreadsheet file and creates an editable 'gt' object with the same data and formatting. Supports the most commonly-used cell and text styles including colors, fills, font weights and decorations, and borders.

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.3.2.9000

Imports dplyr, gt, purrr, readxl, rlang, tibble, tidyr, tidyxl

Suggests knitr, rmarkdown, testthat (>= 3.0.0)

Config/testthat/edition 3

URL <https://github.com/luisDVA/forgts>,
<https://luisdva.github.io/forgts/>

BugReports <https://github.com/luisDVA/forgts/issues>

VignetteBuilder knitr

NeedsCompilation no

Author Luis D. Verde Arregoitia [aut, cre, cph]
(<https://orcid.org/0000-0001-9520-6543>)

Maintainer Luis D. Verde Arregoitia <luis@liomys.mx>

Repository CRAN

Date/Publication 2025-01-31 11:40:04 UTC

Contents

apply_styling	2
forgts	2
get_formatting	3
rodentsheet.xlsx	4
target_var_fmt	4
translate_defs	4

Index**6**

apply_styling	<i>Apply Spreadsheet Formatting to gt Table</i>
---------------	---

Description

Applies formatting to a gt table based on information extracted from the spreadsheet file.

Usage

```
apply_styling(gt_object, formatRdy)
```

Arguments

gt_object	A gt object.
formatRdy	A data frame with formatting definitions.

Value

A great table!

Examples

```
example_spreadsheet <- system.file("extdata/rodentsheet.xlsx", package = "forgts")
sprdsht_data <- readxl::read_excel(example_spreadsheet)
gt_table <- gt::gt(sprdsht_data)
format_long <- get_formatting(example_spreadsheet)
format_ready <- translate_defs(format_long)
apply_styling(gt_table, format_ready)
```

forgts	<i>Creat gt from spreadsheet</i>
--------	----------------------------------

Description

Wrapper. Reads a spreadsheet file including most formatting information and creates a formatted gt table with the same data and formatting.

Usage

```
forgts(file, sheet = NULL)
```

Arguments

file	Path to a spreadsheet.
sheet	A character string with the name of a sheet within a workbook, or an integer with the position of the sheet. Defaults to the first sheet if left unspecified.

Value

A great table!

Examples

```
example_spreadsheet <- system.file("extdata/rodentsheet.xlsx", package = "forgts")
forgts(example_spreadsheet)
```

get_formatting	<i>Get Spreadsheet Formatting</i>
----------------	-----------------------------------

Description

Extracts formatting information from a spreadsheet.

Usage

```
get_formatting(xlfilepath, sheet = NULL)
```

Arguments

xlfilepath	A character string specifying the path to the spreadsheet.
sheet	A character string with the name of a sheet within a workbook, or an integer with the position of the sheet. Defaults to the first sheet if left unspecified.

Value

A data frame or list with parsed formatting information.

Examples

```
example_file <- system.file("extdata/rodentsheet.xlsx", package = "forgts")
get_formatting(example_file)
```

rodentsheet.xlsx	<i>rodentsheet.xlsx spreadsheet</i>
------------------	-------------------------------------

Description

Open XML Format Spreadsheet with 1 sheet, 5 columns, and 8 rows. Toy dataset with data on measurements for rodent specimens, extracted from Verde Arregoitia et al. (2017; [doi:10.5281/zenodo.201147](https://doi.org/10.5281/zenodo.201147)). Cells and cell content have formatting added at random for demonstration purposes.

target_var_fmt	<i>Colwise formatting</i>
----------------	---------------------------

Description

Colwise formatting

Usage

```
target_var_fmt(format_joined, spsheet, col_name)
```

Arguments

format_joined	A data frame produced internally by <code>get_formatting</code>
spsheet	Data frame version of spreadsheet.
col_name	Variable to operate on.

Value

Modified data frame in long format.

translate_defs	<i>Translate Formatting Definitions</i>
----------------	---

Description

Convert formatting information into arguments that can be used by `gt`.

Usage

```
translate_defs(format_long)
```

Arguments

`format_long` Data frame produced by `get_formatting` containing raw formatting information.

Value

A data frame with formatting information compatible with `gt`.

Examples

```
example_spreadsheet <- system.file("extdata/rodentsheet.xlsx", package = "forgts")
format_long <- get_formatting(example_spreadsheet)
translate_defs(format_long)
```

Index

`apply_styling`, 2

`forgts`, 2

`get_formatting`, 3

`rodentsheet.xlsx`, 4

`target_var_fmt`, 4

`translate_defs`, 4