

# Multivariate Normal Log-likelihoods in the **mvtnorm** Package <sup>1</sup>

Torsten Hothorn

Version 1.2-5

<sup>1</sup>Please cite this document as: Torsten Hothorn (2024) Multivariate Normal Log-likelihoods in the **mvtnorm** Package. R package vignette version 1.2-5, URL <https://CRAN.R-project.org/package=mvtnorm>.

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>Lower Triangular Matrices</b>	<b>2</b>
2.1	Multiple Lower Triangular Matrices . . . . .	3
2.2	Printing . . . . .	8
2.3	Reordering . . . . .	9
2.4	Subsetting . . . . .	10
2.5	Diagonal Elements . . . . .	16
2.6	Multiplication . . . . .	19
2.7	Solving Linear Systems . . . . .	24
2.8	Crossproducts . . . . .	29
2.9	Cholesky Factorisation . . . . .	34
2.10	Kronecker Products . . . . .	36
2.11	Convenience Functions . . . . .	41
2.12	Marginal and Conditional Normal Distributions . . . . .	45
2.13	Continuous Log-likelihoods . . . . .	49
2.14	Application Example . . . . .	53
<b>3</b>	<b>Multivariate Normal Log-likelihoods</b>	<b>55</b>
3.1	Algorithm . . . . .	56
3.2	Score Function . . . . .	68
<b>4</b>	<b>Maximum-likelihood Example</b>	<b>81</b>
<b>5</b>	<b>Continuous-discrete Likelihoods</b>	<b>89</b>
<b>6</b>	<b>Unstructured Gaussian Copula Estimation</b>	<b>94</b>
<b>7</b>	<b>Package Infrastructure</b>	<b>100</b>

# Licence

Copyright (C) 2022– Torsten Hothorn

This file is part of the **mvtnorm** R add-on package.

**mvtnorm** is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, version 2.

**mvtnorm** is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with **mvtnorm**. If not, see <<http://www.gnu.org/licenses/>>.

# Chapter 1

## Introduction

This document describes an implementation of [Genz \(1992\)](#) and, partially, of [Genz and Bretz \(2002\)](#), for the evaluation of  $N$  multivariate  $J$ -dimensional normal probabilities

$$p_i(\mathbf{C}_i \mid \mathbf{a}_i, \mathbf{b}_i) = \mathbb{P}(\mathbf{a}_i < \mathbf{Y}_i \leq \mathbf{b}_i \mid \mathbf{C}_i) = (2\pi)^{-\frac{J}{2}} \det(\mathbf{C}_i)^{-\frac{1}{2}} \int_{\mathbf{a}_i}^{\mathbf{b}_i} \exp\left(-\frac{1}{2} \mathbf{y}^\top \mathbf{C}_i^{-\top} \mathbf{C}_i^{-1} \mathbf{y}\right) d\mathbf{y} \quad (1.1)$$

where  $\mathbf{a}_i = (a_1^{(i)}, \dots, a_J^{(i)})^\top \in \mathbb{R}^J$  and  $\mathbf{b}_i = (b_1^{(i)}, \dots, b_J^{(i)})^\top \in \mathbb{R}^J$  are integration limits,  $\mathbf{C}_i = (c_{jj}^{(i)}) \in \mathbb{R}^{J \times J}$  is a lower triangular matrix with  $c_{jj}^{(i)} = 0$  for  $1 \leq j < J < J$ , and thus  $\mathbf{Y}_i \sim \mathbb{N}_J(\mathbf{0}_J, \mathbf{C}_i \mathbf{C}_i^\top)$  for  $i = 1, \dots, N$ .

One application of these integrals is the estimation of the Cholesky factor  $\mathbf{C}$  of a  $J$ -dimensional normal distribution based on  $N$  interval-censored observations  $\mathbf{Y}_1, \dots, \mathbf{Y}_J$  (encoded by  $\mathbf{a}$  and  $\mathbf{b}$ ) via maximum-likelihood

$$\hat{\mathbf{C}} = \operatorname{argmax}_{\mathbf{C}} \sum_{i=1}^N \log(p_i(\mathbf{C} \mid \mathbf{a}_i, \mathbf{b}_i)).$$

In other applications, the Cholesky factor might also depend on  $i$  in some structured way.

Function `pmvnorm` in package `mvtnorm` computes  $p_i$  based on the covariance matrix  $\mathbf{C}_i \mathbf{C}_i^\top$ . However, the Cholesky factor  $\mathbf{C}_i$  is computed in FORTRAN. Function `pmvnorm` is not vectorised over  $i = 1, \dots, N$  and thus separate calls to this function are necessary in order to compute likelihood contributions.

The implementation described here is a re-implementation (in R and C) of Alan Genz' original FORTRAN code, focusing on efficient computation of the log-likelihood  $\sum_{i=1}^N \log(p_i)$  and the corresponding score function.

The document first describes a class and some useful methods for dealing with multiple lower triangular matrices  $\mathbf{C}_i, i = 1, \dots, N$  in Chapter 2. The multivariate normal log-likelihood, and the corresponding score function, is implemented as outlined in Chapter 3. An example demonstrating maximum-likelihood estimation of Cholesky factors in the presence of interval-censored observations is discussed in Chapter 4. We use the technology developed here to implement the log-likelihood and score function for situations where some variables have been observed exactly and others only in form of interval-censoring in Chapter 5 and for nonparametric maximum-likelihood estimation in unstructured Gaussian copulae in Chapter 6.

## Chapter 2

# Lower Triangular Matrices

"ltMatrices.R" 2≡

- ⟨ *R Header* 101 ⟩
- ⟨ *ltMatrices* 5a ⟩
- ⟨ *syMatrices* 5b ⟩
- ⟨ *dim ltMatrices* 5c ⟩
- ⟨ *dimnames ltMatrices* 6a ⟩
- ⟨ *names ltMatrices* 6b ⟩
- ⟨ *print ltMatrices* 9 ⟩
- ⟨ *reorder ltMatrices* 10 ⟩
- ⟨ *subset ltMatrices* 12 ⟩
- ⟨ *lower triangular elements* 14 ⟩
- ⟨ *diagonals ltMatrices* 16 ⟩
- ⟨ *diagonal matrix* 19 ⟩
- ⟨ *mult ltMatrices* 20a ⟩
- ⟨ *mult syMatrices* 24 ⟩
- ⟨ *solve ltMatrices* 28 ⟩
- ⟨ *tcrossprod ltMatrices* 33 ⟩
- ⟨ *crossprod ltMatrices* 34 ⟩
- ⟨ *chol syMatrices* 35 ⟩
- ⟨ *add diagonal elements* 17 ⟩
- ⟨ *assign diagonal elements* 18 ⟩
- ⟨ *kroncker vec trick* 40 ⟩
- ⟨ *convenience functions* 43 ⟩
- ⟨ *aperm* 45 ⟩
- ⟨ *marginal* 46b ⟩
- ⟨ *conditional* 48b ⟩
- ⟨ *check obs* 50b ⟩
- ⟨ *ldmvnorm* 50a ⟩
- ⟨ *sldmvnorm* 53 ⟩
- ⟨ *ldpvmnorm* 91 ⟩
- ⟨ *sldpvmnorm* 93 ⟩
- ⟨ *standardize* 95 ⟩
- ⟨ *destandardize* 97 ⟩

◇

```

"ltMatrices.c" 3≡
    < C Header 102 >
    #include <R.h>
    #include <Rmath.h>
    #include <Rinternals.h>
    #include <Rdefines.h>
    #include <Rconfig.h>
    #include <R_ext/Lapack.h> /* for dtptri */
    < solve 27 >
    < tcrossprod 32 >
    < mult 21b >
    < mult transpose 23 >
    < chol 36 >
    < vec trick 38a >
    ◇

```

We first define and implement infrastructure for dealing with multiple lower triangular matrices  $\mathbf{C}_i \in \mathbb{R}^{J \times J}$  for  $i = 1, \dots, N$ . We note that each such matrix  $\mathbf{C}$  can be stored in a vector of length  $J(J+1)/2$ . If all diagonal elements are one (that is,  $c_{jj}^{(i)} \equiv 1, j = 1, \dots, J$ ), the length of this vector is  $J(J-1)/2$ .

## 2.1 Multiple Lower Triangular Matrices

We can store  $N$  such matrices in an  $J(J+1)/2 \times N$  matrix (`diag = TRUE`) or, for `diag = FALSE`, the  $J(J-1)/2 \times N$  matrix.

Each vector might define the corresponding lower triangular matrix either in row or column-major order:

$$\begin{aligned}
 \mathbf{C} &= \begin{pmatrix} c_{11} & & & & 0 \\ c_{21} & c_{22} & & & \\ c_{31} & c_{32} & c_{33} & & \\ \vdots & \vdots & & \ddots & \\ c_{J1} & c_{J2} & \dots & & c_{JJ} \end{pmatrix} \text{matrix indexing} \\
 &= \begin{pmatrix} c_1 & & & & 0 \\ c_2 & c_{J+1} & & & \\ c_3 & c_{J+2} & c_{2J} & & \\ \vdots & \vdots & & \ddots & \\ c_J & c_{2J-1} & \dots & & c_{J(J+1)/2} \end{pmatrix} \text{column-major, byrow = FALSE} \\
 &= \begin{pmatrix} & c_1 & & & & & & & 0 \\ & c_2 & & & c_3 & & & & \\ & c_4 & & & c_5 & & c_6 & & \\ & \vdots & & & \vdots & & & \ddots & \\ c_{J((J+1)/2-1)+1} & c_{J((J+1)/2-1)+2} & \dots & & & & & & c_{J(J+1)/2} \end{pmatrix} \text{row-major, byrow = TRUE}
 \end{aligned}$$

Based on some matrix `object`, the dimension  $J$  is computed and checked as

*<ltMatrices dim 4a>* ≡

```
J <- floor((1 + sqrt(1 + 4 * 2 * nrow(object))) / 2 - diag)
if (nrow(object) != J * (J - 1) / 2 + diag * J)
  stop("Dimension of object does not correspond to lower
       triangular part of a square matrix")
◇
```

Fragment referenced in [5a](#).

Typically the  $J$  dimensions are associated with names, and we therefore compute identifiers for the vector elements in either column- or row-major order on request (for later printing)

*<ltMatrices names 4b>* ≡

```
nonames <- FALSE
if (!isTRUE(names)) {
  if (is.character(names))
    stopifnot(is.character(names) &&
              length(unique(names)) == J)
  else
    nonames <- TRUE
} else {
  names <- as.character(1:J)
}

if (!nonames) {
  L1 <- matrix(names, nrow = J, ncol = J)
  L2 <- matrix(names, nrow = J, ncol = J, byrow = TRUE)
  L <- matrix(paste(L1, L2, sep = "."), nrow = J, ncol = J)
  if (byrow)
    rownames(object) <- t(L)[upper.tri(L, diag = diag)]
  else
    rownames(object) <- L[lower.tri(L, diag = diag)]
}
◇
```

Fragment referenced in [5a](#).

If `object` is already a classed object representing lower triangular matrices (we will use the class name `ltMatrices`), we might want to change the storage form from row- to column-major or the other way round.

*<ltMatrices input 4c>* ≡

```
if (inherits(object, "ltMatrices")) {
  ret <- .reorder(object, byrow = byrow)
  return(ret)
}
◇
```

Fragment referenced in [5a](#).

The constructor essentially attaches attributes to a matrix `object`, possibly after some reordering / transposing

*< ltMatrices 5a >* ≡

```
ltMatrices <- function(object, diag = FALSE, byrow = FALSE, names = TRUE) {  
  if (!is.matrix(object))  
    object <- matrix(object, ncol = 1L)  
  
  < ltMatrices input 4c >  
  < ltMatrices dim 4a >  
  < ltMatrices names 4b >  
  
  attr(object, "J")      <- J  
  attr(object, "diag")   <- diag  
  attr(object, "byrow")  <- byrow  
  attr(object, "rcnames") <- names  
  
  class(object) <- c("ltMatrices", class(object))  
  object  
}  
◇
```

Fragment referenced in 2.

For the sake of completeness, we also add a constructor for symmetric multiple symmetric matrices

*< syMatrices 5b >* ≡

```
as.syMatrices <- function(object) {  
  stopifnot(inherits(object, "ltMatrices"))  
  class(object)[1L] <- "syMatrices"  
  return(object)  
}  
syMatrices <- function(object, diag = FALSE, byrow = FALSE, names = TRUE)  
  as.syMatrices(ltMatrices(object = object, diag = diag, byrow = byrow, names = names))  
◇
```

Fragment referenced in 2.

The dimensions of such an object are always  $N \times J \times J$  and are given by

*< dim ltMatrices 5c >* ≡

```
dim.ltMatrices <- function(x) {  
  J <- attr(x, "J")  
  class(x) <- class(x)[-1L]  
  return(c(ncol(x), J, J))  
}  
dim.syMatrices <- dim.ltMatrices  
◇
```

Fragment referenced in 2.

The corresponding dimnames can be extracted as

*< dimnames ltMatrices 6a >* ≡

```
dimnames.ltMatrices <- function(x)
  return(list(colnames(unclass(x)), attr(x, "rcnames"), attr(x, "rcnames")))
dimnames.syMatrices <- dimnames.ltMatrices
◇
```

Fragment referenced in 2.

The names identifying rows and columns in each  $C_i$  are

*< names ltMatrices 6b >* ≡

```
names.ltMatrices <- function(x) {
  return(rownames(unclass(x)))
}
names.syMatrices <- names.ltMatrices
◇
```

Fragment referenced in 2.

Let's set-up an example for illustration. Throughout this document, we will compare numerical results using

```
> chk <- function(...) stopifnot(isTRUE(all.equal(...)))
```

We start with a simple example demonstrating how to set-up `ltMatrices` objects

```
> library("mvtnorm")
> set.seed(290875)
> N <- 4L
> J <- 5L
> rn <- paste0("C_", 1:N)
> nm <- LETTERS[1:J]
> Jn <- J * (J - 1) / 2
> ## data
> xn <- matrix(runif(N * Jn), ncol = N)
> colnames(xn) <- rn
> xd <- matrix(runif(N * (Jn + J)), ncol = N)
> colnames(xd) <- rn
> (lxn <- ltMatrices(xn, byrow = TRUE, names = nm))
```

, , C\_1

	A	B	C	D	E
A	1.00000000	0.00000000	0.00000000	0.00000000	0
B	0.51236601	1.00000000	0.00000000	0.00000000	0
C	0.05847253	0.9095137	1.00000000	0.00000000	0
D	0.39448719	0.6612143	0.23352591	1.00000000	0
E	0.51647518	0.2979867	0.07517749	0.8182123	1

, , C\_2

	A	B	C	D	E
A	1.00000000	0.00000000	0.00000000	0.00000000	0

```

B 0.8590665 1.0000000 0.0000000 0.0000000 0
C 0.3744315 0.1022684 1.0000000 0.0000000 0
D 0.1165248 0.7956529 0.8930589 1.0000000 0
E 0.1948049 0.4730419 0.2377852 0.214606 1

```

```
, , C_3
```

```

      A      B      C      D E
A 1.0000000 0.0000000 0.0000000 0.0000000 0
B 0.4530153 1.0000000 0.0000000 0.0000000 0
C 0.9045608 0.9269936 1.0000000 0.0000000 0
D 0.4490011 0.1326375 0.4153967 1.0000000 0
E 0.9574833 0.4917481 0.7160702 0.2938002 1

```

```
, , C_4
```

```

      A      B      C      D E
A 1.0000000000 0.0000000 0.000000000 0.0000000 0
B 0.4877241328 1.0000000 0.000000000 0.0000000 0
C 0.0593045885 0.7625270 1.000000000 0.0000000 0
D 0.0005227393 0.1995700 0.470508903 1.0000000 0
E 0.4913541358 0.2849431 0.005961103 0.8901458 1

```

```
> dim(lxn)
```

```
[1] 4 5 5
```

```
> dimnames(lxn)
```

```
[[1]]
```

```
[1] "C_1" "C_2" "C_3" "C_4"
```

```
[[2]]
```

```
[1] "A" "B" "C" "D" "E"
```

```
[[3]]
```

```
[1] "A" "B" "C" "D" "E"
```

```
> lxd <- ltMatrices(xd, byrow = TRUE, diag = TRUE, names = nm)
```

```
> dim(lxd)
```

```
[1] 4 5 5
```

```
> dimnames(lxd)
```

```
[[1]]
```

```
[1] "C_1" "C_2" "C_3" "C_4"
```

```
[[2]]
```

```
[1] "A" "B" "C" "D" "E"
```

```
[[3]]
```

```
[1] "A" "B" "C" "D" "E"
```

```
> lxn <- as.syMatrices(lxn)
```

```
> lxn
```

, , C\_1

	A	B	C	D	E
A	1.00000000	0.5123660	0.05847253	0.3944872	0.51647518
B	0.51236601	1.0000000	0.90951367	0.6612143	0.29798667
C	0.05847253	0.9095137	1.00000000	0.2335259	0.07517749
D	0.39448719	0.6612143	0.23352591	1.0000000	0.81821229
E	0.51647518	0.2979867	0.07517749	0.8182123	1.00000000

, , C\_2

	A	B	C	D	E
A	1.0000000	0.8590665	0.3744315	0.1165248	0.1948049
B	0.8590665	1.0000000	0.1022684	0.7956529	0.4730419
C	0.3744315	0.1022684	1.0000000	0.8930589	0.2377852
D	0.1165248	0.7956529	0.8930589	1.0000000	0.2146060
E	0.1948049	0.4730419	0.2377852	0.2146060	1.0000000

, , C\_3

	A	B	C	D	E
A	1.0000000	0.4530153	0.9045608	0.4490011	0.9574833
B	0.4530153	1.0000000	0.9269936	0.1326375	0.4917481
C	0.9045608	0.9269936	1.0000000	0.4153967	0.7160702
D	0.4490011	0.1326375	0.4153967	1.0000000	0.2938002
E	0.9574833	0.4917481	0.7160702	0.2938002	1.0000000

, , C\_4

	A	B	C	D	E
A	1.0000000000	0.4877241	0.059304588	0.0005227393	0.491354136
B	0.4877241328	1.0000000	0.762527028	0.1995699527	0.284943077
C	0.0593045885	0.7625270	1.000000000	0.4705089033	0.005961103
D	0.0005227393	0.1995700	0.470508903	1.0000000000	0.890145786
E	0.4913541358	0.2849431	0.005961103	0.8901457863	1.000000000

## 2.2 Printing

For pretty printing, we coerce objects of class `ltMatrices` to `array`. The method has a logical argument called `symmetric`, forcing the lower triangular matrix to be interpreted as a symmetric matrix.

`<extract slots 8> ≡`

```
diag <- attr(x, "diag")
byrow <- attr(x, "byrow")
d <- dim(x)
J <- d[2L]
dn <- dimnames(x)
◇
```

Fragment referenced in [9](#), [10](#), [11](#), [14](#), [16](#), [18](#), [20a](#), [24](#).

*<print ltMatrices 9>* ≡

```
as.array.ltMatrices <- function(x, symmetric = FALSE, ...) {  
  <extract slots 8>  
  class(x) <- class(x)[-1L]  
  
  L <- matrix(1L, nrow = J, ncol = J)  
  diag(L) <- 2L  
  if (byrow) {  
    L[upper.tri(L, diag = diag)] <- floor(2L + 1:(J * (J - 1) / 2L + diag * J))  
    L <- t(L)  
  } else {  
    L[lower.tri(L, diag = diag)] <- floor(2L + 1:(J * (J - 1) / 2L + diag * J))  
  }  
  if (symmetric) {  
    L[upper.tri(L)] <- 0L  
    dg <- diag(L)  
    L <- L + t(L)  
    diag(L) <- dg  
  }  
  ret <- rbind(0, 1, x)[c(L), , drop = FALSE]  
  class(ret) <- "array"  
  dim(ret) <- d[3:1]  
  dimnames(ret) <- dn[3:1]  
  return(ret)  
}  
  
as.array.syMatrices <- function(x, ...)  
  return(as.array.ltMatrices(x, symmetric = TRUE))  
  
print.ltMatrices <- function(x, ...)  
  print(as.array(x))  
  
print.syMatrices <- function(x, ...)  
  print(as.array(x))  
◇
```

Fragment referenced in 2.

Symmetric matrices are represented by lower triangular matrix objects, but we change the class from `ltMatrices` to `syMatrices` (which disables all functionality except printing and coercion to arrays).

## 2.3 Reordering

It is sometimes convenient to have access to lower triangular matrices in either column- or row-major order and this little helper function switches between the two forms

`<reorder ltMatrices 10> ≡`

```
.reorder <- function(x, byrow = FALSE) {  
  
  stopifnot(inherits(x, "ltMatrices"))  
  if (attr(x, "byrow") == byrow) return(x)  
  
  <extract slots 8>  
  
  class(x) <- class(x)[-1L]  
  
  rL <- cL <- diag(0, nrow = J)  
  rL[lower.tri(rL, diag = diag)] <- cL[upper.tri(cL, diag = diag)] <- 1:nrow(x)  
  cL <- t(cL)  
  if (byrow) ### row -> col order  
    return(ltMatrices(x[cL[lower.tri(cL, diag = diag)], , drop = FALSE],  
                     diag = diag, byrow = FALSE, names = dn[[2L]])  
  ### col -> row order  
  return(ltMatrices(x[t(rL)[upper.tri(rL, diag = diag)], , drop = FALSE],  
                   diag = diag, byrow = TRUE, names = dn[[2L]]))  
}  
◇
```

Fragment referenced in 2.

We can check if this works by switching back and forth between column-major and row-major order

```
> ## constructor + .reorder + as.array  
> a <- as.array(ltMatrices(xn, byrow = TRUE))  
> b <- as.array(ltMatrices(ltMatrices(xn, byrow = TRUE),  
+                       byrow = FALSE))  
> chk(a, b)  
> a <- as.array(ltMatrices(xn, byrow = FALSE))  
> b <- as.array(ltMatrices(ltMatrices(xn, byrow = FALSE),  
+                       byrow = TRUE))  
> chk(a, b)  
> a <- as.array(ltMatrices(xd, byrow = TRUE, diag = TRUE))  
> b <- as.array(ltMatrices(ltMatrices(xd, byrow = TRUE, diag = TRUE),  
+                       byrow = FALSE))  
> chk(a, b)  
> a <- as.array(ltMatrices(xd, byrow = FALSE, diag = TRUE))  
> b <- as.array(ltMatrices(ltMatrices(xd, byrow = FALSE, diag = TRUE),  
+                       byrow = TRUE))  
> chk(a, b)
```

## 2.4 Subsetting

We might want to select subsets of observations  $i \in \{1, \dots, N\}$  or rows/columns  $j \in \{1, \dots, J\}$  of the corresponding matrices  $\mathbf{C}_i$ .

`<.subset ltMatrices 11> ≡`

```
.subset_ltMatrices <- function(x, i, j, ..., drop = FALSE) {  
  
  if (drop) warning("argument drop is ignored")  
  if (missing(i) && missing(j)) return(x)  
  
  < extract slots 8 >  
  
  class(x) <- class(x)[-1L]  
  
  if (!missing(j)) {  
  
    j <- (1:J)[j] ### get rid of negative indices  
  
    if (length(j) == 1L && !diag) {  
      return(ltMatrices(matrix(1, ncol = ncol(x), nrow = 1), diag = TRUE,  
                             byrow = byrow, names = dn[[2L]][j]))  
    }  
    L <- diag(0L, nrow = J)  
    Jp <- sum(upper.tri(L, diag = diag))  
    if (byrow) {  
      L[upper.tri(L, diag = diag)] <- 1:Jp  
      L <- L + t(L)  
      diag(L) <- diag(L) / 2  
      L <- L[j, j, drop = FALSE]  
      L <- L[upper.tri(L, diag = diag)]  
    } else {  
      L[lower.tri(L, diag = diag)] <- 1:Jp  
      L <- L + t(L)  
      diag(L) <- diag(L) / 2  
      L <- L[j, j, drop = FALSE]  
      L <- L[lower.tri(L, diag = diag)]  
    }  
    if (missing(i)) {  
      return(ltMatrices(x[c(L), , drop = FALSE], diag = diag,  
                        byrow = byrow, names = dn[[2L]][j]))  
    }  
    return(ltMatrices(x[c(L), i, drop = FALSE], diag = diag,  
                      byrow = byrow, names = dn[[2L]][j]))  
  }  
  return(ltMatrices(x[, i, drop = FALSE], diag = diag,  
                    byrow = byrow, names = dn[[2L]]))  
}  
◇
```

Fragment referenced in [12](#).

`<subset ltMatrices 12> ≡`

```
<.subset ltMatrices 11>
### if j is not ordered, result is not a lower triangular matrix
".ltMatrices" <- function(x, i, j, ..., drop = FALSE) {
  if (!missing(j)) {
    if (all(j > 0)) {
      if (any(diff(j) < 0)) stop("invalid subset argument j")
    }
  }
  return(.subset_ltMatrices(x = x, i = i, j = j, ..., drop = drop))
}

".syMatrices" <- function(x, i, j, ..., drop = FALSE) {
  class(x)[1L] <- "ltMatrices"
  ret <- .subset_ltMatrices(x = x, i = i, j = j, ..., drop = drop)
  class(ret)[1L] <- "syMatrices"
  ret
}
◇
```

Fragment referenced in 2.

We check if this works by first subsetting the `ltMatrices` object. Second, we coerce the object to an array and do the subset for the latter object. Both results must agree.

```
> ## subset
> a <- as.array(ltMatrices(xn, byrow = FALSE)[1:2, 2:4])
> b <- as.array(ltMatrices(xn, byrow = FALSE))[2:4, 2:4, 1:2]
> chk(a, b)
> a <- as.array(ltMatrices(xn, byrow = TRUE)[1:2, 2:4])
> b <- as.array(ltMatrices(xn, byrow = TRUE))[2:4, 2:4, 1:2]
> chk(a, b)
> a <- as.array(ltMatrices(xd, byrow = FALSE, diag = TRUE)[1:2, 2:4])
> b <- as.array(ltMatrices(xd, byrow = FALSE, diag = TRUE))[2:4, 2:4, 1:2]
> chk(a, b)
> a <- as.array(ltMatrices(xd, byrow = TRUE, diag = TRUE)[1:2, 2:4])
> b <- as.array(ltMatrices(xd, byrow = TRUE, diag = TRUE))[2:4, 2:4, 1:2]
> chk(a, b)
```

With a different subset

```
> ## subset
> j <- c(1, 3, 5)
> a <- as.array(ltMatrices(xn, byrow = FALSE)[1:2, j])
> b <- as.array(ltMatrices(xn, byrow = FALSE))[j, j, 1:2]
> chk(a, b)
> a <- as.array(ltMatrices(xn, byrow = TRUE)[1:2, j])
> b <- as.array(ltMatrices(xn, byrow = TRUE))[j, j, 1:2]
> chk(a, b)
> a <- as.array(ltMatrices(xd, byrow = FALSE, diag = TRUE)[1:2, j])
> b <- as.array(ltMatrices(xd, byrow = FALSE, diag = TRUE))[j, j, 1:2]
> chk(a, b)
> a <- as.array(ltMatrices(xd, byrow = TRUE, diag = TRUE)[1:2, j])
> b <- as.array(ltMatrices(xd, byrow = TRUE, diag = TRUE))[j, j, 1:2]
> chk(a, b)
```

with negative subsets

```
> ## subset
> j <- -c(1, 3, 5)
> a <- as.array(ltMatrices(xn, byrow = FALSE)[1:2, j])
> b <- as.array(ltMatrices(xn, byrow = FALSE))[j, j, 1:2]
> chk(a, b)
> a <- as.array(ltMatrices(xn, byrow = TRUE)[1:2, j])
> b <- as.array(ltMatrices(xn, byrow = TRUE))[j, j, 1:2]
> chk(a, b)
> a <- as.array(ltMatrices(xd, byrow = FALSE, diag = TRUE)[1:2, j])
> b <- as.array(ltMatrices(xd, byrow = FALSE, diag = TRUE))[j, j, 1:2]
> chk(a, b)
> a <- as.array(ltMatrices(xd, byrow = TRUE, diag = TRUE)[1:2, j])
> b <- as.array(ltMatrices(xd, byrow = TRUE, diag = TRUE))[j, j, 1:2]
> chk(a, b)
```

and with non-increasing argument  $j$  (this won't work for lower triangular matrices, only for symmetric matrices)

```
> ## subset
> j <- sample(1:J)
> ltM <- ltMatrices(xn, byrow = FALSE)
> try(ltM[1:2, j])
> ltM <- as.syMatrices(ltM)
> a <- as.array(ltM[1:2, j])
> b <- as.array(ltM)[j, j, 1:2]
> chk(a, b)
```

Extracting the lower triangular elements from an `ltMatrices` object (or from an object of class `syMatrices`) returns a matrix with  $N$  columns, undoing the effect of `ltMatrices`

*<lower triangular elements 14> ≡*

```
Lower_tri <- function(x, diag = FALSE, byrow = attr(x, "byrow")) {  
  
  if (inherits(x, "syMatrices"))  
    class(x)[1L] <- "ltMatrices"  
  stopifnot(inherits(x, "ltMatrices"))  
  adiaq <- diag  
  x <- ltMatrices(x, byrow = byrow)  
  
  < extract slots 8 >  
  
  if (diag == adiaq)  
    return(unclass(x))  
  
  if (!diag && adiaq) {  
    diagonals(x) <- 1  
    return(unclass(x))  
  }  
  
  x <- unclass(x)  
  if (J == 1) {  
    idx <- 1L  
  } else {  
    if (byrow)  
      idx <- cumsum(c(1, 2:J))  
    else  
      idx <- cumsum(c(1, J:2))  
  }  
  return(x[-idx,,drop = FALSE])  
}  
◇
```

Fragment referenced in 2.

```
> ## J <- 4  
> M <- ltMatrices(matrix(1:10, nrow = 10, ncol = 2), diag = TRUE)  
> Lower_tri(M, diag = FALSE)
```

```
  [,1] [,2]  
2.1    2    2  
3.1    3    3  
4.1    4    4  
3.2    6    6  
4.2    7    7  
4.3    9    9
```

```
> Lower_tri(M, diag = TRUE)
```

```
  [,1] [,2]  
1.1    1    1  
2.1    2    2  
3.1    3    3  
4.1    4    4  
2.2    5    5  
3.2    6    6  
4.2    7    7
```

```

3.3  8  8
4.3  9  9
4.4 10 10
attr(,"J")
[1] 4
attr(,"diag")
[1] TRUE
attr(,"byrow")
[1] FALSE
attr(,"rcnames")
[1] "1" "2" "3" "4"

> M <- ltMatrices(matrix(1:6, nrow = 6, ncol = 2), diag = FALSE)
> Lower_tri(M, diag = FALSE)

      [,1] [,2]
2.1    1    1
3.1    2    2
4.1    3    3
3.2    4    4
4.2    5    5
4.3    6    6
attr(,"J")
[1] 4
attr(,"diag")
[1] FALSE
attr(,"byrow")
[1] FALSE
attr(,"rcnames")
[1] "1" "2" "3" "4"

> Lower_tri(M, diag = TRUE)

      [,1] [,2]
1.1    1    1
2.1    1    1
3.1    2    2
4.1    3    3
2.2    1    1
3.2    4    4
4.2    5    5
3.3    1    1
4.3    6    6
4.4    1    1
attr(,"J")
[1] 4
attr(,"diag")
[1] TRUE
attr(,"byrow")
[1] FALSE
attr(,"rcnames")
[1] "1" "2" "3" "4"

> ## multiple symmetric matrices
> Lower_tri(invchol2cor(M))

```

```

      [,1]      [,2]
2.1 -0.7071068 -0.7071068
3.1  0.4364358  0.4364358
4.1 -0.4481107 -0.4481107
3.2 -0.9258201 -0.9258201
4.2  0.9189002  0.9189002
4.3 -0.9974149 -0.9974149
attr(,"J")
[1] 4
attr(,"diag")
[1] FALSE
attr(,"byrow")
[1] FALSE
attr(,"rcnames")
[1] "1" "2" "3" "4"

```

## 2.5 Diagonal Elements

The diagonal elements of each matrix  $C_i$  can be extracted and are always returned as an  $J \times N$  matrix.

*(diagonals ltMatrices 16)*  $\equiv$

```

diagonals <- function(x, ...)
  UseMethod("diagonals")

diagonals.ltMatrices <- function(x, ...) {
  (extract slots 8)

  class(x) <- class(x)[-1L]

  if (!diag) {
    ret <- matrix(1, nrow = J, ncol = ncol(x))
    colnames(ret) <- dn[[1L]]
    rownames(ret) <- dn[[2L]]
    return(ret)
  } else {
    if (J == 1L) return(x)
    if (byrow)
      idx <- cumsum(c(1, 2:J))
    else
      idx <- cumsum(c(1, J:2))
    ret <- x[idx, , drop = FALSE]
    rownames(ret) <- dn[[2L]]
    return(ret)
  }
}

diagonals.syMatrices <- diagonals.ltMatrices

diagonals.matrix <- function(x, ...) diag(x)
◇

```

Fragment referenced in [2](#).

```
> all(diagonals(ltMatrices(xn, byrow = TRUE)) == 1L)
```

```
[1] TRUE
```

Sometimes we need to add diagonal elements to an `ltMatrices` object defined without diagonal elements.

*(add diagonal elements 17)*  $\equiv$

```
.adddiag <- function(x) {  
  stopifnot(inherits(x, "ltMatrices"))  
  if (attr(x, "diag")) return(x)  
  byrow_orig <- attr(x, "byrow")  
  x <- ltMatrices(x, byrow = FALSE)  
  N <- dim(x)[1L]  
  J <- dim(x)[2L]  
  nm <- dimnames(x)[[2L]]  
  L <- diag(J)  
  L[lower.tri(L, diag = TRUE)] <- 1:(J * (J + 1) / 2)  
  D <- diag(J)  
  ret <- matrix(D[lower.tri(D, diag = TRUE)],  
               nrow = J * (J + 1) / 2, ncol = N)  
  colnames(ret) <- colnames(unclass(x))  
  ret[L[lower.tri(L, diag = FALSE)],] <- unclass(x)  
  ret <- ltMatrices(ret, diag = TRUE, byrow = FALSE, names = nm)  
  ret <- ltMatrices(ret, byrow = byrow_orig)  
  ret  
}
```

◇

Fragment referenced in 2.

*< assign diagonal elements 18 >* ≡

```
"diagonals<-" <- function(x, value)
  UseMethod("diagonals<-" )

"diagonals<-.ltMatrices" <- function(x, value) {
  < extract slots 8 >

  if (byrow)
    idx <- cumsum(c(1, 2:J))
  else
    idx <- cumsum(c(1, J:2))

  ### diagonals(x) <- NULL returns ltMatrices(..., diag = FALSE)
  if (is.null(value)) {
    if (!attr(x, "diag")) return(x)
    if (J == 1L) {
      x[] <- 1
      return(x)
    }
    return(ltMatrices(unclass(x)[-idx,,drop = FALSE], diag = FALSE,
                      byrow = byrow, names = dn[[2L]]))
  }

  x <- .adddiag(x)

  if (!is.matrix(value))
    value <- matrix(value, nrow = J, ncol = d[1L])

  stopifnot(is.matrix(value) && nrow(value) == J
            && ncol(value) == d[1L])

  if (J == 1L) {
    x[] <- value
    return(x)
  }

  x[idx, ] <- value

  return(x)
}

"diagonals<-.syMatrices" <- function(x, value) {
  class(x)[1L] <- "ltMatrices"
  diagonals(x) <- value
  class(x)[1L] <- "syMatrices"

  return(x)
}
◇
```

Fragment referenced in [2](#).

```
> lxd2 <- lxn
> diagonals(lxd2) <- 1
> chk(as.array(lxd2), as.array(lxn))
```

A unit diagonal matrix is not treated as a special case but as an `ltMatrices` object with all lower triangular elements being zero

`<diagonal matrix 19> ≡`

```
diagonals.integer <- function(x, ...)
  ltMatrices(rep(0, x * (x - 1) / 2), diag = FALSE, ...)
```

◇

Fragment referenced in [2](#).

```
> (I5 <- diagonals(5L))
```

```
, , 1
```

```
  1 2 3 4 5
1 1 0 0 0
2 0 1 0 0
3 0 0 1 0
4 0 0 0 1
5 0 0 0 0 1
```

```
> diagonals(I5) <- 1:5
```

```
> I5
```

```
, , 1
```

```
  1 2 3 4 5
1 1 0 0 0
2 0 2 0 0
3 0 0 3 0
4 0 0 0 4
5 0 0 0 0 5
```

## 2.6 Multiplication

Products  $\mathbf{C}_i \mathbf{y}_i$  or  $\mathbf{C}_i^\top \mathbf{y}_i$  with  $\mathbf{y}_i \in \mathbb{R}^J$  for  $i = 1, \dots, N$  can be computed with `y` being an  $J \times N$  matrix of columns-wise stacked vectors ( $\mathbf{y}_1 \mid \mathbf{y}_2 \mid \dots \mid \mathbf{y}_N$ ). If `y` is a single vector, it is recycled  $N$  times.

If the number of columns of a matrix `y` is neither one nor  $N$ , we compute  $\mathbf{C}_i \mathbf{y}_j$  for all  $i = 1, \dots, N$  and  $j$ . This is dangerous but needed in `cond_mvnorm` later on.

For  $\mathbf{C}_i \mathbf{y}_i$ , we call C code computing the product efficiently without copying data by leveraging the lower triangular structure of `x`

*< mult ltMatrices 20a >* ≡

```
### C %*% y
Mult <- function(x, y, ...)
  UseMethod("Mult")
Mult.default <- function(x, y, transpose = FALSE, ...) {
  if (!transpose) return(x %*% y)
  return(crossprod(x, y))
}
Mult.ltMatrices <- function(x, y, transpose = FALSE, ...) {

  < extract slots 8 >

  stopifnot(is.numeric(y))
  if (!is.matrix(y)) y <- matrix(y, nrow = d[2L], ncol = d[1L])
  N <- ifelse(d[1L] == 1, ncol(y), d[1L])
  stopifnot(nrow(y) == d[2L])
  if (ncol(y) != N)
    return(sapply(1:ncol(y), function(i) Mult(x, y[,i], transpose = transpose)))

  < mult ltMatrices transpose 22 >

  x <- ltMatrices(x, byrow = TRUE)

  class(x) <- class(x)[-1L]
  storage.mode(x) <- "double"
  storage.mode(y) <- "double"

  ret <- .Call(mvtnorm_R_ltMatrices_Mult, x, y, as.integer(N),
              as.integer(d[2L]), as.logical(diag))

  rownames(ret) <- dn[[2L]]
  if (length(dn[[1L]]) == N)
    colnames(ret) <- dn[[1L]]
  return(ret)
}
◇
```

Fragment referenced in 2.

The underlying C code assumes  $C_i$  (here called C) to be in row-major order.

*< RC input 20b >* ≡

```
/* pointer to C matrices */
double *dC = REAL(C);
/* number of matrices */
int iN = INTEGER(N)[0];
/* dimension of matrices */
int iJ = INTEGER(J)[0];
/* C contains diagonal elements */
Rboolean Rdiag = asLogical(diag);
/* p = J * (J - 1) / 2 + diag * J */
int len = iJ * (iJ - 1) / 2 + Rdiag * iJ;
◇
```

Fragment referenced in 21b, 23, 27, 32, 38a.

We also allow  $C_i$  to be constant ( $N$  is then determined from `ncol(y)`). The following fragment ensures that we only loop over  $C_i$  if `dim(x)[1L] > 1`

*< C length 21a >*  $\equiv$

```
int p;
if (LENGTH(C) == len)
  /* C is constant for i = 1, ..., N */
  p = 0;
else
  /* C contains C_1, ..., C_N */
  p = len;
◇
```

Fragment referenced in [21b](#), [23](#), [27](#), [38a](#).

The C workhorse is now

*< mult 21b >*  $\equiv$

```
SEXP R_ltMatrices_Mult (SEXP C, SEXP y, SEXP N, SEXP J, SEXP diag) {

  SEXP ans;
  double *dans, *dy = REAL(y);
  int i, j, k, start;

  < RC input 20b >
  < C length 21a >

  PROTECT(ans = allocMatrix(REALSXP, iJ, iN));
  dans = REAL(ans);

  for (i = 0; i < iN; i++) {
    start = 0;
    for (j = 0; j < iJ; j++) {
      dans[j] = 0.0;
      for (k = 0; k < j; k++)
        dans[j] += dC[start + k] * dy[k];
      if (Rdiag) {
        dans[j] += dC[start + j] * dy[j];
        start += j + 1;
      } else {
        dans[j] += dy[j];
        start += j;
      }
    }
    dC += p;
    dy += iJ;
    dans += iJ;
  }
  UNPROTECT(1);
  return(ans);
}
◇
```

Fragment referenced in [3](#).

Some checks for  $C_i y_i$

```

> lxn <- ltMatrices(xn, byrow = TRUE)
> lxd <- ltMatrices(xd, byrow = TRUE, diag = TRUE)
> y <- matrix(runif(N * J), nrow = J)
> a <- Mult(lxn, y)
> A <- as.array(lxn)
> b <- do.call("rbind", lapply(1:ncol(y),
+   function(i) t(A[,i] %*% y[,i,drop = FALSE])))
> chk(a, t(b), check.attributes = FALSE)
> a <- Mult(lxd, y)
> A <- as.array(lxd)
> b <- do.call("rbind", lapply(1:ncol(y),
+   function(i) t(A[,i] %*% y[,i,drop = FALSE])))
> chk(a, t(b), check.attributes = FALSE)
> ### recycle C
> chk(Mult(lxn[rep(1, N),], y), Mult(lxn[1,], y), check.attributes = FALSE)
> ### recycle y
> chk(Mult(lxn, y[,1]), Mult(lxn, y[,rep(1, N)]))
> ### tcrossprod as multiplication
> i <- sample(1:N)[1]
> M <- t(as.array(lxn)[,i])
> a <- sapply(1:J, function(j) Mult(lxn[i,], M[,j,drop = FALSE]))
> rownames(a) <- colnames(a) <- dimnames(lxn)[[2L]]
> b <- as.array(Tcrossprod(lxn[i,]))[,1]
> chk(a, b, check.attributes = FALSE)

```

For  $\mathbf{C}_i^\top \mathbf{y}_i$  (transpose = TRUE), we add a dedicated C function paying attention to the lower triangular structure of  $\mathbf{x}$ . This function assumes  $\mathbf{x}$  in column-major order, so we coerce this object when necessary:

*(mult ltMatrices transpose 22)*  $\equiv$

```

if (transpose) {
  x <- ltMatrices(x, byrow = FALSE)

  class(x) <- class(x)[-1L]
  storage.mode(x) <- "double"
  storage.mode(y) <- "double"

  ret <- .Call(mvtnorm_R_ltMatrices_Mult_transpose, x, y, as.integer(N),
              as.integer(d[2L]), as.logical(diag))

  rownames(ret) <- dn[[2L]]
  if (length(dn[[1L]]) == N)
    colnames(ret) <- dn[[1L]]
  return(ret)
}

```

Fragment referenced in 20a.

before moving to C for the low-level computations:

*< mult transpose 23 >* ≡

```
SEXP R_ltMatrices_Mult_transpose (SEXP C, SEXP y, SEXP N, SEXP J, SEXP diag) {

    SEXP ans;
    double *dans, *dy = REAL(y);
    int i, j, k, start;

    < RC input 20b >
    < C length 21a >

    PROTECT(ans = allocMatrix(REALSXP, iJ, iN));
    dans = REAL(ans);

    for (i = 0; i < iN; i++) {
        start = 0;
        for (j = 0; j < iJ; j++) {
            dans[j] = 0.0;
            if (Rdiag) {
                dans[j] += dC[start] * dy[j];
                start++;
            } else {
                dans[j] += dy[j];
            }
            for (k = 0; k < (iJ - j - 1); k++)
                dans[j] += dC[start + k] * dy[j + k + 1];
            start += iJ - j - 1;
        }
        dC += p;
        dy += iJ;
        dans += iJ;
    }
    UNPROTECT(1);
    return(ans);
}
◇
```

Fragment referenced in 3.

and wrap-up with some tests for computing  $C_i^\top y_i$

```
> a <- Mult(lxn, y, transpose = TRUE)
> A <- as.array(lxn)
> b <- do.call("rbind", lapply(1:ncol(y),
+   function(i) t(t(A[,i]) %*% y[,i,drop = FALSE])))
> chk(a, t(b), check.attributes = FALSE)
> a <- Mult(lxd, y, transpose = TRUE)
> A <- as.array(lxd)
> b <- do.call("rbind", lapply(1:ncol(y),
+   function(i) t(t(A[,i]) %*% y[,i,drop = FALSE])))
> chk(a, t(b), check.attributes = FALSE)
> ### recycle C
> chk(Mult(lxn[rep(1, N)], y, transpose = TRUE),
+   Mult(lxn[1,], y, transpose = TRUE), check.attributes = FALSE)
> ### recycle y
> chk(Mult(lxn, y[,1], transpose = TRUE),
+   Mult(lxn, y[,rep(1, N)], transpose = TRUE))
```

Now we can add a `Mult` method for multiple symmetric matrices, noting that for a symmetric matrix  $\mathbf{C} = \mathbf{A} + \mathbf{A}^\top - \text{diag}(\mathbf{A})$  with lower triangular part  $\mathbf{A}$  (including the diagonal) we can compute  $\mathbf{C}\mathbf{y} = \mathbf{A}\mathbf{y} + \mathbf{A}^\top\mathbf{y} - \text{diag}(\mathbf{A})\mathbf{y}$  using `Mult` applied to the lower triangular part:

`<mult syMatrices 24>`  $\equiv$

```
Mult.syMatrices <- function(x, y, ...) {
  < extract slots 8 >

  class(x)[1L] <- "ltMatrices"
  stopifnot(is.numeric(y))
  if (!is.matrix(y)) y <- matrix(y, nrow = d[2L], ncol = d[1L])
  N <- ifelse(d[1L] == 1, ncol(y), d[1L])
  stopifnot(nrow(y) == d[2L])
  stopifnot(ncol(y) == N)

  ret <- Mult(x, y) + Mult(x, y, transpose = TRUE) - y * c(diagonals(x))
  return(ret)
}
◇
```

Fragment referenced in 2.

```
> J <- 5
> N1 <- 10
> ex <- expression({
+   C <- syMatrices(matrix(runif(N2 * J * (J + c(-1, 1)[DIAG + 1L]) / 2), ncol = N2),
+     diag = DIAG)
+   x <- matrix(runif(N1 * J), nrow = J)
+   Ca <- as.array(C)
+   p1 <- do.call("cbind", lapply(1:N1, function(i)
+     Ca[, , c(1, i)][(N2 > 1) + 1] %*% x[, i]))
+   p2 <- Mult(C, x)
+   chk(p1, p2)
+ })
> N2 <- N1
> DIAG <- TRUE
> eval(ex)
> N2 <- 1
> DIAG <- TRUE
> eval(ex)
> N2 <- 1
> DIAG <- FALSE
> eval(ex)
> N2 <- N1
> DIAG <- FALSE
> eval(ex)
```

## 2.7 Solving Linear Systems

Computing  $\mathbf{C}_i^{-1}$  or solving  $\mathbf{C}_i\mathbf{x}_i = \mathbf{y}_i$  for  $\mathbf{x}_i$  for all  $i = 1, \dots, N$  is another important task. We sometimes also need  $\mathbf{C}_i^\top\mathbf{x}_i = \mathbf{y}_i$  triggered by `transpose = TRUE`.

$\mathbf{C}$  is  $\mathbf{C}_i, i = 1, \dots, N$  in column-major order (matrix of dimension  $J(J-1)/2 + J\text{diag} \times N$ ), and  $\mathbf{y}$

is the  $J \times N$  matrix  $(\mathbf{y}_1 \mid \mathbf{y}_2 \mid \cdots \mid \mathbf{y}_N)$ . This function returns the  $J \times N$  matrix  $(\mathbf{x}_1 \mid \mathbf{x}_2 \mid \cdots \mid \mathbf{x}_N)$  of solutions.

If  $\mathbf{y}$  is not given,  $\mathbf{C}_i^{-1}$  is returned in the same order as the original matrix  $\mathbf{C}_i$ . If all  $\mathbf{C}_i$  have unit diagonals, so will  $\mathbf{C}_i^{-1}$ .

*< setup memory 25a >*  $\equiv$

```

/* return object: include unit diagonal elements if Rdiag == 0 */

/* add diagonal elements (expected by Lapack) */
nrow = (Rdiag ? len : len + iJ);
ncol = (p > 0 ? iN : 1);
PROTECT(ans = allocMatrix(REALSXP, nrow, ncol));
dans = REAL(ans);

ansx = ans;
dansx = dans;
dy = dans;
if (y != R_NilValue) {
  dy = REAL(y);
  PROTECT(ansx = allocMatrix(REALSXP, iJ, iN));
  dansx = REAL(ansx);
}
◇

```

Fragment referenced in 27.

The LAPACK functions `dtptri` and `dtpsv` assume that diagonal elements are present, even for unit diagonal matrices.

*< copy elements 25b >*  $\equiv$

```

/* copy data and insert unit diagonal elements when necessary */
if (p > 0 || i == 0) {
  jj = 0;
  k = 0;
  idx = 0;
  j = 0;
  while(j < len) {
    if (!Rdiag && (jj == idx)) {
      dans[jj] = 1.0;
      idx = idx + (iJ - k);
      k++;
    } else {
      dans[jj] = dC[j];
      j++;
    }
    jj++;
  }
  if (!Rdiag) dans[idx] = 1.0;
}

if (y != R_NilValue) {
  for (j = 0; j < iJ; j++)
    dansx[j] = dy[j];
}
◇

```

Fragment referenced in 27.

The LAPACK workhorses are called here

*< call Lapack 26a >* ≡

```
if (y == R_NilValue) {
  /* compute inverse */
  F77_CALL(dtptri)(&lo, &di, &iJ, dans, &info FCONE FCONE);
  if (info != 0)
    error("Cannot solve ltmatices");
} else {
  /* solve linear system */
  F77_CALL(dtpsv)(&lo, &tr, &di, &iJ, dans, dansx, &ONE FCONE FCONE FCONE);
  dansx += iJ;
  dy += iJ;
}
◇
```

Fragment referenced in [27](#).

*< return objects 26b >* ≡

```
if (y == R_NilValue) {
  UNPROTECT(1);
  /* note: ans always includes diagonal elements */
  return(ans);
} else {
  UNPROTECT(2);
  return(ansx);
}
◇
```

Fragment referenced in [27](#).

We finally put everything together in a dedicated C function

*< solve 27 >* ≡

```
SEXP R_ltMatrices_solve (SEXP C, SEXP y, SEXP N, SEXP J, SEXP diag, SEXP transpose)
{
    SEXP ans, ansx;
    double *dans, *dansx, *dy;
    int i, j, k, info, nrow, ncol, jj, idx, ONE = 1;

    < RC input 20b >
    < C length 21a >

    char di, lo = 'L', tr = 'N';
    if (Rdiag) {
        /* non-unit diagonal elements */
        di = 'N';
    } else {
        /* unit diagonal elements */
        di = 'U';
    }

    /* t(C) instead of C */
    Rboolean Rtranspose = asLogical(transpose);
    if (Rtranspose) {
        /* t(C) */
        tr = 'T';
    } else {
        /* C */
        tr = 'N';
    }

    < setup memory 25a >

    /* loop over matrices, ie columns of C / y */
    for (i = 0; i < iN; i++) {

        < copy elements 25b >
        < call Lapack 26a >

        /* next matrix */
        if (p > 0) {
            dans += nrow;
            dC += p;
        }
    }

    < return objects 26b >
}
◇
```

Fragment referenced in 3.

with R interface

*< solve ltMatrices 28 >* ≡

```
solve.ltMatrices <- function(a, b, transpose = FALSE, ...) {  
  
  byrow_orig <- attr(a, "byrow")  
  
  x <- ltMatrices(a, byrow = FALSE)  
  diag <- attr(x, "diag")  
  d <- dim(x)  
  J <- d[2L]  
  dn <- dimnames(x)  
  class(x) <- class(x)[-1L]  
  storage.mode(x) <- "double"  
  
  if (!missing(b)) {  
    if (!is.matrix(b)) b <- matrix(b, nrow = J, ncol = ncol(x))  
    stopifnot(nrow(b) == J)  
    N <- ifelse(d[1L] == 1, ncol(b), d[1L])  
    stopifnot(ncol(b) == N)  
    storage.mode(b) <- "double"  
    ret <- .Call(mvtnorm_R_ltMatrices_solve, x, b,  
                as.integer(N), as.integer(J), as.logical(diag),  
                as.logical(transpose))  
    if (d[1L] == N) {  
      colnames(ret) <- dn[[1L]]  
    } else {  
      colnames(ret) <- colnames(b)  
    }  
    rownames(ret) <- dn[[2L]]  
    return(ret)  
  }  
  
  if (transpose) stop("cannot compute inverse of t(a)")  
  ret <- try(.Call(mvtnorm_R_ltMatrices_solve, x, NULL,  
                 as.integer(ncol(x)), as.integer(J), as.logical(diag),  
                 as.logical(FALSE)))  
  colnames(ret) <- dn[[1L]]  
  
  if (!diag)  
    ### ret always includes diagonal elements, remove here  
    ret <- ret[- cumsum(c(1, J:2)), , drop = FALSE]  
  
  ret <- ltMatrices(ret, diag = diag, byrow = FALSE, names = dn[[2L]])  
  ret <- ltMatrices(ret, byrow = byrow_orig)  
  return(ret)  
}  
◇
```

Fragment referenced in [2](#).

and some checks

```
> ## solve  
> A <- as.array(lxn)  
> a <- solve(lxn)  
> a <- as.array(a)  
> b <- array(apply(A, 3L, function(x) solve(x), simplify = TRUE),  
+           dim = rev(dim(lxn)))
```

```

> chk(a, b, check.attributes = FALSE)
> A <- as.array(lxd)
> a <- as.array(solve(lxd))
> b <- array(apply(A, 3L, function(x) solve(x), simplify = TRUE),
+           dim = rev(dim(lxd)))
> chk(a, b, check.attributes = FALSE)
> chk(solve(lxn, y), Mult(solve(lxn), y))
> chk(solve(lxd, y), Mult(solve(lxd), y))
> ### recycle C
> chk(solve(lxn[1,], y), as.array(solve(lxn[1,]))[,1] %% y)
> chk(solve(lxn[rep(1, N),], y), solve(lxn[1,], y), check.attributes = FALSE)
> ### recycle y
> chk(solve(lxn, y[,1]), solve(lxn, y[,rep(1, N)]))

```

also for  $\mathbf{C}_i^\top \mathbf{x}_i = \mathbf{y}_i$

```

> chk(solve(lxn[1,], y, transpose = TRUE),
+     t(as.array(solve(lxn[1,]))[,1] %% y)

```

## 2.8 Crossproducts

Compute  $\mathbf{C}_i \mathbf{C}_i^\top$  or  $\text{diag}(\mathbf{C}_i \mathbf{C}_i^\top)$  (`diag_only = TRUE`) for  $i = 1, \dots, N$ . These are symmetric matrices, so we store them as a lower triangular matrix using a different class name `syMatrices`. We write one C function for computing  $\mathbf{C}_i \mathbf{C}_i^\top$  or  $\mathbf{C}_i^\top \mathbf{C}_i$  (`Rtranspose` being `TRUE`).

We differentiate between computation of the diagonal elements of the crossproduct

*(first element 29) ≡*

```

dans[0] = 1.0;
if (Rdiag)
  dans[0] = pow(dC[0], 2);
if (Rtranspose) { // crossprod
  for (k = 1; k < iJ; k++)
    dans[0] += pow(dC[IDX(k + 1, 1, iJ, Rdiag)], 2);
}
◇

```

Fragment referenced in [30](#), [31a](#).

*< tcrossprod diagonal only 30 >* ≡

```
PROTECT(ans = allocMatrix(REALSXP, iJ, iN));
dans = REAL(ans);
for (n = 0; n < iN; n++) {
  < first element 29 >
  for (i = 1; i < iJ; i++) {
    dans[i] = 0.0;
    if (Rtranspose) { // crossprod
      for (k = i + 1; k < iJ; k++)
        dans[i] += pow(dC[IDX(k + 1, i + 1, iJ, Rdiag)], 2);
    } else { // tcrossprod
      for (k = 0; k < i; k++)
        dans[i] += pow(dC[IDX(i + 1, k + 1, iJ, Rdiag)], 2);
    }
    if (Rdiag) {
      dans[i] += pow(dC[IDX(i + 1, i + 1, iJ, Rdiag)], 2);
    } else {
      dans[i] += 1.0;
    }
  }
  dans += iJ;
  dC += len;
}
◇
```

Fragment referenced in [32](#).

and computation of the full  $J \times J$  crossproduct matrix

$\langle \text{tcrossprod full 31a} \rangle \equiv$

```

nrow = iJ * (iJ + 1) / 2;
PROTECT(ans = allocMatrix(REALSXP, nrow, iN));
dans = REAL(ans);
for (n = 0; n < INTEGER(N)[0]; n++) {
   $\langle \text{first element 29} \rangle$ 
  for (i = 1; i < iJ; i++) {
    for (j = 0; j <= i; j++) {
      ix = IDX(i + 1, j + 1, iJ, 1);
      dans[ix] = 0.0;
      if (Rtranspose) { // crossprod
        for (k = i + 1; k < iJ; k++)
          dans[ix] +=
            dC[IDX(k + 1, i + 1, iJ, Rdiag)] *
            dC[IDX(k + 1, j + 1, iJ, Rdiag)];
      } else { // tcrossprod
        for (k = 0; k < j; k++)
          dans[ix] +=
            dC[IDX(i + 1, k + 1, iJ, Rdiag)] *
            dC[IDX(j + 1, k + 1, iJ, Rdiag)];
      }
      if (Rdiag) {
        if (Rtranspose) {
          dans[ix] +=
            dC[IDX(i + 1, i + 1, iJ, Rdiag)] *
            dC[IDX(i + 1, j + 1, iJ, Rdiag)];
        } else {
          dans[ix] +=
            dC[IDX(i + 1, j + 1, iJ, Rdiag)] *
            dC[IDX(j + 1, j + 1, iJ, Rdiag)];
        }
      } else {
        if (j < i)
          dans[ix] += dC[IDX(i + 1, j + 1, iJ, Rdiag)];
        else
          dans[ix] += 1.0;
      }
    }
  }
  dans += nrow;
  dC += len;
}

```

Fragment referenced in [32](#).

and put both cases together

$\langle \text{IDX 31b} \rangle \equiv$

```

#define IDX(i, j, n, d) ((i) >= (j) ? (n) * ((j) - 1) - ((j) - 2) * ((j) - 1)/2 + (i) - (j) - (!d) * (

```

Fragment referenced in [32](#), [38a](#).

$\langle \text{tcrossprod } 32 \rangle \equiv$

$\langle \text{IDX } 31\text{b} \rangle$

```
SEXP R_ltMatrices_tcrossprod (SEXP C, SEXP N, SEXP J, SEXP diag,  
                             SEXP diag_only, SEXP transpose) {
```

```
    SEXP ans;  
    double *dans;  
    int i, j, n, k, ix, nrow;
```

$\langle \text{RC input } 20\text{b} \rangle$

```
Rboolean Rdiag_only = asLogical(diag_only);  
Rboolean Rtranspose = asLogical(transpose);
```

```
if (Rdiag_only) {  
     $\langle \text{tcrossprod diagonal only } 30 \rangle$   
} else {  
     $\langle \text{tcrossprod full } 31\text{a} \rangle$   
}  
UNPROTECT(1);  
return(ans);
```

```
}  
◇
```

Fragment referenced in 3.

with R interface

*< tcrossprod ltMatrices 33 >* ≡

```
### C %*% t(C) => returns object of class syMatrices
### diag(C %*% t(C)) => returns matrix of diagonal elements
.Tcrossprod <- function(x, diag_only = FALSE, transpose = FALSE) {

  if (!inherits(x, "ltMatrices")) {
    ret <- tcrossprod(x)
    if (diag_only) ret <- diag(ret)
    return(ret)
  }

  byrow_orig <- attr(x, "byrow")
  diag <- attr(x, "diag")
  d <- dim(x)
  J <- d[2L]
  dn <- dimnames(x)

  x <- ltMatrices(x, byrow = FALSE)
  class(x) <- class(x)[-1L]
  N <- d[1L]
  storage.mode(x) <- "double"

  ret <- .Call(mvtnorm_R_ltMatrices_tcrossprod, x, as.integer(N), as.integer(J),
             as.logical(diag), as.logical(diag_only), as.logical(transpose))
  colnames(ret) <- dn[[1L]]
  if (diag_only) {
    rownames(ret) <- dn[[2L]]
  } else {
    ret <- ltMatrices(ret, diag = TRUE, byrow = FALSE, names = dn[[2L]])
    ret <- as.syMatrices(ltMatrices(ret, byrow = byrow_orig))
  }
  return(ret)
}
.Tcrossprod <- function(x, diag_only = FALSE)
  .Tcrossprod(x = x, diag_only = diag_only, transpose = FALSE)
◇
```

Fragment referenced in 2.

We could have created yet another generic `tcrossprod`, but `base::tcrossprod` is more general and, because speed is an issue, we don't want to waste time on methods dispatch.

```
> ## Tcrossprod
> a <- as.array(Tcrossprod(lxn))
> b <- array(apply(as.array(lxn), 3L, function(x) tcrossprod(x), simplify = TRUE),
+           dim = rev(dim(lxn)))
> chk(a, b, check.attributes = FALSE)
> # diagonal elements only
> d <- Tcrossprod(lxn, diag_only = TRUE)
> chk(d, apply(a, 3, diag))
> chk(d, diagonals(Tcrossprod(lxn)))
> a <- as.array(Tcrossprod(lxd))
> b <- array(apply(as.array(lxd), 3L, function(x) tcrossprod(x), simplify = TRUE),
+           dim = rev(dim(lxd)))
> chk(a, b, check.attributes = FALSE)
> # diagonal elements only
```

```

> d <- Tcrossprod(lxd, diag_only = TRUE)
> chk(d, apply(a, 3, diag))
> chk(d, diagonals(Tcrossprod(lxd)))

```

We also add `Crossprod`, which is a call to `Tcrossprod` with the `transpose` switch turned on

(*crossprod* *ltMatrices* 34)  $\equiv$

```

Crossprod <- function(x, diag_only = FALSE)
  .Tcrossprod(x, diag_only = diag_only, transpose = TRUE)

```

◇

Fragment referenced in 2.

and run some checks

```

> ## Crossprod
> a <- as.array(Crossprod(lxn))
> b <- array(apply(as.array(lxn), 3L, function(x) crossprod(x), simplify = TRUE),
+           dim = rev(dim(lxn)))
> chk(a, b, check.attributes = FALSE)
> # diagonal elements only
> d <- Crossprod(lxn, diag_only = TRUE)
> chk(d, apply(a, 3, diag))
> chk(d, diagonals(Crossprod(lxn)))
> a <- as.array(Crossprod(lxd))
> b <- array(apply(as.array(lxd), 3L, function(x) crossprod(x), simplify = TRUE),
+           dim = rev(dim(lxd)))
> chk(a, b, check.attributes = FALSE)
> # diagonal elements only
> d <- Crossprod(lxd, diag_only = TRUE)
> chk(d, apply(a, 3, diag))
> chk(d, diagonals(Crossprod(lxd)))

```

## 2.9 Cholesky Factorisation

One might want to compute the Cholesky factorisations  $\Sigma_i = \mathbf{C}_i \mathbf{C}_i^\top$  for multiple symmetric matrices  $\Sigma_i$ , stored as a matrix in class `syMatrices`.

*< chol syMatrices 35 >* ≡

```
chol.syMatrices <- function(x, ...) {  
  
  byrow_orig <- attr(x, "byrow")  
  dnm <- dimnames(x)  
  stopifnot(attr(x, "diag"))  
  d <- dim(x)  
  
  ### x is of class syMatrices, coerse to ltMatrices first and re-arrange  
  ### second  
  x <- ltMatrices(unclass(x), diag = TRUE,  
                 byrow = byrow_orig, names = dnm[[2L]])  
  x <- ltMatrices(x, byrow = FALSE)  
  class(x) <- class(x)[-1]  
  storage.mode(x) <- "double"  
  
  ret <- .Call(mvtnorm_R_syMatrices_chol, x,  
             as.integer(d[1L]), as.integer(d[2L]))  
  colnames(ret) <- dnm[[1L]]  
  
  ret <- ltMatrices(ret, diag = TRUE,  
                  byrow = FALSE, names = dnm[[2L]])  
  ret <- ltMatrices(ret, byrow = byrow_orig)  
  
  return(ret)  
}  
◇
```

Fragment referenced in 2.

Luckily, we already have the data in the correct packed colum-major storage, so we swiftly loop over  $i = 1, \dots, N$  in C and hand over to LAPACK

`< chol 36 > ≡`

```
SEXP R_syMatrices_chol (SEXP Sigma, SEXP N, SEXP J) {

    SEXP ans;
    double *dans, *dSigma;
    int iJ = INTEGER(J)[0];
    int pJ = iJ * (iJ + 1) / 2;
    int iN = INTEGER(N)[0];
    int i, j, info = 0;
    char lo = 'L';

    PROTECT(ans = allocMatrix(REALSXP, pJ, iN));
    dans = REAL(ans);
    dSigma = REAL(Sigma);

    for (i = 0; i < iN; i++) {

        /* copy data */
        for (j = 0; j < pJ; j++)
            dans[j] = dSigma[j];

        F77_CALL(dpptrf)(&lo, &iJ, dans, &info FCONE);

        if (info != 0) {
            if (info > 0)
                error("the leading minor of order %d is not positive definite",
                    info);
            error("argument %d of Lapack routine %s had invalid value",
                -info, "dpptrf");
        }

        dSigma += pJ;
        dans += pJ;
    }
    UNPROTECT(1);
    return(ans);
}
◇
```

Fragment referenced in 3.

This new chol method can be used to revert Tcrossprod for ltMatrices with and without unit diagonals:

```
> Sigma <- Tcrossprod(lxd)
> chk(chol(Sigma), lxd)
> Sigma <- Tcrossprod(lxn)
> ## Sigma and chol(Sigma) always have diagonal, lxn doesn't
> chk(as.array(chol(Sigma)), as.array(lxn))
```

## 2.10 Kronecker Products

We sometimes need to compute  $\text{vec}(\mathbf{S})^\top (\mathbf{A}^\top \otimes \mathbf{C})$ , where  $\mathbf{S}$  is a lower triangular or other  $J \times J$  matrix and  $\mathbf{A}$  and  $\mathbf{C}$  are lower triangular  $J \times J$  matrices. With the “vec trick”, we have  $\text{vec}(\mathbf{S})^\top (\mathbf{A}^\top \otimes \mathbf{C}) = \text{vec}(\mathbf{C}^\top \mathbf{S} \mathbf{A}^\top)^\top$ . The LAPACK function `dtrmm` computes products of lower triangular matrices with other matrices, so we simply call this function looping over  $i = 1, \dots, N$ .

$\langle t(C) S t(A) 37 \rangle \equiv$

```
char siR = 'R', siL = 'L', lo = 'L', tr = 'N', trT = 'T', di = 'N', trs;
double ONE = 1.0;
int iJ2 = iJ * iJ;

double tmp[iJ2];
for (j = 0; j < iJ2; j++) tmp[j] = 0.0;

ans = PROTECT(allocMatrix(REALSXP, iJ2, iN));
dans = REAL(ans);

for (i = 0; i < LENGTH(ans); i++) dans[i] = 0.0;

for (i = 0; i < iN; i++) {

    /* A := C */
    for (j = 0; j < iJ; j++) {
        for (k = 0; k <= j; k++)
            tmp[k * iJ + j] = dC[IDX(j + 1, k + 1, iJ, 1L)];
    }

    /* S was already expanded in R code; B = S */
    for (j = 0; j < iJ2; j++) dans[j] = dS[j];

    /* B := t(A) %*% B */
    trs = (RtC ? trT : tr);
    F77_CALL(dtrmm)(&siL, &lo, &trs, &di, &iJ, &iJ, &ONE, tmp, &iJ,
        dans, &iJ FCONE FCONE FCONE FCONE);

    /* A */
    for (j = 0; j < iJ; j++) {
        for (k = 0; k <= j; k++)
            tmp[k * iJ + j] = dA[IDX(j + 1, k + 1, iJ, 1L)];
    }

    /* B := B %*% t(A) */
    trs = (RtA ? trT : tr);
    F77_CALL(dtrmm)(&siR, &lo, &trs, &di, &iJ, &iJ, &ONE, tmp, &iJ,
        dans, &iJ FCONE FCONE FCONE FCONE);

    dans += iJ2;
    dC += p;
    dS += iJ2;
    dA += p;
}
◇
```

Fragment referenced in 38a.

*< vec trick 38a >*  $\equiv$

*< IDX 31b >*

```
SEXP R_vectrick(SEXP C, SEXP N, SEXP J, SEXP S, SEXP A, SEXP diag, SEXP trans) {  
  
    int i, j, k;  
    SEXP ans;  
    double *dS, *dans, *dA;  
  
    /* note: diag is needed by this chunk but has no consequences */  
    < RC input 20b >  
    < C length 21a >  
    dS = REAL(S);  
    dA = REAL(A);  
  
    Rboolean RtC = LOGICAL(trans)[0];  
    Rboolean RtA = LOGICAL(trans)[1];  
  
    < t(C) S t(A) 37 >  
  
    UNPROTECT(1);  
    return(ans);  
}  
◇
```

Fragment referenced in 3.

In R, we compute  $C^T SA^T$  by default or  $CSA^T$  or  $C^T SA$  or  $C^T SA^T$  by using the `trans` argument in `vectrick`. Argument `C` is an `ltMatrices` object

*< check C argument 38b >*  $\equiv$

```
stopifnot(inherits(C, "ltMatrices"))  
if (!attr(C, "diag")) diagonals(C) <- 1  
C_byrow_orig <- attr(C, "byrow")  
C <- ltMatrices(C, byrow = FALSE)  
dC <- dim(C)  
nm <- attr(C, "rcnames")  
N <- dC[1L]  
J <- dC[2L]  
class(C) <- class(C)[-1L]  
storage.mode(C) <- "double"  
◇
```

Fragment referenced in 40.

`S` can be an `ltMatrices` object or a  $J^2 \times N$  matrix featuring columns of vectorised  $J \times J$  matrices

*< check S argument 39a >* ≡

```
SltM <- inherits(S, "ltMatrices")
if (SltM) {
  if (!attr(S, "diag")) diagonals(S) <- 1
  S_byrow_orig <- attr(S, "byrow")
  stopifnot(S_byrow_orig == C_byrow_orig)
  S <- ltMatrices(S, byrow = FALSE)
  dS <- dim(S)
  stopifnot(dC[2L] == dS[2L])
  if (dC[1] != 1L) {
    stopifnot(dC[1L] == dS[1L])
  } else {
    N <- dS[1L]
  }
  ## argument A in dtrmm is not in packed form, so expand in J x J
  ## matrix
  S <- matrix(as.array(S), ncol = dS[1L])
} else {
  stopifnot(is.matrix(S))
  stopifnot(nrow(S) == J^2)
  if (dC[1] != 1L) {
    stopifnot(dC[1L] == ncol(S))
  } else {
    N <- ncol(S)
  }
}
storage.mode(S) <- "double"
◇
```

Fragment referenced in [40](#).

A is an `ltMatrices` object

*< check A argument 39b >* ≡

```
if (missing(A)) {
  A <- C
} else {
  stopifnot(inherits(A, "ltMatrices"))
  if (!attr(A, "diag")) diagonals(A) <- 1
  A_byrow_orig <- attr(A, "byrow")
  stopifnot(C_byrow_orig == A_byrow_orig)
  A <- ltMatrices(A, byrow = FALSE)
  dA <- dim(A)
  stopifnot(dC[2L] == dA[2L])
  class(A) <- class(A)[-1L]
  storage.mode(A) <- "double"
  if (dC[1L] != dA[1L]) {
    if (dC[1L] == 1L)
      C <- C[, rep(1, N), drop = FALSE]
    if (dA[1L] == 1L)
      A <- A[, rep(1, N), drop = FALSE]
    stopifnot(ncol(A) == ncol(C))
  }
}
◇
```

Fragment referenced in [40](#).

We put everything together in function `vectrick`

*<kronecker vec trick 40>*  $\equiv$

```
vectrick <- function(C, S, A, transpose = c(TRUE, TRUE)) {  
  
  stopifnot(all(is.logical(transpose)))  
  stopifnot(length(transpose) == 2L)  
  
  < check C argument 38b >  
  < check S argument 39a >  
  < check A argument 39b >  
  
  ret <- .Call(mvtnorm_R_vectrick, C, as.integer(N), as.integer(J), S, A,  
             as.logical(TRUE), as.logical(transpose))  
  
  if (!SltM) return(matrix(c(ret), ncol = N))  
  
  L <- matrix(1:(J^2), nrow = J)  
  ret <- ltMatrices(ret[L[lower.tri(L, diag = TRUE)],,drop = FALSE],  
                  diag = TRUE, byrow = FALSE, names = nm)  
  ret <- ltMatrices(ret, byrow = C_byrow_orig)  
  return(ret)  
}  
◇
```

Fragment referenced in [2](#).

Here is a small example

```
> J <- 10  
> d <- TRUE  
> L <- diag(J)  
> L[lower.tri(L, diag = d)] <- prm <- runif(J * (J + c(-1, 1)[d + 1]) / 2)  
> C <- solve(L)  
> D <- -kronecker(t(C), C)  
> S <- diag(J)  
> S[lower.tri(S, diag = TRUE)] <- x <- runif(J * (J + 1) / 2)  
> SD0 <- matrix(c(S) %*% D, ncol = J)  
> SD1 <- -crossprod(C, tcrossprod(S, C))  
> a <- ltMatrices(C[lower.tri(C, diag = TRUE)], diag = TRUE, byrow = FALSE)  
> b <- ltMatrices(x, diag = TRUE, byrow = FALSE)  
> SD2 <- -vectrick(a, b, a)  
> SD2a <- -vectrick(a, b)  
> chk(SD2, SD2a)  
> chk(SD0[lower.tri(SD0, diag = d)],  
+     SD1[lower.tri(SD1, diag = d)])  
> chk(SD0[lower.tri(SD0, diag = d)],  
+     c(unclass(SD2)))  
> ### same; but SD2 is vec(SD0)  
> S <- t(matrix(as.array(b), byrow = FALSE, nrow = 1))  
> SD2 <- -vectrick(a, S, a)  
> SD2a <- -vectrick(a, S)  
> chk(SD2, SD2a)  
> chk(c(SD0), c(SD2))  
> ### N > 1
```

```

> N <- 4L
> prm <- runif(J * (J - 1) / 2)
> C <- ltMatrices(prm)
> S <- matrix(runif(J^2 * N), ncol = N)
> A <- vectrick(C, S, C)
> Cx <- as.array(C)[,,1]
> B <- apply(S, 2, function(x) t(Cx) %*% matrix(x, ncol = J) %*% t(Cx))
> chk(A, B)
> A <- vectrick(C, S, C, transpose = c(FALSE, FALSE))
> Cx <- as.array(C)[,,1]
> B <- apply(S, 2, function(x) Cx %*% matrix(x, ncol = J) %*% Cx)
> chk(A, B)

```

## 2.11 Convenience Functions

We add a few convenience functions for computing covariance matrices  $\Sigma_i = \mathbf{C}_i \mathbf{C}_i^\top$ , precision matrices  $\mathbf{P}_i = \mathbf{L}_i^\top \mathbf{L}_i$ , correlation matrices  $\mathbf{R}_i = \tilde{\mathbf{C}}_i \tilde{\mathbf{C}}_i^\top$  (where  $\tilde{\mathbf{C}}_i = \text{diag}(\mathbf{C}_i \mathbf{C}_i^\top)^{-\frac{1}{2}} \mathbf{C}_i$ ), or matrices of partial correlations  $\mathbf{A}_i = -\tilde{\mathbf{L}}_i^\top \tilde{\mathbf{L}}_i$  with  $\tilde{\mathbf{L}}_i = \mathbf{L}_i \text{diag}(\mathbf{L}_i^\top \mathbf{L}_i)^{-\frac{1}{2}}$  from  $\mathbf{L}_i$  (`invchol`) or  $\mathbf{C}_i = \mathbf{L}_i^{-1}$  (`chol`) for  $i = 1, \dots, N$ .

First, we set-up functions for computing  $\tilde{\mathbf{C}}_i$

$\langle D \text{ times } C \ 41 \rangle \equiv$

```

Dchol <- function(x, D = 1 / sqrt(Tcrossprod(x, diag_only = TRUE))) {
  x <- .adddiag(x)
  byrow_orig <- attr(x, "byrow")
  x <- ltMatrices(x, byrow = TRUE)
  N <- dim(x)[1L]
  J <- dim(x)[2L]
  nm <- dimnames(x)[[2L]]
  x <- unclass(x) * D[rep(1:J, 1:J),,drop = FALSE]
  ret <- ltMatrices(x, diag = TRUE, byrow = TRUE, names = nm)
  ret <- ltMatrices(ret, byrow = byrow_orig)
  return(ret)
}

```

Fragment referenced in [43](#).

and  $\tilde{\mathbf{C}}_i^{-1} = \mathbf{L}_i \text{diag}(\mathbf{L}_i^{-1} \mathbf{L}_i^{-\top})^{\frac{1}{2}}$

$\langle L \text{ times } D \text{ 42} \rangle \equiv$

```
### invcholD = solve(Dchol)
invcholD <- function(x, D = sqrt(Tcrossprod(solve(x), diag_only = TRUE))) {

  x <- .adddiag(x)

  byrow_orig <- attr(x, "byrow")

  x <- ltMatrices(x, byrow = FALSE)

  N <- dim(x)[1L]
  J <- dim(x)[2L]
  nm <- dimnames(x)[[2L]]

  x <- unclass(x) * D[rep(1:J, J:1),,drop = FALSE]

  ret <- ltMatrices(x, diag = TRUE, byrow = FALSE, names = nm)
  ret <- ltMatrices(ret, byrow = byrow_orig)
  return(ret)
}
◇
```

Fragment referenced in [43](#).

and now the convenience functions are one-liners:

*< convenience functions 43 >* ≡

```
< D times C 41 >
< L times D 42 >

### C -> Sigma
chol2cov <- function(x)
  Tcrossprod(x)

### L -> C
invchol2chol <- function(x)
  solve(x)

### C -> L
chol2invchol <- function(x)
  solve(x)

### L -> Sigma
invchol2cov <- function(x)
  chol2cov(invchol2chol(x))

### L -> Precision
invchol2pre <- function(x)
  Crossprod(x)

### C -> Precision
chol2pre <- function(x)
  Crossprod(chol2invchol(x))

### C -> R
chol2cor <- function(x) {
  ret <- Tcrossprod(Dchol(x))
  diagonals(ret) <- NULL
  return(ret)
}

### L -> R
invchol2cor <- function(x) {
  ret <- chol2cor(invchol2chol(x))
  diagonals(ret) <- NULL
  return(ret)
}

### L -> A
invchol2pc <- function(x) {
  ret <- -Crossprod(invcholD(x, D = 1 / sqrt(Crossprod(x, diag_only = TRUE))))
  diagonals(ret) <- 0
  ret
}

### C -> A
chol2pc <- function(x)
  invchol2pc(solve(x))
◇
```

Fragment referenced in 2.

Here are some tests

```

> prec2pc <- function(x) {
+   ret <- -cov2cor(x)
+   diag(ret) <- 0
+   ret
+ }
> L <- lxn
> Sigma <- apply(as.array(L), 3,
+   function(x) tcrossprod(solve(x)), simplify = FALSE)
> Prec <- lapply(Sigma, solve)
> Corr <- lapply(Sigma, cov2cor)
> CP <- lapply(Corr, solve)
> PC <- lapply(Prec, function(x) prec2pc(x))
> chk(unlist(Sigma), c(as.array(invchol2cov(L))),
+   check.attributes = FALSE)
> chk(unlist(Prec), c(as.array(invchol2pre(L))),
+   check.attributes = FALSE)
> chk(unlist(Corr), c(as.array(invchol2cor(L))),
+   check.attributes = FALSE)
> chk(unlist(CP), c(as.array(Crossprod(invcholD(L)))),
+   check.attributes = FALSE)
> chk(unlist(PC), c(as.array(invchol2pc(L))),
+   check.attributes = FALSE)

> C <- lxn
> Sigma <- apply(as.array(C), 3,
+   function(x) tcrossprod(x), simplify = FALSE)
> Prec <- lapply(Sigma, solve)
> Corr <- lapply(Sigma, cov2cor)
> CP <- lapply(Corr, solve)
> PC <- lapply(Prec, function(x) prec2pc(x))
> chk(unlist(Sigma), c(as.array(chol2cov(C))),
+   check.attributes = FALSE)
> chk(unlist(Prec), c(as.array(chol2pre(C))),
+   check.attributes = FALSE)
> chk(unlist(Corr), c(as.array(chol2cor(C))),
+   check.attributes = FALSE)
> chk(unlist(CP), c(as.array(Crossprod(solve(Dchol(C)))))),
+   check.attributes = FALSE)
> chk(unlist(PC), c(as.array(chol2pc(C))),
+   check.attributes = FALSE)

> L <- lxd
> Sigma <- apply(as.array(L), 3,
+   function(x) tcrossprod(solve(x)), simplify = FALSE)
> Prec <- lapply(Sigma, solve)
> Corr <- lapply(Sigma, cov2cor)
> CP <- lapply(Corr, solve)
> PC <- lapply(Prec, function(x) prec2pc(x))
> chk(unlist(Sigma), c(as.array(invchol2cov(L))),
+   check.attributes = FALSE)
> chk(unlist(Prec), c(as.array(invchol2pre(L))),
+   check.attributes = FALSE)
> chk(unlist(Corr), c(as.array(invchol2cor(L))),
+   check.attributes = FALSE)

```

```

> chk(unlist(CP), c(as.array(Crossprod(invcholD(L)))),
+   check.attributes = FALSE)
> chk(unlist(PC), c(as.array(invchol2pc(L))),
+   check.attributes = FALSE)

> C <- lxd
> Sigma <- apply(as.array(C), 3,
+   function(x) tcrossprod(x), simplify = FALSE)
> Prec <- lapply(Sigma, solve)
> Corr <- lapply(Sigma, cov2cor)
> CP <- lapply(Corr, solve)
> PC <- lapply(Prec, function(x) prec2pc(x))
> chk(unlist(Sigma), c(as.array(chol2cov(C))),
+   check.attributes = FALSE)
> chk(unlist(Prec), c(as.array(chol2pre(C))),
+   check.attributes = FALSE)
> chk(unlist(Corr), c(as.array(chol2cor(C))),
+   check.attributes = FALSE)
> chk(unlist(CP), c(as.array(Crossprod(solve(Dchol(C)))))),
+   check.attributes = FALSE)
> chk(unlist(PC), c(as.array(chol2pc(C))),
+   check.attributes = FALSE)

```

We also add an `aperm` method for class `ltMatrices`

`<aperm 45> ≡`

```

aperm.ltMatrices <- function(a, perm, is_chol = FALSE, ...) {
  if (is_chol) { ### a is Cholesky of covariance
    Sperm <- chol2cov(a)[,perm]
    return(chol(Sperm))
  }
  Sperm <- invchol2cov(a)[,perm]
  chol2invchol(chol(Sperm))
}

```

Fragment referenced in 2.

```

> L <- lxn
> J <- dim(L)[2L]
> Lp <- aperm(a = L, perm = p <- sample(1:J), is_chol = FALSE)
> chk(invchol2cov(L)[,p], invchol2cov(Lp))
> C <- lxn
> J <- dim(C)[2L]
> Cp <- aperm(a = C, perm = p <- sample(1:J), is_chol = TRUE)
> chk(chol2cov(C)[,p], chol2cov(Cp))

```

## 2.12 Marginal and Conditional Normal Distributions

Marginal and conditional distributions from distributions  $\mathbf{Y}_i \sim \mathbb{N}_J(\mathbf{0}_J, \mathbf{C}_i \mathbf{C}_i^\top)$  (`chol` argument for  $\mathbf{C}_i$  for  $i = 1, \dots, N$ ) or  $\mathbf{Y}_i \sim \mathbb{N}_J(\mathbf{0}_J, \mathbf{L}_i^{-1} \mathbf{L}_i^{-\top})$  (`invchol` argument for  $\mathbf{L}_i$  for  $i = 1, \dots, N$ ) shall be computed.

*< mc input checks 46a >*  $\equiv$

```

stopifnot(xor(missing(chol), missing(invchol)))
x <- if (missing(chol)) invchol else chol

stopifnot(inherits(x, "ltMatrices"))

N <- dim(x)[1L]
J <- dim(x)[2L]
if (is.character(which)) which <- match(which, dimnames(x)[[2L]])
stopifnot(all(which %in% 1:J))
◇

```

Fragment referenced in [46b](#), [48b](#).

The first  $j$  marginal distributions can be obtained from subsetting  $\mathbf{C}$  or  $\mathbf{L}$  directly. Arbitrary marginal distributions are based on the corresponding subset of the covariance matrix for which we compute a corresponding Cholesky factor (such that we can use `lpmvnorm` later on).

*< marginal 46b >*  $\equiv$

```

marg_mvnorm <- function(chol, invchol, which = 1L) {

  < mc input checks 46a >

  if (which[1] == 1L && (length(which) == 1L ||
    all(diff(which) == 1L))) {
    ### which is 1:j
    tmp <- x[,which]
  } else {
    if (missing(chol)) x <- solve(x)
    tmp <- base::chol(Tcrossprod(x)[,which])
    if (missing(chol)) tmp <- solve(tmp)
  }

  if (missing(chol))
    ret <- list(invchol = tmp)
  else
    ret <- list(chol = tmp)

  ret
}
◇

```

Fragment referenced in [2](#).

We compute conditional distributions from the precision matrices  $\Sigma_i^{-1} = \mathbf{P}_i = \mathbf{L}_i^\top \mathbf{L}_i$  (we omit the  $i$  index from now on). For an arbitrary subset  $\mathbf{j} \subset \{1, \dots, J\}$ , the conditional distribution of  $\mathbf{Y}_{-\mathbf{j}}$  given  $\mathbf{Y}_{\mathbf{j}} = \mathbf{y}_{\mathbf{j}}$  is

$$\mathbf{Y}_{-\mathbf{j}} \mid \mathbf{Y}_{\mathbf{j}} = \mathbf{y}_{\mathbf{j}} \sim \mathbb{N}_{|j|} \left( -\mathbf{P}_{-\mathbf{j},-\mathbf{j}}^{-1} \mathbf{P}_{-\mathbf{j},\mathbf{j}} \mathbf{y}_{\mathbf{j}}, \mathbf{P}_{-\mathbf{j},-\mathbf{j}}^{-1} \right)$$

and we return a Cholesky factor  $\tilde{\mathbf{C}}$  such that  $\mathbf{P}_{-\mathbf{j},-\mathbf{j}}^{-1} = \tilde{\mathbf{C}} \tilde{\mathbf{C}}^\top$  (if `chol` was given) or  $\tilde{\mathbf{L}} = \tilde{\mathbf{C}}^{-1}$  (if `invchol` was given).

We can implement this as

$\langle \text{cond general 47} \rangle \equiv$

```

stopifnot(!center)

if (!missing(chol)) ### chol is C = Cholesky of covariance
  P <- Crossprod(solve(chol)) ### P = t(L) %*% L with L = C^-1
else
  ### invcol is L = Cholesky of precision
  P <- Crossprod(invchol)

Pw <- P[, -which]
chol <- solve(base::chol(Pw))
Pa <- as.array(P)
Sa <- as.array(S <- Crossprod(chol))
if (dim(chol)[1L] == 1L) {
  Pa <- Pa[, , 1]
  Sa <- Sa[, , 1]
  mean <- -Sa %*% Pa[-which, which, drop = FALSE] %*% given
} else {
  if (ncol(given) == N) {
    mean <- sapply(1:N, function(i)
      -Sa[, , i] %*% Pa[-which, which, i] %*% given[, i, drop = FALSE])
  } else { ### compare to Mult() with ncol(y) != in% (1, N)
    mean <- sapply(1:N, function(i)
      -Sa[, , i] %*% Pa[-which, which, i] %*% given)
  }
}
}
◇

```

Fragment referenced in 48b.

If  $\mathbf{j} = \{1, \dots, j < J\}$  and  $\mathbf{L}$  is given, computations simplify a lot because the conditional precision matrix is

$$\mathbf{P}_{-j,-j} = (\mathbf{L}^\top \mathbf{L})_{-j,-j} = \mathbf{L}_{-j,-j}^\top \mathbf{L}_{-j,-j}$$

and thus we return  $\tilde{\mathbf{L}} = \mathbf{L}_{-j,-j}$  (if `invchol` was given) or  $\tilde{\mathbf{C}} = \mathbf{L}_{-j,-j}^{-1}$  (if `chol` was given). The conditional mean is

$$\begin{aligned} -\mathbf{P}_{-j,-j}^{-1} \mathbf{P}_{-j,j} \mathbf{y}_j &= -\mathbf{L}_{-j,-j}^{-1} \mathbf{L}_{-j,-j}^\top \mathbf{L}_{-j,-j}^\top \mathbf{L}_{-j,j} \mathbf{y}_j \\ &= -\mathbf{L}_{-j,-j}^{-1} \mathbf{L}_{-j,j} \mathbf{y}_j. \end{aligned}$$

We sometimes, for example when scores with respect to  $\mathbf{L}_{-j,-j}^{-1}$  shall be computed in `slpnmnorm`, need the negative rescaled mean  $\mathbf{L}_{-j,j} \mathbf{y}_j$  and the `center = TRUE` argument triggers this values to be returned.

The implementation reads

*< cond simple 48a >* ≡

```
if (which[1] == 1L && (length(which) == 1L ||
    all(diff(which) == 1L))) {
  ### which is 1:j
  L <- if (missing(invchol)) solve(chol) else invchol
  tmp <- matrix(0, ncol = ncol(given), nrow = J - length(which))
  centerm <- Mult(L, rbind(given, tmp))[-which,,drop = FALSE]
  L <- L[,-which]
  if (missing(invchol)) {
    if (center)
      return(list(center = centerm, chol = solve(L)))
    return(list(mean = -solve(L, centerm), chol = solve(L)))
  }
  if (center)
    return(list(center = centerm, invchol = L))
  return(list(mean = -solve(L, centerm), invchol = L))
}
◇
```

Fragment referenced in [48b](#).

*< conditional 48b >* ≡

```
cond_mvnorm <- function(chol, invchol, which_given = 1L, given, center = FALSE) {
  which <- which_given
  < mc input checks 46a >

  if (N == 1) N <- NCOL(given)
  stopifnot(is.matrix(given) && nrow(given) == length(which))

  < cond simple 48a >
  < cond general 47 >

  chol <- base::chol(S)
  if (missing(invchol))
    return(list(mean = mean, chol = chol))

  return(list(mean = mean, invchol = solve(chol)))
}
◇
```

Fragment referenced in [2](#).

Let's check this against the commonly used formula based on the covariance matrix, first for the marginal distribution

```
> Sigma <- Tcrossprod(lxd)
> j <- 1:3
> chk(Sigma[,j], Tcrossprod(marg_mvnorm(chol = lxd, which = j)$chol))
> j <- 2:4
> chk(Sigma[,j], Tcrossprod(marg_mvnorm(chol = lxd, which = j)$chol))
> Sigma <- Tcrossprod(solve(lxd))
> j <- 1:3
> chk(Sigma[,j], Tcrossprod(solve(marg_mvnorm(invchol = lxd, which = j)$invchol)))
```

```
> j <- 2:4
> chk(Sigma[,j], Tcrossprod(solve(marg_mvnorm(invchol = lxd, which = j)$invchol)))
```

and then for conditional distributions. The general case is

```
> Sigma <- as.array(Tcrossprod(lxd))[, ,1]
> j <- 2:4
> y <- matrix(c(-1, 2, 1), nrow = 3)
> cm <- Sigma[-j, j, drop = FALSE] %*% solve(Sigma[j,j]) %*% y
> cS <- Sigma[-j, -j] - Sigma[-j,j, drop = FALSE] %*%
+   solve(Sigma[j,j]) %*% Sigma[j,-j, drop = FALSE]
> cmv <- cond_mvnorm(chol = lxd[1,], which = j, given = y)
> chk(cm, cmv$mean)
> chk(cS, as.array(Tcrossprod(cmv$chol))[, ,1])
> Sigma <- as.array(Tcrossprod(solve(lxd))[, ,1])
> j <- 2:4
> y <- matrix(c(-1, 2, 1), nrow = 3)
> cm <- Sigma[-j, j, drop = FALSE] %*% solve(Sigma[j,j]) %*% y
> cS <- Sigma[-j, -j] - Sigma[-j,j, drop = FALSE] %*%
+   solve(Sigma[j,j]) %*% Sigma[j,-j, drop = FALSE]
> cmv <- cond_mvnorm(invchol = lxd[1,], which = j, given = y)
> chk(cm, cmv$mean)
> chk(cS, as.array(Tcrossprod(solve(cmv$invchol))[, ,1])
```

and the simple case is

```
> Sigma <- as.array(Tcrossprod(lxd))[, ,1]
> j <- 1:3
> y <- matrix(c(-1, 2, 1), nrow = 3)
> cm <- Sigma[-j, j, drop = FALSE] %*% solve(Sigma[j,j]) %*% y
> cS <- Sigma[-j, -j] - Sigma[-j,j, drop = FALSE] %*%
+   solve(Sigma[j,j]) %*% Sigma[j,-j, drop = FALSE]
> cmv <- cond_mvnorm(chol = lxd[1,], which = j, given = y)
> chk(c(cm), c(cmv$mean))
> chk(cS, as.array(Tcrossprod(cmv$chol))[, ,1])
> Sigma <- as.array(Tcrossprod(solve(lxd))[, ,1])
> j <- 1:3
> y <- matrix(c(-1, 2, 1), nrow = 3)
> cm <- Sigma[-j, j, drop = FALSE] %*% solve(Sigma[j,j]) %*% y
> cS <- Sigma[-j, -j] - Sigma[-j,j, drop = FALSE] %*%
+   solve(Sigma[j,j]) %*% Sigma[j,-j, drop = FALSE]
> cmv <- cond_mvnorm(invchol = lxd[1,], which = j, given = y)
> chk(c(cm), c(cmv$mean))
> chk(cS, as.array(Tcrossprod(solve(cmv$invchol))[, ,1])
```

## 2.13 Continuous Log-likelihoods

With  $\mathbf{Z} \sim \mathbb{N}_J(0, \mathbf{I}_J)$  and  $\mathbf{Y} = \mathbf{C}_i \mathbf{Z} + \boldsymbol{\mu}_i \sim \mathbb{N}_J(\boldsymbol{\mu}_i, \mathbf{C}_i \mathbf{C}_i^\top)$  we want to evaluate the log-likelihood contributions for observations  $\mathbf{y}_1, \dots, \mathbf{y}_N$  in a function called `ldmvnorm`

$\langle \text{ldmvnorm 50a} \rangle \equiv$

```
ldmvnorm <- function(obs, mean = 0, chol, invchol, logLik = TRUE) {  
  
  stopifnot(xor(missing(chol), missing(invchol)))  
  if (!is.matrix(obs)) obs <- matrix(obs, ncol = 1L)  
  p <- ncol(obs)  
  
  if (!missing(chol)) {  
     $\langle \text{ldmvnorm chol 51a} \rangle$   
  } else {  
     $\langle \text{ldmvnorm invchol 51b} \rangle$   
  }  
  
  names(logretval) <- colnames(obs)  
  if (logLik) return(sum(logretval))  
  return(logretval)  
}  
◇
```

Fragment referenced in 2.

We first check if the observations  $\mathbf{y}_1, \dots, \mathbf{y}_N$  are given in an  $J \times N$  matrix `obs` with corresponding means  $\boldsymbol{\mu}_1, \dots, \boldsymbol{\mu}_N$  in `means`.

$\langle \text{check obs 50b} \rangle \equiv$

```
.check_obs <- function(obs, mean, J, N) {  
  
  nr <- nrow(obs)  
  nc <- ncol(obs)  
  if (nc != N)  
    stop("obs and (inv)chol have non-conforming size")  
  if (nr != J)  
    stop("obs and (inv)chol have non-conforming size")  
  if (identical(unique(mean), 0)) return(obs)  
  if (length(mean) == J)  
    return(obs - c(mean))  
  if (!is.matrix(mean))  
    stop("obs and mean have non-conforming size")  
  if (nrow(mean) != nr)  
    stop("obs and mean have non-conforming size")  
  if (ncol(mean) != nc)  
    stop("obs and mean have non-conforming size")  
  return(obs - mean)  
}  
◇
```

Fragment referenced in 2.

With  $\boldsymbol{\Sigma}_i = \mathbf{C}_i \mathbf{C}_i^\top$  the log-likelihood function for  $\mathbf{Y}_i = \mathbf{y}_i$  is

$$\ell_i(\boldsymbol{\mu}_i, \mathbf{C}_i) = -\frac{k}{2} \log(2\pi) - \frac{1}{2} \log |\boldsymbol{\Sigma}_i| - \frac{1}{2} (\mathbf{y}_i - \boldsymbol{\mu}_i)^\top \boldsymbol{\Sigma}_i^{-1} (\mathbf{y}_i - \boldsymbol{\mu}_i)$$

Because  $\log |\boldsymbol{\Sigma}_i| = \log |\mathbf{C}_i \mathbf{C}_i^\top| = 2 \log |\mathbf{C}_i| = 2 \sum_{j=1}^J \log \text{diag}(\mathbf{C}_i)_j$  we get the simpler expression

$$\ell_i(\boldsymbol{\mu}_i, \mathbf{C}_i) = -\frac{k}{2} \log(2\pi) - \sum_{j=1}^J \log \text{diag}(\mathbf{C}_i)_j - \frac{1}{2} (\mathbf{y}_i - \boldsymbol{\mu}_i)^\top \mathbf{C}_i^{-\top} \mathbf{C}_i^{-1} (\mathbf{y}_i - \boldsymbol{\mu}_i). \quad (2.1)$$

`<ldmvnorm chol 51a> ≡`

```

if (missing(chol))
  stop("either chol or invchol must be given")
## chol is given
if (!inherits(chol, "ltMatrices"))
  stop("chol is not an object of class ltMatrices")
N <- dim(chol)[1L]
N <- ifelse(N == 1, p, N)
J <- dim(chol)[2L]
obs <- .check_obs(obs = obs, mean = mean, J = J, N = N)
logretval <- colSums(dnorm(solve(chol, obs), log = TRUE))
if (attr(chol, "diag"))
  logretval <- logretval - colSums(log(diagonals(chol)))

```

Fragment referenced in [50a](#).

If  $\mathbf{L}_i = \mathbf{C}_i^{-1}$  is given, we obtain

$$\ell_i(\boldsymbol{\mu}_i, \mathbf{L}_i) = -\frac{k}{2} \log(2\pi) + \sum_{j=1}^J \log \text{diag}(\mathbf{L}_i)_j - \frac{1}{2} (\mathbf{y}_i - \boldsymbol{\mu}_i)^\top \mathbf{L}_i^\top \mathbf{L}_i (\mathbf{y}_i - \boldsymbol{\mu}_i).$$

`<ldmvnorm invchol 51b> ≡`

```

## invchol is given
if (!inherits(invchol, "ltMatrices"))
  stop("invchol is not an object of class ltMatrices")
N <- dim(invchol)[1L]
N <- ifelse(N == 1, p, N)
J <- dim(invchol)[2L]
obs <- .check_obs(obs = obs, mean = mean, J = J, N = N)
## use dnorm (gets the normalizing factors right)
## NOTE: obs is (J x N)
logretval <- colSums(dnorm(Mult(invchol, obs), log = TRUE))
## note that the second summand gets recycled the correct number
## of times in case dim(invchol)[1L] == 1 but ncol(obs) > 1
if (attr(invchol, "diag"))
  logretval <- logretval + colSums(log(diagonals(invchol)))

```

Fragment referenced in [50a](#).

The score function with respect to `obs` is

$$\frac{\partial \ell_i(\boldsymbol{\mu}_i, \mathbf{L}_i)}{\partial \mathbf{y}_i} = -\mathbf{L}_i^\top \mathbf{L}_i \mathbf{y}_i$$

and with respect to `invchol` we have

$$\frac{\partial \ell_i(\boldsymbol{\mu}_i, \mathbf{L}_i)}{\partial \mathbf{L}_i} = -2\mathbf{L}_i \mathbf{y}_i \mathbf{y}_i^\top + \text{diag}(\mathbf{L}_i)^{-1}.$$

The score function with respect to `chol` post-processes the above score using the `vec` trick (Section 2.10). For the log-likelihood (2.1), the score with respect to  $\mathbf{C}_i$  is the sum of the score functions of the two terms. We start with the simpler first term

$$\frac{\partial - \sum_{j=1}^J \log \text{diag}(\mathbf{C}_i)_j}{\partial \mathbf{C}_i} = -\text{diag}(\mathbf{C}_i)^{-1}$$

The second term gives (we omit the mean for the sake of simplicity)

$$\begin{aligned} \frac{\partial - \mathbf{y}_i^\top \mathbf{C}_i^{-\top} \mathbf{C}_i^{-1} \mathbf{y}_i}{\partial \mathbf{C}_i} &= - \left. \frac{\partial \mathbf{y}_i^\top \mathbf{A}^\top \mathbf{A} \mathbf{y}_i}{\partial \mathbf{A}} \right|_{\mathbf{A}=\mathbf{C}_i^{-1}} \left. \frac{\partial \mathbf{A}^{-1}}{\partial \mathbf{A}} \right|_{\mathbf{A}=\mathbf{C}_i} \\ &= -2\text{vec}(\mathbf{C}_i^{-1} \mathbf{y}_i \mathbf{y}_i^\top)^\top (-1) (\mathbf{C}_i^{-\top} \otimes \mathbf{C}_i^{-1}) \\ &= 2\text{vec}(\mathbf{C}_i^{-\top} \mathbf{C}_i^{-1} \mathbf{y}_i \mathbf{y}_i^\top \mathbf{C}_i^{-\top})^\top \end{aligned}$$

In `sldmnorm`, we compute the score with respect to  $\mathbf{L}_i$  and use the above relationship to compute the score with respect to  $\mathbf{C}_i$ .

`< sldmvnorm 53 >` ≡

```

sldmvnorm <- function(obs, mean = 0, chol, invchol, logLik = TRUE) {

  stopifnot(xor(missing(chol), missing(invchol)))
  if (!is.matrix(obs)) obs <- matrix(obs, ncol = 1L)

  if (!missing(invchol)) {

    N <- dim(invchol)[1L]
    N <- ifelse(N == 1, ncol(obs), N)
    J <- dim(invchol)[2L]
    obs <- .check_obs(obs = obs, mean = mean, J = J, N = N)

    Mix <- Mult(invchol, obs)
    sobs <- - Mult(invchol, Mix, transpose = TRUE)

    Y <- matrix(obs, byrow = TRUE, nrow = J, ncol = N * J)
    ret <- - matrix(Mix[, rep(1:N, each = J)] * Y, ncol = N)

    M <- matrix(1:(J^2), nrow = J, byrow = FALSE)
    ret <- ltMatrices(ret[M[lower.tri(M, diag = attr(invchol, "diag"))],,drop = FALSE],
                     diag = attr(invchol, "diag"), byrow = FALSE)
    ret <- ltMatrices(ret,
                     diag = attr(invchol, "diag"), byrow = attr(invchol, "byrow"))
    if (attr(invchol, "diag")) {
      ### recycle properly
      diagonals(ret) <- diagonals(ret) + c(1 / diagonals(invchol))
    } else {
      diagonals(ret) <- 0
    }
    ret <- list(obs = sobs, invchol = ret)
    if (logLik)
      ret$logLik <- ldmvnorm(obs = obs, mean = mean, invchol = invchol, logLik = FALSE)
    return(ret)
  }

  invchol <- solve(chol)
  ret <- sldmvnorm(obs = obs, mean = mean, invchol = invchol)
  ### this means: ret$chol <- - vectrick(invchol, ret$invchol, invchol)
  ret$chol <- - vectrick(invchol, ret$invchol)
  ret$invchol <- NULL
  return(ret)
}

```

Fragment referenced in 2.

## 2.14 Application Example

Let's say we have  $\mathbf{Y}_i \sim \mathbb{N}_J(\mathbf{0}_J, \mathbf{C}_i \mathbf{C}_i^\top)$  for  $i = 1, \dots, N$  and we know the Cholesky factors  $\mathbf{L}_i = \mathbf{C}_i^{-1}$  of the  $N$  precision matrices  $\Sigma^{-1} = \mathbf{L}_i \mathbf{L}_i^\top$ . We generate  $\mathbf{Y}_i = \mathbf{L}_i^{-1} \mathbf{Z}_i$  from  $\mathbf{Z}_i \sim \mathbb{N}_J(\mathbf{0}_J, \mathbf{I}_J)$ . Evaluating the corresponding log-likelihood is now straightforward and fast, compared to repeated calls to `dmvnorm`

```

> N <- 1000L
> J <- 50L

```

```

> lt <- ltMatrices(matrix(runif(N * J * (J + 1) / 2) + 1, ncol = N),
+                   diag = TRUE, byrow = FALSE)
> Z <- matrix(rnorm(N * J), ncol = N)
> Y <- solve(lt, Z)
> ll1 <- sum(dnorm(Mult(lt, Y), log = TRUE)) + sum(log(diagonals(lt)))
> S <- as.array(Tcrossprod(solve(lt)))
> ll2 <- sum(sapply(1:N, function(i) dmvnorm(x = Y[,i], sigma = S[, ,i], log = TRUE)))
> chk(ll1, ll2)

```

The `ldmvnorm` function now also has `chol` and `invchol` arguments such that we can use

```

> ll3 <- ldmvnorm(obs = Y, invchol = lt)
> chk(ll1, ll3)

```

Note that argument `obs` in `ldmvnorm` is an  $J \times N$  matrix whereas the traditional interface in `dmvnorm` expects an  $N \times J$  matrix `x`. The reason is that `Mult` or `solve` work with  $J \times N$  matrices and we want to avoid matrix transposes.

Sometimes it is preferable to split the joint distribution into a marginal distribution of some elements and the conditional distribution given these elements. The joint density is, of course, the product of the marginal and conditional densities and we can check if this works for our example by

```

> ## marginal of and conditional on these
> (j <- 1:5 * 10)

[1] 10 20 30 40 50

> md <- marg_mvnorm(invchol = lt, which = j)
> cd <- cond_mvnorm(invchol = lt, which = j, given = Y[j,])
> ll3 <- sum(dnorm(Mult(md$invchol, Y[j,]), log = TRUE)) +
+         sum(log(diagonals(md$invchol))) +
+         sum(dnorm(Mult(cd$invchol, Y[-j,] - cd$mean), log = TRUE)) +
+         sum(log(diagonals(cd$invchol)))
> chk(ll1, ll3)

```

## Chapter 3

# Multivariate Normal Log-likelihoods

We now discuss code for evaluating the log-likelihood

$$\sum_{i=1}^N \log(p_i(\mathbf{C}_i \mid \mathbf{a}_i, \mathbf{b}_i))$$

This is relatively simple to achieve using the existing `pmvnorm` function, so a prototype might look like

*< lpmvnormR 55 >*  $\equiv$

```
lpmvnormR <- function(lower, upper, mean = 0, center = NULL, chol, logLik = TRUE, ...) {  
  < input checks 57a >  
  
  sigma <- Tcrossprod(chol)  
  S <- as.array(sigma)  
  idx <- 1  
  
  ret <- error <- numeric(N)  
  for (i in 1:N) {  
    if (dim(sigma)[[1L]] > 1) idx <- i  
    tmp <- pmvnorm(lower = lower[,i], upper = upper[,i], sigma = S[, ,idx], ...)  
    ret[i] <- tmp  
    error[i] <- attr(tmp, "error")  
  }  
  attr(ret, "error") <- error  
  
  if (logLik)  
    return(sum(log(pmax(ret, .Machine$double.eps))))  
  
  ret  
}  
◇
```

Fragment never referenced.

However, the underlying FORTRAN code first computes the Cholesky factor based on the covariance matrix, which is clearly a waste of time. Repeated calls to FORTRAN also cost some time. The code (based on and evaluated in [Genz and Bretz, 2002](#)) implements a specific form of quasi-Monte-Carlo integration without allowing the user to change the scheme (or to fall-back to simple Monte-Carlo). We therefore implement our own simplified version, with the aim to speed-things up such that maximum-likelihood estimation becomes a bit faster.

Let's look at an example first. This code estimates  $p_1, \dots, p_{10}$  for a 5-dimensional normal

```
> J <- 5L
> N <- 10L
> x <- matrix(runif(N * J * (J + 1) / 2), ncol = N)
> lx <- ltMatrices(x, byrow = TRUE, diag = TRUE)
> a <- matrix(runif(N * J), nrow = J) - 2
> a[sample(J * N)[1:2]] <- -Inf
> b <- a + 2 + matrix(runif(N * J), nrow = J)
> b[sample(J * N)[1:2]] <- Inf
> (phat <- c(lpmvnormR(a, b, chol = lx, logLik = FALSE)))

[1] 0.2369329 0.2337179 0.2842052 0.3915213 0.4662496 0.0000000 0.5900784
[8] 0.4618524 0.4872819 0.0000000
```

We want to achieve the same result a bit more general and a bit faster, by making the code more modular and, most importantly, by providing score functions for all arguments  $\mathbf{a}_i$ ,  $\mathbf{b}_i$ , and  $\mathbf{C}_i$ .

### 3.1 Algorithm

"lpmvnorm.R" 56a≡

```
⟨ R Header 101 ⟩
⟨ lpmvnorm 66 ⟩
⟨ slpmvnorm 79 ⟩
◇
```

"lpmvnorm.c" 56b≡

```
⟨ C Header 102 ⟩
#include <R.h>
#include <Rmath.h>
#include <Rinternals.h>
#include <Rdefines.h>
#include <Rconfig.h>
#include <R_ext/BLAS.h> /* for dtrmm */
⟨ pnorm fast 61a ⟩
⟨ pnorm slow 61b ⟩
⟨ R lpmvnorm 64 ⟩
⟨ R slpmvnorm 76 ⟩
◇
```

We implement the algorithm described by [Genz \(1992\)](#). The key point here is that the original  $J$ -dimensional problem (1.1) is transformed into an integral over  $[0, 1]^{J-1}$ .

For each  $i = 1, \dots, N$ , do

1. Input  $\mathbf{C}_i$  (chol),  $\mathbf{a}_i$  (lower),  $\mathbf{b}_i$  (upper), and control parameters  $\alpha$ ,  $\epsilon$ , and  $M_{\max}$  ( $\mathbf{M}$ ).

*< input checks 57a >* ≡

```
if (!is.matrix(lower)) lower <- matrix(lower, ncol = 1)
if (!is.matrix(upper)) upper <- matrix(upper, ncol = 1)
stopifnot(isTRUE(all.equal(dim(lower), dim(upper))))

stopifnot(inherits(chol, "ltMatrices"))
byrow_orig <- attr(chol, "byrow")
chol <- ltMatrices(chol, byrow = TRUE)
d <- dim(chol)
### allow single matrix C
N <- ifelse(d[1L] == 1, ncol(lower), d[1L])
J <- d[2L]

stopifnot(nrow(lower) == J && ncol(lower) == N)
stopifnot(nrow(upper) == J && ncol(upper) == N)
if (is.matrix(mean))
  stopifnot(nrow(mean) == J && ncol(mean) == N)

lower <- lower - mean
upper <- upper - mean

if (!is.null(center)) {
  if (!is.matrix(center)) center <- matrix(center, ncol = 1)
  stopifnot(nrow(center) == J && ncol(center) == N)
}
◇
```

Fragment referenced in 55, 66, 79.

2. Standardise integration limits  $a_j^{(i)}/c_{jj}^{(i)}$ ,  $b_j^{(i)}/c_{jj}^{(i)}$ , and rows  $c_{jj}^{(i)}/c_{jj}^{(i)}$  for  $1 \leq j < j < J$ .

*< standardise 57b >* ≡

```
if (attr(chol, "diag")) {
  ### diagonals returns J x N and lower/upper are J x N, so
  ### elementwise standardisation is simple
  dchol <- diagonals(chol)
  ### zero diagonals not allowed
  stopifnot(all(abs(dchol) > (.Machine$double.eps)))
  ac <- lower / c(dchol)
  bc <- upper / c(dchol)
  C <- Dchol(chol, D = 1 / dchol)
  uC <- unclass(C)
  if (J > 1) ### else: univariate problem; C is no longer used
    uC <- Lower_tri(C)
} else {
  ac <- lower
  bc <- upper
  uC <- Lower_tri(chol)
}
◇
```

Fragment referenced in 66, 79.

3. Initialise  $\text{intsum} = \text{varsum} = 0$ ,  $M = 0$ ,  $d_1 = \Phi\left(a_1^{(i)}\right)$ ,  $e_1 = \Phi\left(b_1^{(i)}\right)$  and  $f_1 = e_1 - d_1$ .

*< initialisation 58a >* ≡

```
x0 = 0.0;
if (LENGTH(center))
  x0 = -dcenter[0];
d0 = pnorm_ptr(da[0], x0);
e0 = pnorm_ptr(db[0], x0);
emd0 = e0 - d0;
f0 = emd0;
intsum = (iJ > 1 ? 0.0 : f0);
◇
```

Fragment referenced in [64](#), [76](#).

#### 4. Repeat

*< init logLik loop 58b >* ≡

```
d = d0;
f = f0;
emd = emd0;
start = 0;
◇
```

Fragment referenced in [64](#), [70b](#).

- (a) Generate uniform  $w_1, \dots, w_{J-1} \in [0, 1]$ .
- (b) For  $j = 2, \dots, J$  set

$$y_{j-1} = \Phi^{-1}(d_{j-1} + w_{j-1}(e_{j-1} - d_{j-1}))$$

We either generate  $w_{j-1}$  on the fly or use pre-computed weights ( $w$ ).

*< compute y 58c >* ≡

```
Wtmp = (W == R_NilValue ? unif_rand() : dW[j - 1]);
tmp = d + Wtmp * emd;
if (tmp < dtol) {
  y[j - 1] = q0;
} else {
  if (tmp > mdtol)
    y[j - 1] = -q0;
  else
    y[j - 1] = qnorm(tmp, 0.0, 1.0, 1L, 0L);
}
◇
```

Fragment referenced in [59d](#), [74a](#).

$$x_{j-1} = \sum_{j=1}^{j-1} c_{jj}^{(i)} y_j$$

$\langle \text{compute } x \text{ 59a} \rangle \equiv$

```
x = 0.0;
if (LENGTH(center)) {
  for (k = 0; k < j; k++)
    x += dC[start + k] * (y[k] - dcenter[k]);
  x -= dcenter[j];
} else {
  for (k = 0; k < j; k++)
    x += dC[start + k] * y[k];
}
◇
```

Fragment referenced in [59d](#), [74a](#).

$$d_j = \Phi\left(a_j^{(i)} - x_{j-1}\right)$$
$$e_j = \Phi\left(b_j^{(i)} - x_{j-1}\right)$$

$\langle \text{update } d, e \text{ 59b} \rangle \equiv$

```
d = pnorm_ptr(da[j], x);
e = pnorm_ptr(db[j], x);
emd = e - d;
◇
```

Fragment referenced in [59d](#), [74a](#).

$$f_j = (e_j - d_j)f_{j-1}.$$

$\langle \text{update } f \text{ 59c} \rangle \equiv$

```
start += j;
f *= emd;
◇
```

Fragment referenced in [59d](#), [74a](#).

We put everything together in a loop starting with the second dimension

$\langle \text{inner logLik loop 59d} \rangle \equiv$

```
for (j = 1; j < iJ; j++) {
   $\langle \text{compute } y \text{ 58c} \rangle$ 
   $\langle \text{compute } x \text{ 59a} \rangle$ 
   $\langle \text{update } d, e \text{ 59b} \rangle$ 
   $\langle \text{update } f \text{ 59c} \rangle$ 
}
◇
```

Fragment referenced in [64](#).

(c) Set  $\text{intsum} = \text{intsum} + f_J$ ,  $\text{varsum} = \text{varsum} + f_J^2$ ,  $M = M + 1$ , and  $\text{error} = \sqrt{(\text{varsum}/M - (\text{intsum}/M)^2)/M}$ .

*increment 60a*  $\equiv$

```
intsum += f;
◇
```

Fragment referenced in [64](#).

We refrain from early stopping and error estimation.

Until  $\text{error} < \epsilon$  or  $M = M_{\max}$

5. Output  $\hat{p}_i = \text{intsum}/M$ .

We return  $\log \hat{p}_i$  for each  $i$ , or we immediately sum-up over  $i$ .

*output 60b*  $\equiv$

```
dans[0] += (intsum < dtol ? 10 : log(intsum)) - 1M;
if (!RlogLik)
  dans += 1L;
◇
```

Fragment referenced in [64](#).

and move on to the next observation (note that  $\mathbf{p}$  might be 0 in case  $\mathbf{C}_i \equiv \mathbf{C}$ ).

*move on 60c*  $\equiv$

```
da += iJ;
db += iJ;
dC += p;
if (LENGTH(center)) dcenter += iJ;
◇
```

Fragment referenced in [64](#), [76](#).

It turned out that calls to `pnorm` are expensive, so a slightly faster alternative (suggested by [Matić et al., 2018](#)) can be used (`fast = TRUE` in the calls to `lpmvnorm` and `slpmvnorm`):

*<pnorm fast 61a>* ≡

```
/* see https://doi.org/10.2139/ssrn.2842681 */
const double g2 = -0.0150234471495426236132;
const double g4 = 0.000666098511701018747289;
const double g6 = 5.07937324518981103694e-06;
const double g8 = -2.92345273673194627762e-06;
const double g10 = 1.34797733516989204361e-07;
const double m2dpi = -2.0 / M_PI; //3.141592653589793115998;

double C_pnorm_fast (double x, double m) {

    double tmp, ret;
    double x2, x4, x6, x8, x10;

    if (R_FINITE(x)) {
        x = x - m;
        x2 = x * x;
        x4 = x2 * x2;
        x6 = x4 * x2;
        x8 = x6 * x2;
        x10 = x8 * x2;
        tmp = 1 + g2 * x2 + g4 * x4 + g6 * x6 + g8 * x8 + g10 * x10;
        tmp = m2dpi * x2 * tmp;
        ret = .5 + ((x > 0) - (x < 0)) * sqrt(1 - exp(tmp)) / 2.0;
    } else {
        ret = (x > 0 ? 1.0 : 0.0);
    }
    return(ret);
}
◇
```

Fragment referenced in [56b](#).

*<pnorm slow 61b>* ≡

```
double C_pnorm_slow (double x, double m) {
    return(pnorm(x, m, 1.0, 1L, 0L));
}
◇
```

Fragment referenced in [56b](#).

The `fast` argument can be used to switch on the faster but less accurate version of `pnorm`

*<pnorm 61c>* ≡

```
Rboolean Rfast = asLogical(fast);
double (*pnorm_ptr)(double, double) = C_pnorm_slow;
if (Rfast)
    pnorm_ptr = C_pnorm_fast;
◇
```

Fragment referenced in [64](#), [76](#).

We allow a new set of weights for each observation or one set for all observations. In the former case, the number of columns is  $M \times N$  and in the latter just  $M$ .

*< W length 62a >* ≡

```
int pW = 0;
if (W != R_NilValue) {
  if (LENGTH(W) == (iJ - 1) * iM) {
    pW = 0;
  } else {
    if (LENGTH(W) != (iJ - 1) * iN * iM)
      error("Length of W incorrect");
    pW = 1;
  }
  dW = REAL(W);
}
◇
```

Fragment referenced in [64](#), [76](#).

*< dimensions 62b >* ≡

```
int iM = INTEGER(M) [0];
int iN = INTEGER(N) [0];
int iJ = INTEGER(J) [0];

da = REAL(a);
db = REAL(b);
dC = REAL(C);
dW = REAL(C); // make -Wmaybe-uninitialized happy

if (LENGTH(C) == iJ * (iJ - 1) / 2)
  p = 0;
else
  p = LENGTH(C) / iN;
◇
```

Fragment referenced in [64](#), [76](#).

*< setup return object 62c >* ≡

```
len = (RlogLik ? 1 : iN);
PROTECT(ans = allocVector(REALSXP, len));
dans = REAL(ans);
for (int i = 0; i < len; i++)
  dans[i] = 0.0;
◇
```

Fragment referenced in [64](#).

The case  $J = 1$  does not loop over  $M$

*< univariate problem 63a >* ≡

```
if (iJ == 1) {
    iM = 0;
    lM = 0.0;
} else {
    lM = log((double) iM);
}
◇
```

Fragment referenced in [64](#).

*< init center 63b >* ≡

```
dcenter = REAL(center);
if (LENGTH(center)) {
    if (LENGTH(center) != iN * iJ)
        error("incorrect dimensions of center");
}
◇
```

Fragment referenced in [64](#), [76](#).

We put the code together in a dedicated C function

*< R slpmvnorm variables 63c >* ≡

```
SEXP ans;
double *da, *db, *dC, *dW, *dans, dtol = REAL(tol)[0];
double *dcenter;
double mdtol = 1.0 - dtol;
double d0, e0, emd0, f0, q0;
◇
```

Fragment referenced in [64](#), [76](#).

⟨ *R lpmvnorm* 64 ⟩ ≡

```
SEXP R_lpmvnorm(SEXP a, SEXP b, SEXP C, SEXP center, SEXP N, SEXP J,  
                SEXP W, SEXP M, SEXP tol, SEXP logLik, SEXP fast) {
```

```
  ⟨ R slpmvnorm variables 63c ⟩
```

```
  double l0, lM, x0, intsum;  
  int p, len;
```

```
  Rboolean RlogLik = asLogical(logLik);
```

```
  ⟨ pnorm 61c ⟩
```

```
  ⟨ dimensions 62b ⟩
```

```
  ⟨ W length 62a ⟩
```

```
  ⟨ init center 63b ⟩
```

```
  int start, j, k;
```

```
  double tmp, Wtmp, e, d, f, emd, x, y[(iJ > 1 ? iJ - 1 : 1)];
```

```
  ⟨ setup return object 62c ⟩
```

```
  q0 = qnorm(dtol, 0.0, 1.0, 1L, 0L);
```

```
  l0 = log(dtol);
```

```
  ⟨ univariate problem 63a ⟩
```

```
  if (W == R_NilValue)
```

```
    GetRNGstate();
```

```
  for (int i = 0; i < iN; i++) {
```

```
    x0 = 0;
```

```
    ⟨ initialisation 58a ⟩
```

```
    if (W != R_NilValue && pW == 0)
```

```
      dW = REAL(W);
```

```
    for (int m = 0; m < iM; m++) {
```

```
      ⟨ init logLik loop 58b ⟩
```

```
      ⟨ inner logLik loop 59d ⟩
```

```
      ⟨ increment 60a ⟩
```

```
      if (W != R_NilValue)
```

```
        dW += iJ - 1;
```

```
    }
```

```
    ⟨ output 60b ⟩
```

```
    ⟨ move on 60c ⟩
```

```
  }
```

```
  if (W == R_NilValue)
```

```
    PutRNGstate();
```

```
  UNPROTECT(1);
```

```
  return(ans);
```

```
  }
```

```
  ◇
```

Fragment referenced in [56b](#).

The R user interface consists of some checks and a call to `C`. Note that we need to specify both  $\mathbf{w}$  and  $\mathbf{M}$  in case we want a new set of weights for each observation.

*< init random seed, reset on exit 65a >*  $\equiv$

```
### from stats::simulate.lm
if (!exists(".Random.seed", envir = .GlobalEnv, inherits = FALSE))
  runif(1)
if (is.null(seed))
  RNGstate <- get(".Random.seed", envir = .GlobalEnv)
else {
  R.seed <- get(".Random.seed", envir = .GlobalEnv)
  set.seed(seed)
  RNGstate <- structure(seed, kind = as.list(RNGkind()))
  on.exit(assign(".Random.seed", R.seed, envir = .GlobalEnv))
}
◇
```

Fragment referenced in [66](#), [79](#).

*< check and / or set integration weights 65b >*  $\equiv$

```
if (!is.null(w) && J > 1) {
  stopifnot(is.matrix(w))
  stopifnot(nrow(w) == J - 1)
  if (is.null(M))
    M <- ncol(w)
  stopifnot(ncol(w) %in% c(M, M * N))
  storage.mode(w) <- "double"
} else {
  if (J > 1) {
    if (is.null(M)) stop("either w or M must be specified")
  } else {
    M <- 1L
  }
}
◇
```

Fragment referenced in [66](#), [79](#).

Sometimes we want to evaluate the log-likelihood based on  $\mathbf{L} = \mathbf{C}^{-1}$ , the Cholesky factor of the precision (not the covariance) matrix. In this case, we explicitly invert  $\mathbf{L}$  to give  $\mathbf{C}$  (both matrices are lower triangular, so this is fast).

*< Cholesky of precision 65c >*  $\equiv$

```
stopifnot(xor(missing(chol), missing(invchol)))
if (missing(chol)) chol <- solve(invchol)
◇
```

Fragment referenced in [66](#), [79](#).

`<lpmvnorm 66> ≡`

```
lpmvnorm <- function(lower, upper, mean = 0, center = NULL, chol, invchol,
                    logLik = TRUE, M = NULL, w = NULL, seed = NULL,
                    tol = .Machine$double.eps, fast = FALSE) {

  <init random seed, reset on exit 65a>
  <Cholesky of precision 65c>
  <input checks 57a>
  <standardise 57b>
  <check and / or set integration weights 65b>

  ret <- .Call(mvtnorm_R_lpmvnorm, ac, bc, uC, as.double(center),
              as.integer(N), as.integer(J), w, as.integer(M), as.double(tol),
              as.logical(logLik), as.logical(fast));
  return(ret)
}
◇
```

Fragment referenced in [56a](#).

Coming back to our simple example, we get (with 25000 simple Monte-Carlo iterations)

```
> phat
```

```
[1] 0.2369329 0.2337179 0.2842052 0.3915213 0.4662496 0.0000000 0.5900784
[8] 0.4618524 0.4872819 0.0000000
```

```
> exp(lpmvnorm(a, b, chol = lx, M = 25000, logLik = FALSE, fast = TRUE))
```

```
[1] 2.366926e-01 2.341369e-01 2.834803e-01 3.938926e-01 4.658150e-01
[6] 8.881784e-21 5.911462e-01 4.597514e-01 4.879485e-01 8.881784e-21
```

```
> exp(lpmvnorm(a, b, chol = lx, M = 25000, logLik = FALSE, fast = FALSE))
```

```
[1] 2.377131e-01 2.372235e-01 2.831741e-01 3.875320e-01 4.659937e-01
[6] 8.881784e-21 5.895400e-01 4.624243e-01 4.871073e-01 8.881784e-21
```

Next we generate some data and compare our implementation to `pmvnorm` using quasi-Monte-Carlo integration. The `pmvnorm` function uses randomised Korobov rules. The experiment here applies generalised Halton sequences. Plain Monte-Carlo (`w = NULL`) will also work but produces more variable results. Results will depend a lot on appropriate choices and it is the users responsibility to make sure things work as intended. If you are unsure, you should use `pmvnorm` which provides a well-tested configuration.

```
> M <- 10000L
> if (require("qrng", quietly = TRUE)) {
+   ### quasi-Monte-Carlo
+   W <- t(ghalton(M, d = J - 1))
+ } else {
+   ### Monte-Carlo
+   W <- matrix(runif(M * (J - 1)), nrow = J - 1)
+ }
> ### Genz & Bretz, 2001, without early stopping (really?)
> pGB <- lpmvnormR(a, b, chol = lx, logLik = FALSE,
+               algorithm = GenzBretz(maxpts = M, abseps = 0, releps = 0))
> ### Genz 1992 with quasi-Monte-Carlo, fast pnorm
```

```

> pGqf <- exp(lpmvnorm(a, b, chol = lx, w = W, M = M, logLik = FALSE,
+                 fast = TRUE))
> ### Genz 1992, original Monte-Carlo, fast pnorm
> pGf <- exp(lpmvnorm(a, b, chol = lx, w = NULL, M = M, logLik = FALSE,
+                 fast = TRUE))
> ### Genz 1992 with quasi-Monte-Carlo, R::pnorm
> pGqs <- exp(lpmvnorm(a, b, chol = lx, w = W, M = M, logLik = FALSE,
+                 fast = FALSE))
> ### Genz 1992, original Monte-Carlo, R::pnorm
> pGs <- exp(lpmvnorm(a, b, chol = lx, w = NULL, M = M, logLik = FALSE,
+                 fast = FALSE))
> cbind(pGB, pGqf, pGf, pGqs, pGs)

```

	pGB	pGqf	pGf	pGqs	pGs
[1,]	0.2368918	2.369290e-01	2.344954e-01	2.369297e-01	2.360153e-01
[2,]	0.2341507	2.340099e-01	2.319416e-01	2.340103e-01	2.347435e-01
[3,]	0.2841044	2.841303e-01	2.850959e-01	2.841316e-01	2.870079e-01
[4,]	0.3918357	3.921465e-01	3.931626e-01	3.921469e-01	3.904457e-01
[5,]	0.4671062	4.668249e-01	4.678817e-01	4.668242e-01	4.690837e-01
[6,]	0.0000000	2.220446e-20	2.220446e-20	2.220446e-20	2.220446e-20
[7,]	0.5901670	5.902059e-01	5.907621e-01	5.902056e-01	5.929013e-01
[8,]	0.4613023	4.619428e-01	4.611888e-01	4.619434e-01	4.630231e-01
[9,]	0.4872195	4.870317e-01	4.863298e-01	4.870324e-01	4.820740e-01
[10,]	0.0000000	2.220446e-20	2.220446e-20	2.220446e-20	2.220446e-20

The three versions agree nicely. We now check if the code also works for univariate problems

```

> ### test univariate problem
> ### call pmvnorm
> pGB <- lpmvnormR(a[1,,drop = FALSE], b[1,,drop = FALSE], chol = lx[,1],
+                 logLik = FALSE,
+                 algorithm = GenzBretz(maxpts = M, abseps = 0, releps = 0))
> ### call lpmvnorm
> pGq <- exp(lpmvnorm(a[1,,drop = FALSE], b[1,,drop = FALSE], chol = lx[,1],
+                 logLik = FALSE))
> ### ground truth
> ptr <- pnorm(b[1,] / c(unclass(lx[,1]))) - pnorm(a[1,] / c(unclass(lx[,1])))
> cbind(c(ptr), pGB, pGq)

```

	pGB	pGq
[1,]	0.9999758	0.9999758
[2,]	0.6108928	0.6108928
[3,]	0.9076043	0.9076043
[4,]	0.8979932	0.8979932
[5,]	0.9589363	0.9589363
[6,]	0.7863435	0.7863435
[7,]	0.9982537	0.9982537
[8,]	0.8745388	0.8745388
[9,]	0.9386051	0.9386051
[10,]	0.9119778	0.9119778

Because the default `fast = FALSE` was used here, all results are identical.

## 3.2 Score Function

In addition to the log-likelihood, we would also like to have access to the scores with respect to  $\mathbf{C}_i$ . Because every element of  $\mathbf{C}_i$  only enters once, the chain rule rules, so to speak.

We need the derivatives of  $d$ ,  $e$ ,  $y$ , and  $f$  with respect to the  $c$  parameters

$\langle chol\ scores\ 68a \rangle \equiv$

```
double dp_c[Jp], ep_c[Jp], fp_c[Jp], yp_c[(iJ > 1 ? iJ - 1 : 1) * Jp];  
◇
```

Fragment referenced in 69a.

and the derivates with respect to the mean

$\langle mean\ scores\ 68b \rangle \equiv$

```
double dp_m[Jp], ep_m[Jp], fp_m[Jp], yp_m[(iJ > 1 ? iJ - 1 : 1) * Jp];  
◇
```

Fragment referenced in 69a.

and the derivates with respect to lower (a)

$\langle lower\ scores\ 68c \rangle \equiv$

```
double dp_l[Jp], ep_l[Jp], fp_l[Jp], yp_l[(iJ > 1 ? iJ - 1 : 1) * Jp];  
◇
```

Fragment referenced in 69a.

and the derivates with respect to upper (b)

$\langle upper\ scores\ 68d \rangle \equiv$

```
double dp_u[Jp], ep_u[Jp], fp_u[Jp], yp_u[(iJ > 1 ? iJ - 1 : 1) * Jp];  
◇
```

Fragment referenced in 69a.

and we start allocating the necessary memory. The output object contains the likelihood contributions (first row), the scores with respect to the mean (next  $J$  rows), with respect to the lower integration limits (next  $J$  rows), with respect to the upper integration limits (next  $J$  rows) and finally with respect to the off-diagonal elements of the Cholesky factor (last  $J(J - 1)/2$  rows).

*score output object 69a*  $\equiv$

```

int Jp = iJ * (iJ + 1) / 2;
chol scores 68a
mean scores 68b
lower scores 68c
upper scores 68d
double dtmp, etmp, Wtmp, ytmp, xx;

PROTECT(ans = allocMatrix(REALSXP, Jp + 1 + 3 * iJ, iN));
dans = REAL(ans);
for (j = 0; j < LENGTH(ans); j++) dans[j] = 0.0;
◇

```

Fragment referenced in 76.

For each  $i = 1, \dots, N$ , do

1. Input  $\mathbf{C}_i$  (*chol*),  $\mathbf{a}_i$  (*lower*),  $\mathbf{b}_i$  (*upper*), and control parameters  $\alpha$ ,  $\epsilon$ , and  $M_{\max}$  ( $\mathbf{M}$ ).

2. Standardise integration limits  $a_j^{(i)}/c_{jj}^{(i)}$ ,  $b_j^{(i)}/c_{jj}^{(i)}$ , and rows  $c_{jj}^{(i)}/c_{jj}^{(i)}$  for  $1 \leq j < j < J$ .

Note: We later need derivatives wrt  $c_{jj}^{(i)}$ , so we compute derivatives wrt  $a_j^{(i)}$  and  $b_j^{(i)}$  and post-differentiate later.

3. Initialise  $\text{intsum} = \text{varsum} = 0$ ,  $M = 0$ ,  $d_1 = \Phi(a_1^{(i)})$ ,  $e_1 = \Phi(b_1^{(i)})$  and  $f_1 = e_1 - d_1$ .

We start initialised the score wrt to  $c_{11}^{(i)}$  (the parameter is non-existent here due to standardisation)

*score c11 69b*  $\equiv$

```

if (LENGTH(center)) {
    dp_c[0] = (R_FINITE(da[0]) ? dnorm(da[0], x0, 1.0, 0L) * (da[0] - x0 - dcenter[0]) : 0);
    ep_c[0] = (R_FINITE(db[0]) ? dnorm(db[0], x0, 1.0, 0L) * (db[0] - x0 - dcenter[0]) : 0);
} else {
    dp_c[0] = (R_FINITE(da[0]) ? dnorm(da[0], x0, 1.0, 0L) * (da[0] - x0) : 0);
    ep_c[0] = (R_FINITE(db[0]) ? dnorm(db[0], x0, 1.0, 0L) * (db[0] - x0) : 0);
}
fp_c[0] = ep_c[0] - dp_c[0];
◇

```

Fragment referenced in 70b, 76.

*score a, b 70a*  $\equiv$

```

dp_m[0] = (R_FINITE(da[0]) ? dnorm(da[0], x0, 1.0, 0L) : 0);
ep_m[0] = (R_FINITE(db[0]) ? dnorm(db[0], x0, 1.0, 0L) : 0);
dp_l[0] = dp_m[0];
ep_u[0] = ep_m[0];
dp_u[0] = 0;
ep_l[0] = 0;
fp_m[0] = ep_m[0] - dp_m[0];
fp_l[0] = -dp_m[0];
fp_u[0] = ep_m[0];
◇

```

Fragment referenced in 70b, 76.

#### 4. Repeat

*< init score loop 70b >*  $\equiv$

```

    < init logLik loop 58b >
    < score c11 69b >
    < score a, b 70a >
     $\diamond$ 

```

Fragment referenced in 76.

- (a) Generate uniform  $w_1, \dots, w_{J-1} \in [0, 1]$ .
- (b) For  $j = 2, \dots, J$  set

$$y_{j-1} = \Phi^{-1}(d_{j-1} + w_{j-1}(e_{j-1} - d_{j-1}))$$

We again either generate  $w_{j-1}$  on the fly or use pre-computed weights ( $w$ ). We first compute the scores with respect to the already existing parameters.

*< update yp for chol 70c >*  $\equiv$

```

    ytmp = exp(- dnorm(y[j - 1], 0.0, 1.0, 1L)); // = 1 / dnorm(y[j - 1], 0.0, 1.0, 0L)

    for (k = 0; k < Jp; k++) yp_c[k * (iJ - 1) + (j - 1)] = 0.0;

    for (idx = 0; idx < (j + 1) * j / 2; idx++) {
        yp_c[idx * (iJ - 1) + (j - 1)] = ytmp;
        yp_c[idx * (iJ - 1) + (j - 1)] *= (dp_c[idx] + Wtmp * (ep_c[idx] - dp_c[idx]));
    }
     $\diamond$ 

```

Fragment referenced in 74a.

*< update yp for means, lower and upper 71 >*  $\equiv$

```

    for (k = 0; k < iJ; k++)
        yp_m[k * (iJ - 1) + (j - 1)] = 0.0;

    for (idx = 0; idx < j; idx++) {
        yp_m[idx * (iJ - 1) + (j - 1)] = ytmp;
        yp_m[idx * (iJ - 1) + (j - 1)] *= (dp_m[idx] + Wtmp * (ep_m[idx] - dp_m[idx]));
    }

    for (k = 0; k < iJ; k++)
        yp_l[k * (iJ - 1) + (j - 1)] = 0.0;

    for (idx = 0; idx < j; idx++) {
        yp_l[idx * (iJ - 1) + (j - 1)] = ytmp;
        yp_l[idx * (iJ - 1) + (j - 1)] *= (dp_l[idx] + Wtmp * (dp_u[idx] - dp_l[idx]));
    }

    for (k = 0; k < iJ; k++)
        yp_u[k * (iJ - 1) + (j - 1)] = 0.0;

    for (idx = 0; idx < j; idx++) {
        yp_u[idx * (iJ - 1) + (j - 1)] = ytmp;
        yp_u[idx * (iJ - 1) + (j - 1)] *= (ep_l[idx] + Wtmp * (ep_u[idx] - ep_l[idx]));
    }
     $\diamond$ 

```

Fragment referenced in 74a.

$$x_{j-1} = \sum_{j=1}^{j-1} c_{jj}^{(i)} y_j$$

$$d_j = \Phi\left(a_j^{(i)} - x_{j-1}\right)$$

$$e_j = \Phi\left(b_j^{(i)} - x_{j-1}\right)$$

$$f_j = (e_j - d_j) f_{j-1}.$$

The scores with respect to  $c_{jj}^{(i)}, j = 1, \dots, j-1$  are

*(score wrt new chol off-diagonals 72a)*  $\equiv$

```

dtmp = dnorm(da[j], x, 1.0, 0L);
etmp = dnorm(db[j], x, 1.0, 0L);

for (k = 0; k < j; k++) {
  idx = start + j + k;
  if (LENGTH(center)) {
    dp_c[idx] = dtmp * (-1.0) * (y[k] - dcenter[k]);
    ep_c[idx] = etmp * (-1.0) * (y[k] - dcenter[k]);
  } else {
    dp_c[idx] = dtmp * (-1.0) * y[k];
    ep_c[idx] = etmp * (-1.0) * y[k];
  }
  fp_c[idx] = (ep_c[idx] - dp_c[idx]) * f;
}

```

Fragment referenced in 74a.

and the score with respect to (the here non-existing)  $c_{jj}^{(i)}$  is

*(score wrt new chol diagonal 72b)*  $\equiv$

```

idx = (j + 1) * (j + 2) / 2 - 1;
if (LENGTH(center)) {
  dp_c[idx] = (R_FINITE(da[j]) ? dtmp * (da[j] - x - dcenter[j]) : 0);
  ep_c[idx] = (R_FINITE(db[j]) ? etmp * (db[j] - x - dcenter[j]) : 0);
} else {
  dp_c[idx] = (R_FINITE(da[j]) ? dtmp * (da[j] - x) : 0);
  ep_c[idx] = (R_FINITE(db[j]) ? etmp * (db[j] - x) : 0);
}
fp_c[idx] = (ep_c[idx] - dp_c[idx]) * f;

```

Fragment referenced in 74a.

*< new score means, lower and upper 72c > ≡*

```
dp_m[j] = (R_FINITE(da[j]) ? dtmp : 0);
ep_m[j] = (R_FINITE(db[j]) ? etmp : 0);
dp_l[j] = dp_m[j];
ep_u[j] = ep_m[j];
dp_u[j] = 0;
ep_l[j] = 0;
fp_l[j] = - dp_m[j] * f;
fp_u[j] = ep_m[j] * f;
fp_m[j] = fp_u[j] + fp_l[j];
◇
```

Fragment referenced in [74a](#).

We next update scores for parameters introduced for smaller  $j$

*< update score for chol 73a > ≡*

```
for (idx = 0; idx < j * (j + 1) / 2; idx++) {
  xx = 0.0;
  for (k = 0; k < j; k++)
    xx += dC[start + k] * yp_c[idx * (iJ - 1) + k];

  dp_c[idx] = dtmp * (-1.0) * xx;
  ep_c[idx] = etmp * (-1.0) * xx;
  fp_c[idx] = (ep_c[idx] - dp_c[idx]) * f + emd * fp_c[idx];
}
◇
```

Fragment referenced in [74a](#).

*< update score means, lower and upper 73b >* ≡

```
for (idx = 0; idx < j; idx++) {
  xx = 0.0;
  for (k = 0; k < j; k++)
    xx += dC[start + k] * yp_m[idx * (iJ - 1) + k];

  dp_m[idx] = dtmp * (-1.0) * xx;
  ep_m[idx] = etmp * (-1.0) * xx;
  fp_m[idx] = (ep_m[idx] - dp_m[idx]) * f + emd * fp_m[idx];
}

for (idx = 0; idx < j; idx++) {
  xx = 0.0;
  for (k = 0; k < j; k++)
    xx += dC[start + k] * yp_l[idx * (iJ - 1) + k];

  dp_l[idx] = dtmp * (-1.0) * xx;
  dp_u[idx] = etmp * (-1.0) * xx;
  fp_l[idx] = (dp_u[idx] - dp_l[idx]) * f + emd * fp_l[idx];
}

for (idx = 0; idx < j; idx++) {
  xx = 0.0;
  for (k = 0; k < j; k++)
    xx += dC[start + k] * yp_u[idx * (iJ - 1) + k];

  ep_l[idx] = dtmp * (-1.0) * xx;
  ep_u[idx] = etmp * (-1.0) * xx;
  fp_u[idx] = (ep_u[idx] - ep_l[idx]) * f + emd * fp_u[idx];
}
◇
```

Fragment referenced in 74a.

We put everything together in a loop starting with the second dimension

*< inner score loop 74a >* ≡

```
for (j = 1; j < iJ; j++) {

  < compute y 58c >
  < compute x 59a >
  < update d, e 59b >
  < update yp for chol 70c >
  < update yp for means, lower and upper 71 >
  < score wrt new chol off-diagonals 72a >
  < score wrt new chol diagonal 72b >
  < new score means, lower and upper 72c >
  < update score for chol 73a >
  < update score means, lower and upper 73b >
  < update f 59c >

}
◇
```

Fragment referenced in 76.

(c) Set  $\text{intsum} = \text{intsum} + f_J$ ,  $\text{varsum} = \text{varsum} + f_J^2$ ,  $M = M + 1$ , and  $\text{error} = \sqrt{(\text{varsum}/M - (\text{intsum}/M)^2)/M}$ .

We refrain from early stopping and error estimation.

Until  $\text{error} < \epsilon$  or  $M = M_{\max}$

5. Output  $\hat{p}_i = \text{intsum}/M$ .

We return  $\log \hat{p}_i$  for each  $i$ , or we immediately sum-up over  $i$ .

*score output 74b*  $\equiv$

```

dans[0] += f;
for (j = 0; j < Jp; j++)
  dans[j + 1] += fp_c[j];
for (j = 0; j < iJ; j++) {
  idx = Jp + j + 1;
  dans[idx] += fp_m[j];
  dans[idx + iJ] += fp_l[j];
  dans[idx + 2 * iJ] += fp_u[j];
}
◇

```

Fragment referenced in 76.

*init dans 74c*  $\equiv$

```

if (iM == 0) {
  dans[0] = intsum;
  dans[1] = fp_c[0];
  dans[2] = fp_m[0];
  dans[3] = fp_l[0];
  dans[4] = fp_u[0];
}
◇

```

Fragment referenced in 76.

We put everything together in C

*< R slpmvnorm 76 >* ≡

```
SEXP R_slpmvnorm(SEXP a, SEXP b, SEXP C, SEXP center, SEXP N, SEXP J, SEXP W,  
                SEXP M, SEXP tol, SEXP fast) {
```

```
  < R slpmvnorm variables 63c >
```

```
  double intsum;  
  int p, idx;
```

```
  < dimensions 62b >
```

```
  < pnorm 61c >
```

```
  < W length 62a >
```

```
  < init center 63b >
```

```
  int start, j, k;
```

```
  double tmp, e, d, f, emd, x, x0, y[(iJ > 1 ? iJ - 1 : 1)];
```

```
  < score output object 69a >
```

```
  q0 = qnorm(dtol, 0.0, 1.0, 1L, 0L);
```

```
  /* univariate problem */
```

```
  if (iJ == 1) iM = 0;
```

```
  if (W == R_NilValue)
```

```
    GetRNGstate();
```

```
  for (int i = 0; i < iN; i++) {
```

```
    < initialisation 58a >
```

```
    < score c11 69b >
```

```
    < score a, b 70a >
```

```
    < init dans 74c >
```

```
    if (W != R_NilValue && pW == 0)
```

```
      dW = REAL(W);
```

```
    for (int m = 0; m < iM; m++) {
```

```
      < init score loop 70b >
```

```
      < inner score loop 74a >
```

```
      < score output 74b >
```

```
      if (W != R_NilValue)
```

```
        dW += iJ - 1;
```

```
    }
```

```
    < move on 60c >
```

```
    dans += Jp + 1 + 3 * iJ;
```

```
  }
```

```
  if (W == R_NilValue)
```

```
    PutRNGstate();
```

```
  UNPROTECT(1);
```

```
  return(ans);
```

```
}
```

```
◇
```

Fragment referenced in [56b](#).

The R code is now essentially identical to `lpmvnorm`, however, we need to undo the effect of standardisation once the scores have been computed

*⟨post differentiate mean score 77a⟩* ≡

```
Jp <- J * (J + 1) / 2;
smean <- -ret[Jp + 1:J, , drop = FALSE]
if (attr(chol, "diag"))
  smean <- smean / c(dchol)
◇
```

Fragment referenced in 79.

*⟨post differentiate lower score 77b⟩* ≡

```
slower <- ret[Jp + J + 1:J, , drop = FALSE]
if (attr(chol, "diag"))
  slower <- slower / c(dchol)
◇
```

Fragment referenced in 79.

*⟨post differentiate upper score 77c⟩* ≡

```
supper <- ret[Jp + 2 * J + 1:J, , drop = FALSE]
if (attr(chol, "diag"))
  supper <- supper / c(dchol)
◇
```

Fragment referenced in 79.

*⟨post differentiate chol score 77d⟩* ≡

```
if (J == 1) {
  idx <- 1L
} else {
  idx <- cumsum(c(1, 2:J))
}
if (attr(chol, "diag")) {
  ret <- ret / c(dchol[rep(1:J, 1:J),]) ### because 1 / dchol already there
  ret[idx,] <- -ret[idx,]
}
◇
```

Fragment referenced in 79.

We sometimes parameterise models in terms of  $\mathbf{L} = \mathbf{C}^{-1}$ , the Cholesky factor of the precision matrix. The log-likelihood operates on  $\mathbf{C}$ , so we need to post-differentiate the score function. We have

$$\mathbf{A} = \frac{\partial \mathbf{L}^{-1}}{\partial \mathbf{L}} = -\mathbf{L}^{-\top} \otimes \mathbf{L}^{-1}$$

and computing  $\mathbf{sA}$  for a score vector  $\mathbf{s}$  with respect to  $\mathbf{L}$  can be implemented by the “vec trick” (Section 2.10)

$$\mathbf{sA} = \mathbf{L}^{-\top} \mathbf{S} \mathbf{L}^{-\top}$$

where  $\mathbf{s} = \text{vec}(\mathbf{S})$ .

*< post differentiate invchol score 78a >*  $\equiv$

```
if (!missing(invchol)) {
  ret <- ltMatrices(ret, diag = TRUE, byrow = TRUE)
  ### this means vectrick(chol, ret, chol)
  ret <- - unclass(vectrick(chol, ret))
}
◇
```

Fragment referenced in 79.

If the diagonal elements are constants, we set them to zero. The function always returns an object of class `ltMatrices` with explicit diagonal elements (use `Lower_tri(, diag = FALSE)` to extract the lower triangular elements such that the scores match the input)

*< post process score 78b >*  $\equiv$

```
if (!attr(chol, "diag"))
  ### remove scores for constant diagonal elements
  ret[idx,] <- 0
ret <- ltMatrices(ret, diag = TRUE, byrow = TRUE)
◇
```

Fragment referenced in 79.

We can now finally put everything together in a single score function.

*< slpmvnorm 79 >* ≡

```
slpmvnorm <- function(lower, upper, mean = 0, center = NULL, chol, invchol, logLik = TRUE, M = NULL,
                      w = NULL, seed = NULL, tol = .Machine$double.eps, fast = FALSE) {

  < init random seed, reset on exit 65a >
  < Cholesky of precision 65c >
  < input checks 57a >
  < standardise 57b >
  < check and / or set integration weights 65b >

  ret <- .Call(mvtnorm_R_slpmvnorm, ac, bc, uC, as.double(center), as.integer(N),
              as.integer(J), w, as.integer(M), as.double(tol), as.logical(fast));

  ll <- log(pmax(ret[1L,], tol)) - log(M)
  intsum <- ret[1L,]
  m <- matrix(intsum, nrow = nrow(ret) - 1, ncol = ncol(ret), byrow = TRUE)
  ret <- ret[-1L,,drop = FALSE] / m ### NOTE: division by zero MAY happen,
                                   ### catch outside

  < post differentiate mean score 77a >
  < post differentiate lower score 77b >
  < post differentiate upper score 77c >

  ret <- ret[1:Jp, , drop = FALSE]

  < post differentiate chol score 77d >
  < post differentiate invchol score 78a >
  < post process score 78b >

  ret <- ltMatrices(ret, byrow = byrow_orig)

  if (logLik) {
    ret <- list(logLik = ll,
               mean = smean,
               lower = slower,
               upper = supper,
               chol = ret)
    if (!missing(invchol)) names(ret)[names(ret) == "chol"] <- "invchol"
    return(ret)
  }

  return(ret)
}
◇
```

Fragment referenced in [56a](#).

Let's look at an example, where we use `numDeriv::grad` to check the results

```
> J <- 5L
> N <- 4L
> S <- crossprod(matrix(runif(J^2), nrow = J))
> prm <- t(chol(S))[lower.tri(S, diag = TRUE)]
> ### define C
> mC <- ltMatrices(matrix(prm, ncol = 1), diag = TRUE)
> a <- matrix(runif(N * J), nrow = J) - 2
> b <- a + 4
```

```

> a[2,] <- -Inf
> b[3,] <- Inf
> M <- 10000L
> W <- matrix(runif(M * (J - 1)), ncol = M)
> lli <- c(lpmvnorm(a, b, chol = mC, w = W, M = M, logLik = FALSE))
> fC <- function(prm) {
+   C <- ltMatrices(matrix(prm, ncol = 1), diag = TRUE)
+   lpmvnorm(a, b, chol = C, w = W, M = M)
+ }
> sC <- slpmvnorm(a, b, chol = mC, w = W, M = M)
> chk(lli, sC$logLik)
> if (require("numDeriv", quietly = TRUE))
+   chk(grad(fC, unclass(mC)), rowSums(unclass(sC$chol)), check.attributes = FALSE)

```

We can do the same when **L** (and not **C**) is given

```

> mL <- solve(mC)
> lliL <- c(lpmvnorm(a, b, invchol = mL, w = W, M = M, logLik = FALSE))
> chk(lli, lliL)
> fL <- function(prm) {
+   L <- ltMatrices(matrix(prm, ncol = 1), diag = TRUE)
+   lpmvnorm(a, b, invchol = L, w = W, M = M)
+ }
> sL <- slpmvnorm(a, b, invchol = mL, w = W, M = M)
> chk(lliL, sL$logLik)
> if (require("numDeriv", quietly = TRUE))
+   chk(grad(fL, unclass(mL)), rowSums(unclass(sL$invchol)),
+       check.attributes = FALSE)

```

The score function also works for univariate problems

```

> ptr <- pnorm(b[1,] / c(unclass(mC[,1]))) - pnorm(a[1,] / c(unclass(mC[,1])))
> log(ptr)

[1] -0.01165889 -0.08617272 -0.01240094 -0.03105050

> lpmvnorm(a[1,,drop = FALSE], b[1,,drop = FALSE], chol = mC[,1], logLik = FALSE)

[1] -0.01165889 -0.08617272 -0.01240094 -0.03105050

> lapply(slpvmnorm(a[1,,drop = FALSE], b[1,,drop = FALSE], chol = mC[,1], logLik =
+ TRUE), unclass)

$logLik
[1] -0.01165889 -0.08617272 -0.01240094 -0.03105050

$mean
      [,1]      [,2]      [,3]      [,4]
[1,] 0.02222249 0.2140162 0.02641782 0.08861162

$lower
      [,1]      [,2]      [,3]      [,4]
[1,] -0.03221736 -0.214453 -0.03536199 -0.09096213

$upper
      [,1]      [,2]      [,3]      [,4]

```

```
[1,] 0.00999487 0.0004368597 0.008944164 0.002350511
```

```
$chol
```

```
      [,1]      [,2]      [,3]      [,4]  
1.1 -0.104149 -0.2994286 -0.1075726 -0.1787174
```

```
attr("J")
```

```
[1] 1
```

```
attr("diag")
```

```
[1] TRUE
```

```
attr("byrow")
```

```
[1] FALSE
```

```
attr("rcnames")
```

```
[1] "1"
```

```
> sd1 <- c(unclass(mC[,1]))
```

```
> (dnorm(b[1,] / sd1) * b[1,] - dnorm(a[1,] / sd1) * a[1,]) * (-1) / sd1^2 / ptr
```

```
[1] -0.1041490 -0.2994286 -0.1075726 -0.1787174
```

## Chapter 4

# Maximum-likelihood Example

We now discuss how this infrastructure can be used to estimate the Cholesky factor of a multivariate normal in the presence of interval-censored observations.

We first generate a covariance matrix  $\Sigma = \mathbf{C}\mathbf{C}^\top$  and extract the Cholesky factor  $\mathbf{C}$

```
> J <- 4
> R <- diag(J)
> R[1,2] <- R[2,1] <- .25
> R[1,3] <- R[3,1] <- .5
> R[2,4] <- R[4,2] <- .75
> ### ATLAS and M1mac print 0 as something < .Machine$double.eps
> round(Sigma <- diag(sqrt(1:J / 2)) %*% R %*% diag(sqrt(1:J / 2)), 7)
```

```
      [,1]      [,2]      [,3]      [,4]
[1,] 0.5000000 0.1767767 0.4330127 0.0000000
[2,] 0.1767767 1.0000000 0.0000000 1.06066
[3,] 0.4330127 0.0000000 1.5000000 0.0000000
[4,] 0.0000000 1.0606602 0.0000000 2.00000
```

```
> (C <- t(chol(Sigma)))
```

```
      [,1]      [,2]      [,3]      [,4]
[1,] 0.7071068 0.0000000 0.0000000 0.0000000
[2,] 0.2500000 0.9682458 0.0000000 0.0000000
[3,] 0.6123724 -0.1581139 1.0488088 0.0000000
[4,] 0.0000000 1.0954451 0.1651446 0.8790491
```

We now represent this matrix as `ltMatrices` object

```
> prm <- C[lower.tri(C, diag = TRUE)]
> lt <- ltMatrices(matrix(prm, ncol = 1L),
+                   diag = TRUE,      ### has diagonal elements
+                   byrow = FALSE)   ### prm is column-major
> BYROW <- FALSE   ### later checks
> lt <- ltMatrices(lt,
+                   byrow = BYROW)   ### convert to row-major
> chk(C, as.array(lt)[,1], check.attributes = FALSE)
> chk(Sigma, as.array(Tcrossprod(lt))[,1], check.attributes = FALSE)
```

We generate some data from  $\mathbb{N}_J(\mathbf{0}_J, \Sigma)$  by first sampling from  $\mathbf{Z} \sim \mathbb{N}_J(\mathbf{0}_J, \mathbf{I}_J)$  and then computing  $\mathbf{Y} = \mathbf{C}\mathbf{Z} + \boldsymbol{\mu} \sim \mathbb{N}_J(\boldsymbol{\mu}, \mathbf{C}\mathbf{C}^\top)$

```

> N <- 100L
> Z <- matrix(rnorm(N * J), nrow = J)
> Y <- Mult(lt, Z) + (mn <- 1:J)

```

Before we add some interval-censoring to the data, let's estimate the Cholesky factor  $\mathbf{C}$  (here called `lt`) from the raw continuous data. The true mean  $\boldsymbol{\mu}$  and the true covariance matrix  $\boldsymbol{\Sigma}$  can be estimated from the uncensored data via maximum likelihood as

```

> rowMeans(Y)
      1      2      3      4
0.9685377 2.1268796 2.9633561 3.9825669

> (Shat <- var(t(Y)) * (N - 1) / N)
      1      2      3      4
1 0.46655660 0.18104431 0.34222237 0.01609179
2 0.18104431 0.94385339 0.08992252 0.84309528
3 0.34222237 0.08992252 1.36054915 0.08104091
4 0.01609179 0.84309528 0.08104091 1.63301525

```

We first check if we can obtain the same results by numerical optimisation using `dmvnorm` and the scores `sldmvnorm`. The log-likelihood and the score function (for the centered means) in terms of  $\mathbf{C}$  are

```

> Yc <- Y - rowMeans(Y)
> ll <- function(parm) {
+   C <- ltMatrices(parm, diag = TRUE, byrow = BYROW)
+   -ldmvnorm(obs = Yc, chol = C)
+ }
> sc <- function(parm) {
+   C <- ltMatrices(parm, diag = TRUE, byrow = BYROW)
+   -rowSums(unclass(sldmvnorm(obs = Yc, chol = C)$chol))
+ }

```

The diagonal elements of  $\mathbf{C}$  are positive, so we need box constraints

```

> llim <- rep(-Inf, J * (J + 1) / 2)
> llim[which(rownames(unclass(lt)) %in% paste(1:J, 1:J, sep = "."))] <- 1e-4

```

The ML-estimate of  $\mathbf{C}\mathbf{C}^\top$  is now used to obtain an estimate of  $\mathbf{C}$  and we check the score function for some random starting values

```

> if (BYROW) {
+   cML <- chol(Shat)[upper.tri(Shat, diag = TRUE)]
+ } else {
+   cML <- t(chol(Shat))[lower.tri(Shat, diag = TRUE)]
+ }
> ll(cML)

[1] 517.8685

> start <- runif(length(cML))
> if (require("numDeriv", quietly = TRUE))
+   chk(grad(ll, start), sc(start), check.attributes = FALSE)

```

Finally, we hand over to `optim` and compare the results of the analytically and numerically obtained ML estimates

```

> op <- optim(start, fn = ll, gr = sc, method = "L-BFGS-B",
+           lower = llim, control = list(trace = TRUE))

iter   10 value 518.092239
iter   20 value 517.868548
final  value 517.868548
converged

> ## ML numerically
> ltMatrices(op$par, diag = TRUE, byrow = BYROW)

, , 1

      1      2      3      4
1 0.68305690 0.00000000 0.00000000 0.00000000
2 0.26505417 0.93464707 0.00000000 0.00000000
3 0.50102358 -0.04586658 1.0523442 0.00000000
4 0.02356369 0.89534692 0.1048239 0.9054404

> ll(op$par)

[1] 517.8685

> ## ML analytically
> t(chol(Shat))

      1      2      3      4
1 0.68304949 0.00000000 0.0000000 0.0000000
2 0.26505300 0.93466588 0.0000000 0.0000000
3 0.50102134 -0.04587167 1.052341 0.0000000
4 0.02355875 0.89534773 0.104822 0.9054419

> ll(cML)

[1] 517.8685

> ## true C matrix
> lt

, , 1

      1      2      3      4
1 0.7071068 0.0000000 0.0000000 0.0000000
2 0.2500000 0.9682458 0.0000000 0.0000000
3 0.6123724 -0.1581139 1.0488088 0.0000000
4 0.0000000 1.0954451 0.1651446 0.8790491

```

Under interval-censoring, the mean and  $\mathbf{C}$  are no longer orthogonal and there is no analytic solution to the ML estimation problem. So, we add some interval-censoring represented by `lwr` and `upr` and try to estimate the model parameters via `lpmvnorm` and corresponding scores `slpmvnorm`.

```

> prb <- 1:9 / 10
> sds <- sqrt(diag(Sigma))
> ct <- sapply(1:J, function(j) qnorm(prb, mean = mn[j], sd = sds[j]))
> lwr <- upr <- Y
> for (j in 1:J) {
+   f <- cut(Y[j,], breaks = c(-Inf, ct[,j], Inf))
+   lwr[j,] <- c(-Inf, ct[,j])[f]
+   upr[j,] <- c(ct[,j], Inf)[f]
+ }

```

Let's do some sanity and performance checks first. For different values of  $M$ , we evaluate the log-likelihood using `pmvnorm` (called in `lpmvnormR`) and the simplified implementation (fast and slow). The comparison is a bit unfair, because we do not add the time needed to setup Halton sequences, but we would do this only once and use the stored values for repeated evaluations of a log-likelihood (because the optimiser expects a deterministic function to be optimised)

```
> M <- floor(exp(0:25/10) * 1000)
> lGB <- sapply(M, function(m) {
+   st <- system.time(ret <-
+     lpmvnormR(lwr, upr, mean = mn, chol = lt, algorithm =
+       GenzBretz(maxpts = m, abseps = 0, releps = 0)))
+   return(c(st["user.self"], ll = ret))
+ })
> lH <- sapply(M, function(m) {
+   W <- NULL
+   if (require("qrng", quietly = TRUE))
+     W <- t(ghalton(m, d = J - 1))
+   st <- system.time(ret <- lpmvnorm(lwr, upr, mean = mn,
+     chol = lt, w = W, M = m))
+   return(c(st["user.self"], ll = ret))
+ })
> lHf <- sapply(M, function(m) {
+   W <- NULL
+   if (require("qrng", quietly = TRUE))
+     W <- t(ghalton(m, d = J - 1))
+   st <- system.time(ret <- lpmvnorm(lwr, upr, mean = mn, chol = lt,
+     w = W, M = m, fast = TRUE))
+   return(c(st["user.self"], ll = ret))
+ })
```

The evaluated log-likelihoods and corresponding timings are given in Figure 4.1. It seems that for  $M \geq 3000$ , results are reasonably stable.

We now define the log-likelihood function. It is important to use weights via the `w` argument (or to set the `seed`) such that only the candidate parameters `parm` change with repeated calls to `ll`. We use an extremely low number of integration points  $M$ , let's see if this still works out.

```
> M <- 500
> if (require("qrng", quietly = TRUE)) {
+   ### quasi-Monte-Carlo
+   W <- t(ghalton(M, d = J - 1))
+ } else {
+   ### Monte-Carlo
+   W <- matrix(runif(M * (J - 1)), nrow = J - 1)
+ }
> ll <- function(parm, J) {
+   m <- parm[1:J]           ### mean parameters
+   parm <- parm[-(1:J)]    ### chol parameters
+   C <- matrix(c(parm), ncol = 1L)
+   C <- ltMatrices(C, diag = TRUE, byrow = BYROW)
+   -lpmvnorm(lower = lwr, upper = upr, mean = m, chol = C,
+     w = W, M = M, logLik = TRUE)
+ }
```

We can check the correctness of our log-likelihood function




Figure 4.1: Evaluated log-likelihoods (left) and timings (right).

```

> prm <- c(mn, unclass(lt))
> ll(prm, J = J)

[1] 880.4956

> ### ATLAS gives -880.4908, M1mac gives -880.4911
> round(lpmvnormR(lwr, upr, mean = mn, chol = lt,
+               algorithm = GenzBretz(maxpts = M, abseps = 0, releps = 0)), 3)

[1] -880.491

> (llprm <- lpmvnorm(lwr, upr, mean = mn, chol = lt, w = W, M = M))

[1] -880.4956

> chk(llprm, sum(lpmvnorm(lwr, upr, mean = mn, chol = lt, w = W,
+                       M = M, logLik = FALSE)))

```

Before we hand over to the optimiser, we define the score function with respect to  $\mu$  and  $\mathbf{C}$

```

> sc <- function(parm, J) {
+   m <- parm[1:J]           ### mean parameters
+   parm <- parm[-(1:J)]    ### chol parameters
+   C <- matrix(c(parm), ncol = 1L)
+   C <- ltMatrices(C, diag = TRUE, byrow = BYROW)
+   ret <- slpmvnorm(lower = lwr, upper = upr, mean = m, chol = C,
+                   w = W, M = M, logLik = TRUE)
+   return(-c(rowSums(ret$mean), rowSums(unclass(ret$chol))))
+ }

```

and check the correctness numerically

```

> if (require("numDeriv", quietly = TRUE))
+   chk(grad(ll, prm, J = J), sc(prm, J = J), check.attributes = FALSE)

```

Finally, we can hand-over to `optim`. Because we need  $\text{diag}(\mathbf{C}) > 0$ , we use box constraints and `method = "L-BFGS-B"`. We start with the estimates obtained from the original continuous data.

```
> llim <- rep(-Inf, J + J * (J + 1) / 2)
> llim[J + which(rownames(unclass(lt)) %in% paste(1:J, 1:J, sep = "."))] <- 1e-4
> if (BYROW) {
+   start <- c(rowMeans(Y), chol(Shat)[upper.tri(Shat, diag = TRUE)])
+ } else {
+   start <- c(rowMeans(Y), t(chol(Shat))[lower.tri(Shat, diag = TRUE)])
+ }
> ll(start, J = J)

[1] 875.4005

> op <- optim(start, fn = ll, gr = sc, J = J, method = "L-BFGS-B",
+           lower = llim, control = list(trace = TRUE))

iter   10 value 874.158309
final  value 874.158301
converged

> op$value ## compare with

[1] 874.1583

> ll(prm, J = J)

[1] 880.4956
```

We can now compare the true and estimated Cholesky factor  $\mathbf{C}$  of our covariance matrix  $\Sigma = \mathbf{C}\mathbf{C}^\top$

```
> (C <- ltMatrices(matrix(op$par[-(1:J)], ncol = 1),
+                 diag = TRUE, byrow = BYROW))
, , 1
      1      2      3      4
1 0.67049567 0.00000000 0.00000000 0.00000000
2 0.26764384 1.02232159 0.00000000 0.00000000
3 0.54267774 -0.05007103 1.11347760 0.00000000
4 0.05223456 0.98429745 0.08473411 0.9613685

> lt
, , 1
      1      2      3      4
1 0.7071068 0.0000000 0.0000000 0.0000000
2 0.2500000 0.9682458 0.0000000 0.0000000
3 0.6123724 -0.1581139 1.0488088 0.0000000
4 0.0000000 1.0954451 0.1651446 0.8790491
```

and the estimated means

```
> op$par[1:J]
```

```

      1      2      3      4
0.9669828 2.1281616 2.9454002 3.9886471

```

```
> mn
```

```
[1] 1 2 3 4
```

We can also compare the results on the scale of the covariance matrix

```
> ### ATLAS print issues
> round(Tcrossprod(lt), 7) ### true Sigma
```

```
, , 1
```

```

      1      2      3      4
1 0.5000000 0.1767767 0.4330127 0.0000000
2 0.1767767 1.0000000 0.0000000 1.06066
3 0.4330127 0.0000000 1.5000000 0.0000000
4 0.0000000 1.0606602 0.0000000 2.00000

```

```
> round(Tcrossprod(C), 7) ### interval-censored obs
```

```
, , 1
```

```

      1      2      3      4
1 0.4495644 0.1794540 0.3638631 0.0350230
2 0.1794540 1.1167747 0.0940557 1.0202488
3 0.3638631 0.0940557 1.5368386 0.0734113
4 0.0350230 1.0202488 0.0734113 1.9029791

```

```
> round(Shat, 7) ### "exact" obs
```

```

      1      2      3      4
1 0.4665566 0.1810443 0.3422224 0.0160918
2 0.1810443 0.9438534 0.0899225 0.8430953
3 0.3422224 0.0899225 1.3605492 0.0810409
4 0.0160918 0.8430953 0.0810409 1.6330153

```

This looks reasonably close.

**Warning:** Do NOT assume the choices made here (especially M and W) to be universally applicable. Make sure to investigate the accuracy depending on these parameters of the log-likelihood and score function in your application.

One could ask what this whole exercise was about statistically. We estimated a multivariate normal distribution from interval-censored data, so what? Maybe we were primarily interested in fitting a linear regression

$$\mathbb{E}(Y_1 | Y_j = y_j, j = 2, \dots, J) = \alpha + \sum_{j=2}^J \beta_j y_j.$$

Interval-censoring in the response could have been handled by some Tobit model, but what about interval-censoring in the explanatory variables? Based on the multivariate distribution just estimated, we can obtain the regression coefficients  $\beta_j$  as

```
> c(cond_mvnorm(chol = C, which = 2:J, given = diag(J - 1))$mean)
```

```
[1] 0.2602003 0.2270392 -0.1298560
```

We can compare these estimated regression coefficients with those obtained from a linear model fitted to the exact observations

```
> dY <- as.data.frame(t(Y))
> colnames(dY) <- paste0("Y", 1:J)
> coef(m1 <- lm(Y1 ~ ., data = dY))[-1L]

          Y2          Y3          Y4
0.3169117  0.2404565 -0.1656946
```

The estimates are quite close, but what about standard errors? Interval-censoring means loss of information, so we should see larger standard errors for the interval-censored data.

Let's obtain the Hessian for all parameters first

```
> H <- optim(op$par, fn = ll, gr = sc, J = J, method = "L-BFGS-B",
+          lower = llim, hessian = TRUE)$hessian
```

and next we sample from the distribution of the maximum-likelihood estimators

```
> L <- try(t(chol(H)))
> ### some check on r-oldrel-macos-arm64
> if (inherits(L, "try-error"))
+   L <- t(chol(H + 1e-4 * diag(nrow(H))))
> L <- ltMatrices(L[lower.tri(L, diag = TRUE)], diag = TRUE)
> Nsim <- 50000
> Z <- matrix(rnorm(Nsim * nrow(H)), ncol = Nsim)
> rC <- solve(L, Z)[-1:J,] + op$par[-1:J] ### remove mean parameters
```

The standard error in this sample should be close to the ones obtained from the inverse Fisher information

```
> c(sqrt(rowMeans((rC - rowMeans(rC))^2)))

          5          6          7          8          9          10          11
0.05129646 0.07989618 0.12445698 0.16089554 0.07609088 0.11566519 0.14020346
          12          13          14
0.09622312 0.10415427 0.08278985

> c(sqrt(diagonals(Crossprod(solve(L)))))

[1] 0.06825507 0.10816499 0.12670329 0.14073702 0.05498052 0.10839260
[7] 0.12441885 0.14311786 0.08812684 0.11638318 0.13340466 0.09586564
[13] 0.10450821 0.08154249
```

We now coerce the matrix rC to an object of class ltMatrices

```
> rC <- ltMatrices(rC, diag = TRUE)
```

The object rC contains all sampled Cholesky factors of the covariance matrix. From each of these matrices, we compute the regression coefficient, giving us a sample we can use to compute standard errors from

```
> rbeta <- cond_mvnorm(chol = rC, which = 2:J, given = diag(J - 1))$mean
> sqrt(rowMeans((rbeta - rowMeans(rbeta))^2))

[1] 0.08792945 0.04869062 0.07752184
```

which are, as expected, slightly different from the ones obtained from the more informative exact observations

```
> sqrt(diag(vcov(m1)))[-1L]

          Y2          Y3          Y4
0.08229627 0.05039009 0.06246094
```

## Chapter 5

# Continuous-discrete Likelihoods

We sometimes are faced with outcomes measured at different levels of precision. Some variables might have been observed very exactly, and therefore we might want to use the log-Lebesgue density for defining the log-likelihood. Other variables might be available as relatively wide intervals only, and thus the log-likelihood is a log-probability. We can use the infrastructure developed so far to compute a joint likelihood. Let's assume we have are interested in the joint distribution of  $(\mathbf{Y}_i, \mathbf{X}_i)$  and we observed  $\mathbf{Y}_i = \mathbf{y}_i$  (that is, exact observations of  $\mathbf{Y}$ ) and  $\mathbf{a}_i < \mathbf{X}_i \leq \mathbf{b}_i$  (that is, interval-censored observations for  $\mathbf{X}_i$ ). We define the log-likelihood based on the joint normal distribution  $(\mathbf{Y}_i, \mathbf{X}_i) \sim \mathbb{N}_J((\boldsymbol{\mu}_i, \boldsymbol{\eta}_i)^\top, \mathbf{C}_i \mathbf{C}_i^\top)$  as

$$\ell_i(\boldsymbol{\mu}_i, \boldsymbol{\eta}_i, \mathbf{C}_i) = \ell_i(\boldsymbol{\mu}_i, \mathbf{C}_i) + \log(\mathbb{P}(\mathbf{a}_i < \mathbf{X}_i \leq \mathbf{b}_i \mid \mathbf{C}_i, \boldsymbol{\eta}_i, \mathbf{Y}_i = \mathbf{y}_i)).$$

The trick here is to decompose the joint likelihood into a product of the marginal Lebesgue density of  $\mathbf{Y}_i$  and the conditional probability of  $\mathbf{X}_i$  given  $\mathbf{Y}_i = \mathbf{y}_i$ .

We first check the data

*< dp input checks 90 > ≡*

```
stopifnot(xor(missing(chol), missing(invchol)))
cJ <- nrow(obs)
dJ <- nrow(lower)
N <- ncol(obs)
stopifnot(N == ncol(lower))
stopifnot(N == ncol(upper))
if (all(mean == 0)) {
  cmean <- 0
  dmean <- 0
} else {
  if (!is.matrix(mean))
    mean <- matrix(mean, nrow = cJ + dJ, ncol = N)
  stopifnot(nrow(mean) == cJ + dJ)
  stopifnot(ncol(mean) == N)
  cmean <- mean[1:cJ, , drop = FALSE]
  dmean <- mean[-(1:cJ), , drop = FALSE]
}
◇
```

Fragment referenced in 91, 93.

We can use `marg_mvnorm` and `cond_mvnorm` to compute the marginal and the conditional normal distributions and the joint log-likelihood is simply the sum of the two corresponding log-likelihoods.

*<ldpmvnorm 91>* ≡

```
ldpmvnorm <- function(obs, lower, upper, mean = 0, chol, invchol,
                      logLik = TRUE, ...) {

  if (missing(obs) || is.null(obs))
    return(lpmvnorm(lower = lower, upper = upper, mean = mean,
                    chol = chol, invchol = invchol, logLik = logLik, ...))
  if (missing(lower) && missing(upper) || is.null(lower) && is.null(upper))
    return(ldmvnorm(obs = obs, mean = mean,
                    chol = chol, invchol = invchol, logLik = logLik))

  <dp input checks 90>

  if (!missing(invchol)) {
    J <- dim(invchol)[2L]
    stopifnot(cJ + dJ == J)

    md <- marg_mvnorm(invchol = invchol, which = 1:cJ)
    ret <- ldmvnorm(obs = obs, mean = cmean, invchol = md$invchol,
                   logLik = logLik)

    cd <- cond_mvnorm(invchol = invchol, which_given = 1:cJ,
                      given = obs - cmean, center = TRUE)
    ret <- ret + lpmvnorm(lower = lower, upper = upper, mean = dmean,
                          invchol = cd$invchol, center = cd$center,
                          logLik = logLik, ...)

    return(ret)
  }

  J <- dim(chol)[2L]
  stopifnot(cJ + dJ == J)

  md <- marg_mvnorm(chol = chol, which = 1:cJ)
  ret <- ldmvnorm(obs = obs, mean = cmean, chol = md$chol, logLik = logLik)

  cd <- cond_mvnorm(chol = chol, which_given = 1:cJ,
                    given = obs - cmean, center = TRUE)
  ret <- ret + lpmvnorm(lower = lower, upper = upper, mean = dmean,
                        chol = cd$chol, center = cd$center,
                        logLik = logLik, ...)

  return(ret)
}
◇
```

Fragment referenced in 2.

The score function requires a little extra work. We start with the case when `invchol` is given

*< sldpnmvnorm invchol 92 >* ≡

```
byrow_orig <- attr(invchol, "byrow")
invchol <- ltMatrices(invchol, byrow = TRUE)

J <- dim(invchol)[2L]
stopifnot(cJ + dJ == J)

md <- marg_mvnorm(invchol = invchol, which = 1:cJ)
cs <- sldmvnorm(obs = obs, mean = cmean, invchol = md$invchol)

obs_cmean <- obs - cmean
cd <- cond_mvnorm(invchol = invchol, which_given = 1:cJ,
                 given = obs_cmean, center = TRUE)
ds <- slpnmvnorm(lower = lower, upper = upper, mean = dmean,
                center = cd$center, invchol = cd$invchol,
                logLik = logLik, ...)

tmp0 <- solve(cd$invchol, ds$mean, transpose = TRUE)
tmp <- - tmp0[rep(1:dJ, each = cJ),,drop = FALSE] *
      obs_cmean[rep(1:cJ, dJ),,drop = FALSE]

Jp <- nrow(unclass(invchol))
diag <- attr(invchol, "diag")
M <- as.array(ltMatrices(1:Jp, diag = diag, byrow = TRUE))[, ,1]
ret <- matrix(0, nrow = Jp, ncol = ncol(obs))
M1 <- M[1:cJ, 1:cJ]
idx <- t(M1)[upper.tri(M1, diag = diag)]
ret[idx,] <- Lower_tri(cs$invchol, diag = diag)

idx <- c(t(M[-(1:cJ), 1:cJ]))
ret[idx,] <- tmp

M3 <- M[-(1:cJ), -(1:cJ)]
idx <- t(M3)[upper.tri(M3, diag = diag)]
ret[idx,] <- Lower_tri(ds$invchol, diag = diag)

ret <- ltMatrices(ret, diag = diag, byrow = TRUE)
if (!diag) diagonals(ret) <- 0
ret <- ltMatrices(ret, byrow = byrow_orig)

### post differentiate mean
aL <- as.array(invchol)[-(1:cJ), 1:cJ,,drop = FALSE]
lst <- tmp0[rep(1:dJ, cJ),,drop = FALSE]
if (dim(aL)[3] == 1)
  aL <- aL[, ,rep(1, ncol(lst)), drop = FALSE]
dim <- dim(aL)
dobs <- -margin.table(aL * array(lst, dim = dim), 2:3)

ret <- c(list(invchol = ret, obs = cs$obs + dobs),
        ds[c("lower", "upper")])
ret$mean <- rbind(-ret$obs, ds$mean)
return(ret)
◇
```

Fragment referenced in 93.

For chol, we compute the above code for its inverse and post-differentiate using the vec-trick

`< sldpmvnorm 93 >` ≡

```
sldpmvnorm <- function(obs, lower, upper, mean = 0, chol, invchol, logLik = TRUE, ...) {  
  
  if (missing(obs) || is.null(obs))  
    return(sldpmvnorm(lower = lower, upper = upper, mean = mean,  
                      chol = chol, invchol = invchol, logLik = logLik, ...))  
  if (missing(lower) && missing(upper) || is.null(lower) && is.null(upper))  
    return(sldpmvnorm(obs = obs, mean = mean,  
                      chol = chol, invchol = invchol, logLik = logLik))  
  
  < dp input checks 90 >  
  
  if (!missing(invchol)) {  
    < sldpmvnorm invchol 92 >  
  }  
  
  invchol <- solve(chol)  
  ret <- sldpmvnorm(obs = obs, lower = lower, upper = upper,  
                  mean = mean, invchol = invchol, logLik = logLik, ...)  
  ### this means: ret$chol <- - vectrick(invchol, ret$invchol, invchol)  
  ret$chol <- - vectrick(invchol, ret$invchol)  
  ret$invchol <- NULL  
  return(ret)  
}  
◇
```

Fragment referenced in 2.

Let's assume we observed the first two dimensions exactly in our small example, and the remaining two dimensions are only known in intervals. The log-likelihood and score function for  $\mu$  and  $C$  are

```
> ll_cd <- function(parm, J) {  
+   m <- parm[1:J]          ### mean parameters  
+   parm <- parm[-(1:J)]    ### chol parameters  
+   C <- matrix(c(parm), ncol = 1L)  
+   C <- ltMatrices(C, diag = TRUE, byrow = BYROW)  
+   -ldpmvnorm(obs = Y[1:2,], lower = lwr[-(1:2),],  
+             upper = upr[-(1:2),], mean = m, chol = C,  
+             w = W[-(1:2),,drop = FALSE], M = M)  
+ }  
> sc_cd <- function(parm, J) {  
+   m <- parm[1:J]          ### mean parameters  
+   parm <- parm[-(1:J)]    ### chol parameters  
+   C <- matrix(c(parm), ncol = 1L)  
+   C <- ltMatrices(C, diag = TRUE, byrow = BYROW)  
+   ret <- sldpmvnorm(obs = Y[1:2,], lower = lwr[-(1:2),],  
+                   upper = upr[-(1:2),], mean = m, chol = C,  
+                   w = W[-(1:2),,drop = FALSE], M = M)  
+   return(-c(rowSums(ret$mean), rowSums(unclass(ret$chol))))  
+ }
```

and the score function seems to be correct

```
> if (require("numDeriv", quietly = TRUE))
```

```
+   chk(grad(ll_cd, start, J = J), sc_cd(start, J = J),
+       check.attributes = FALSE, tol = 1e-6)
```

We can now jointly estimate all model parameters via

```
> op <- optim(start, fn = ll_cd, gr = sc_cd, J = J,
+             method = "L-BFGS-B", lower = llim,
+             control = list(trace = TRUE))
```

```
iter 10 value 655.707790
final value 655.707779
converged
```

```
> ## estimated C
> ltMatrices(matrix(op$par[-(1:J)], ncol = 1),
+             diag = TRUE, byrow = BYROW)
```

```
, , 1
      1      2      3      4
1 0.68303340 0.00000000 0.00000000 0.00000000
2 0.26504369 0.93466598 0.00000000 0.00000000
3 0.53508534 -0.05736364 1.11260547 0.00000000
4 0.06748574 0.95887388 0.07774847 0.9669178
```

```
> ## compare with true C
> lt
```

```
, , 1
      1      2      3      4
1 0.7071068 0.0000000 0.0000000 0.0000000
2 0.2500000 0.9682458 0.0000000 0.0000000
3 0.6123724 -0.1581139 1.0488088 0.0000000
4 0.0000000 1.0954451 0.1651446 0.8790491
```

```
> ## estimated means
> op$par[1:J]
```

```
      1      2      3      4
0.968533 2.126882 2.944105 3.989790
```

```
> ## compare with true means
> mn
```

```
[1] 1 2 3 4
```

## Chapter 6

# Unstructured Gaussian Copula Estimation

With  $\mathbf{Z} \sim \mathbb{N}_J(0, \mathbf{I}_J)$  and  $\mathbf{Y} = \tilde{\mathbf{C}}\mathbf{Z} \sim \mathbb{N}_J(0, \tilde{\mathbf{C}}\tilde{\mathbf{C}}^\top)$  we want to estimate the off-diagonal elements of the lower triangular unit-diagonal matrix  $\mathbf{C}$ . We have  $\tilde{\mathbf{C}}(\mathbf{C}) := \text{diag}(\mathbf{C}\mathbf{C}^\top)^{-1/2}\mathbf{C}$  such that  $\boldsymbol{\Sigma} = \tilde{\mathbf{C}}\tilde{\mathbf{C}}^\top$  is a correlation matrix ( $\text{diag}(\boldsymbol{\Sigma}) = \mathbf{I}_J$ ). Note that directly estimating  $\tilde{\mathbf{C}}$  requires  $J(J+1)/2$  parameters under constraints  $\text{diag}(\boldsymbol{\Sigma}) = 1$  whereas only  $J(J-1)/2$  parameters are necessary when estimating the lower triangular part of  $\mathbf{C}$ . The standardisation by  $\text{diag}(\mathbf{C}\mathbf{C}^\top)^{-1/2}$  ensures that  $\text{diag}(\boldsymbol{\Sigma}) \equiv 1$ , that is, unconstrained optimisation can be applied.

`<standardize 95> ≡`

```
standardize <- function(chol, invchol) {
  stopifnot(xor(missing(chol), missing(invchol)))
  if (!missing(invchol)) {
    stopifnot(!attr(invchol, "diag"))
    return(invcholD(invchol))
  }
  stopifnot(!attr(chol, "diag"))
  return(Dchol(chol))
}
◇
```

Fragment referenced in 2.

```
> C <- ltMatrices(runif(10))
> all.equal(as.array(chol2cov(standardize(chol = C))),
+          as.array(chol2cor(standardize(chol = C))))
[1] TRUE

> L <- solve(C)
> all.equal(as.array(invchol2cov(standardize(invchol = L))),
+          as.array(invchol2cor(standardize(invchol = L))))
[1] TRUE
```

The log-likelihood function is  $\ell_i(\mathbf{C}_i)$  (we omit  $i$  in the following) and we assume the score

$$\frac{\partial \ell(\mathbf{C})}{\partial \mathbf{C}}$$

is already available. We want to compute the score

$$\frac{\partial \ell(\tilde{\mathbf{C}})}{\partial \mathbf{C}}$$

which gives

$$\frac{\partial \ell(\tilde{\mathbf{C}})}{\partial \mathbf{C}} = \underbrace{\frac{\partial \ell(\tilde{\mathbf{C}})}{\partial \tilde{\mathbf{C}}}}_{=: \mathbf{T}} \times \frac{\partial \tilde{\mathbf{C}}(\mathbf{C})}{\partial \mathbf{C}}$$

We further have

$$\frac{\partial \tilde{\mathbf{C}}(\mathbf{C})}{\partial \mathbf{C}} = (\mathbf{C}^\top \otimes \mathbf{I}_J) \frac{\partial \text{diag}(\mathbf{C}\mathbf{C}^\top)^{-1/2}}{\partial \mathbf{C}} + (\mathbf{I}_J \otimes \text{diag}(\mathbf{C}\mathbf{C}^\top)^{-1/2})$$

and thus

$$\frac{\partial \ell(\tilde{\mathbf{C}})}{\partial \mathbf{C}} = \text{vec}(\mathbf{I}_J \mathbf{T} \mathbf{C}^\top)^\top \frac{\partial \text{diag}(\mathbf{C}\mathbf{C}^\top)^{-1/2}}{\partial \mathbf{C}} + \text{vec}(\text{diag}(\mathbf{C}\mathbf{C}^\top)^{-1/2} \mathbf{T} \mathbf{I}_J)^\top$$

and with

$$\begin{aligned} \frac{\partial \text{diag}(\mathbf{C}\mathbf{C}^\top)^{-1/2}}{\partial \mathbf{C}} &= \left. \frac{\partial \text{diag}(\mathbf{A})^{-1/2}}{\partial \mathbf{A}} \right|_{\mathbf{A}=\mathbf{C}\mathbf{C}^\top} \frac{\partial \mathbf{C}\mathbf{C}^\top}{\partial \mathbf{C}} \\ &= -\frac{1}{2} \text{diag}(\text{vec}(\text{diag}(\mathbf{C}\mathbf{C}^\top)^{-3/2})) \left[ (\mathbf{C} \otimes \mathbf{I}_J) \frac{\partial \mathbf{C}}{\partial \mathbf{C}} + (\mathbf{I}_J \otimes \mathbf{C}) \frac{\partial \mathbf{C}^\top}{\partial \mathbf{C}} \right] \end{aligned}$$

we can write

$$\text{vec}(\mathbf{I}_J \mathbf{T} \mathbf{C}^\top)^\top \left(-\frac{1}{2}\right) \text{diag}(\text{vec}(\text{diag}(\mathbf{C}\mathbf{C}^\top)^{-3/2})) = -\frac{1}{2} \times \text{vec}(\mathbf{I}_J \mathbf{T} \mathbf{C}^\top)^\top \times \text{vec}(\text{diag}(\mathbf{C}\mathbf{C}^\top)^{-3/2})^\top =: \mathbf{b}^\top$$

thus

$$\begin{aligned} \frac{\partial \ell(\tilde{\mathbf{C}})}{\partial \mathbf{C}} &= \mathbf{b}^\top \left[ (\mathbf{C} \otimes \mathbf{I}_J) \frac{\partial \mathbf{C}}{\partial \mathbf{C}} + (\mathbf{I}_J \otimes \mathbf{C}) \frac{\partial \mathbf{C}^\top}{\partial \mathbf{C}} \right] + \text{vec}(\text{diag}(\mathbf{C}\mathbf{C}^\top)^{-1/2} \mathbf{T} \mathbf{I}_J)^\top \\ &= \text{vec}(\mathbf{I}_J \mathbf{B} \mathbf{C})^\top + \text{vec}(\mathbf{C}^\top \mathbf{B} \mathbf{I}_J)^\top \frac{\partial \mathbf{C}^\top}{\partial \mathbf{C}} + \text{vec}(\text{diag}(\mathbf{C}\mathbf{C}^\top)^{-1/2} \mathbf{T} \mathbf{I}_J)^\top \end{aligned}$$

when  $\mathbf{b} = \text{vec}(\mathbf{B})$ . These scores are implemented in `destandardize` with `chol = C` and `score_schol = T`. If the model was parameterised in  $\mathbf{L} = \mathbf{C}^{-1}$ , we have `invchol = L`, however, we would still need to compute  $\mathbf{T}$  (the score with respect to  $\mathbf{C}$ ).

⟨ *destandardize 97* ⟩ ≡

```
destandardize <- function(chol = solve(invchol), invchol, score_schol)
{
  stopifnot(inherits(chol, "ltMatrices"))
  J <- dim(chol)[2L]
  stopifnot(!attr(chol, "diag"))
  byrow_orig <- attr(chol, "byrow")
  chol <- ltMatrices(chol, byrow = FALSE)

  if (inherits(score_schol, "ltMatrices"))
    score_schol <- matrix(as.array(score_schol),
                          nrow = dim(score_schol)[2L]^2)
  stopifnot(is.matrix(score_schol))
  N <- ncol(score_schol)
  stopifnot(J^2 == nrow(score_schol))

  CCt <- Tcrossprod(chol, diag_only = TRUE)
  DC <- Dchol(chol, D = Dinv <- 1 / sqrt(CCt))
  SDC <- solve(DC)

  IDX <- t(M <- matrix(1:J^2, nrow = J, ncol = J))
  i <- cumsum(c(1, rep(J + 1, J - 1)))
  ID <- diagonals(as.integer(J), byrow = FALSE)
  if (dim(ID)[1L] != dim(chol)[1L])
    ID <- ID[rep(1, dim(chol)[1L]),]

  B <- vectrick(ID, score_schol, chol)
  B[i,] <- B[i,] * (-.5) * c(CCt)^(-3/2)
  B[-i,] <- 0

  Dtmp <- Dchol(ID, D = Dinv)

  ret <- vectrick(ID, B, chol, transpose = c(TRUE, FALSE)) +
    vectrick(chol, B, ID)[IDX,] +
    vectrick(Dtmp, score_schol, ID)

  if (!missing(invchol)) {
    ### this means: ret <- - vectrick(chol, ret, chol)
    ret <- - vectrick(chol, ret)
  }
  ret <- ltMatrices(ret[M[lower.tri(M)],,drop = FALSE],
                    diag = FALSE, byrow = FALSE)
  ret <- ltMatrices(ret, byrow = byrow_orig)
  diagonals(ret) <- 0
  return(ret)
}
◇
```

Fragment referenced in [2](#).

We can now set-up the log-likelihood and score functions for a Gaussian copula model. We start with the classical approach of generating the marginal observations  $\mathbf{Y}$  from the ECDF with denominator  $N + 1$  and subsequent use of the Lebesgue density as likelihood.

```
> data("iris")
> J <- 4
```

```
> Z <- t(qnorm(do.call("cbind", lapply(iris[1:J], rank)) / (nrow(iris) + 1)))
> (CR <- cor(t(Z)))
```

```
          Sepal.Length Sepal.Width Petal.Length Petal.Width
Sepal.Length  1.00000000 -0.09887012  0.8695177  0.7819059
Sepal.Width   -0.09887012  1.00000000 -0.2709859 -0.2414218
Petal.Length  0.86951767 -0.27098589  1.0000000  0.8713759
Petal.Width   0.78190591 -0.24142185  0.8713759  1.0000000
```

```
> ll <- function(parm) {
+   C <- ltMatrices(parm)
+   Cs <- standardize(C)
+   -ldmvnorm(obs = Z, chol = Cs)
+ }
> sc <- function(parm) {
+   C <- ltMatrices(parm)
+   Cs <- standardize(C)
+   -rowSums(Lower_tri(destandardize(chol = C,
+     score_schol = sldmvnorm(obs = Z, chol = Cs)$chol)))
+ }
> start <- t(chol(CR))
> start <- start[lower.tri(start)]
> if (require("numDeriv", quietly = TRUE))
+   chk(grad(ll, start), sc(start), check.attributes = FALSE)
> op <- optim(start, fn = ll, gr = sc, method = "BFGS", hessian = TRUE)
> op$value
```

```
[1] 602.5055
```

```
> S_ML <- chol2cov(standardize(ltMatrices(op$par)))
```

This approach is of course a bit strange, because we estimate the marginal distributions by nonparametric maximum likelihood whereas the joint distribution is estimated by plain maximum likelihood. For the latter, we can define the likelihood by boxes given by intervals obtained from the marginals ECDFs and estimate the Copula parameters by maximisation of this nonparametric likelihood.

```
> lwr <- do.call("cbind", lapply(iris[1:J], rank, ties.method = "min")) - 1L
> upr <- do.call("cbind", lapply(iris[1:J], rank, ties.method = "max"))
> lwr <- t(qnorm(lwr / nrow(iris)))
> upr <- t(qnorm(upr / nrow(iris)))
> M <- 500
> if (require("qrng", quietly = TRUE)) {
+   ### quasi-Monte-Carlo
+   W <- t(ghalton(M, d = J - 1))
+ } else {
+   ### Monte-Carlo
+   W <- matrix(runif(M * (J - 1)), nrow = J - 1)
+ }
> ll <- function(parm) {
+   C <- ltMatrices(parm)
+   Cs <- standardize(C)
+   -lpmvnorm(lower = lwr, upper = upr, chol = Cs, M = M, w = W)
+ }
> sc <- function(parm) {
```

```

+   C <- ltMatrices(parm)
+   Cs <- standardize(C)
+   -rowSums(Lower_tri(destandardize(chol = C,
+     score_schol = slpmvnorm(lower = lwr, upper = upr, chol = Cs,
+     M = M, w = W)$chol)))
+ }
> if (require("numDeriv", quietly = TRUE))
+   chk(grad(ll, start), sc(start), check.attributes = FALSE)
> op2 <- optim(start, fn = ll, gr = sc, method = "BFGS", hessian = TRUE)
> S_NPML <- chol2cov(standardize(ltMatrices(op2$par)))

```

For  $N = 150$ , the difference is (as expected) marginal:

```

> S_ML
, , 1
      1      2      3      4
1  1.0000000 -0.1139030  0.8768269  0.7962466
2 -0.1139030  1.0000000 -0.2856045 -0.2574850
3  0.8768269 -0.2856045  1.0000000  0.8816944
4  0.7962466 -0.2574850  0.8816944  1.0000000

```

```

> S_NPML
, , 1
      1      2      3      4
1  1.0000000 -0.09785513  0.8734599  0.7832830
2 -0.09785513  1.00000000 -0.2725997 -0.2482241
3  0.87345993 -0.27259973  1.0000000  0.8849489
4  0.78328300 -0.24822413  0.8849489  1.0000000

```

with relatively close standard errors

```

> sd_ML <- ltMatrices(sqrt(diag(solve(op$hessian))))
> diagonals(sd_ML) <- 0
> sd_NPML <- try(ltMatrices(sqrt(diag(solve(op2$hessian))))
> if (!inherits(sd_NPML, "try-error")) {
+   diagonals(sd_NPML) <- 0
+   print(sd_ML)
+   print(sd_NPML)
+ }

```

```

, , 1
      1      2      3 4
1  0.00000000 0.00000000 0.0000000 0
2  0.08122393 0.00000000 0.0000000 0
3  0.13679345 0.08761945 0.0000000 0
4  0.12621115 0.10787495 0.1010173 0

```

```

, , 1
      1      2      3 4
1  0.00000000 0.00000000 0.0000000 0

```

2 0.07731078 0.00000000 0.0000000 0  
3 0.13999691 0.08694828 0.0000000 0  
4 0.13691328 0.11037843 0.1161017 0

## Chapter 7

# Package Infrastructure

`<R Header 101> ≡`

```
### Copyright (C) 2022- Torsten Hothorn
###
### This file is part of the 'mvtnorm' R add-on package.
###
### 'mvtnorm' is free software: you can redistribute it and/or modify
### it under the terms of the GNU General Public License as published by
### the Free Software Foundation, version 2.
###
### 'mvtnorm' is distributed in the hope that it will be useful,
### but WITHOUT ANY WARRANTY; without even the implied warranty of
### MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
### GNU General Public License for more details.
###
### You should have received a copy of the GNU General Public License
### along with 'mvtnorm'. If not, see <http://www.gnu.org/licenses/>.
###
###
### DO NOT EDIT THIS FILE
###
### Edit 'lmvnorm_src.w' and run 'nuweb -r lmvnorm_src.w'
```

◇

Fragment referenced in [2, 56a](#).

*< C Header 102 >* ≡

```
/*
  Copyright (C) 2022- Torsten Hothorn

  This file is part of the 'mvtnorm' R add-on package.

  'mvtnorm' is free software: you can redistribute it and/or modify
  it under the terms of the GNU General Public License as published by
  the Free Software Foundation, version 2.

  'mvtnorm' is distributed in the hope that it will be useful,
  but WITHOUT ANY WARRANTY; without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
  GNU General Public License for more details.

  You should have received a copy of the GNU General Public License
  along with 'mvtnorm'. If not, see <http://www.gnu.org/licenses/>.

  DO NOT EDIT THIS FILE

  Edit 'lmvnorm_src.w' and run 'nuweb -r lmvnorm_src.w'
*/
◇
```

Fragment referenced in [3](#), [56b](#).

# Appendix

This document uses the following matrix derivatives

$$\begin{aligned}\frac{\partial \mathbf{y}^\top \mathbf{A}^\top \mathbf{A} \mathbf{y}}{\partial \mathbf{A}} &= 2\mathbf{A} \mathbf{y} \mathbf{y}^\top \\ \frac{\partial \mathbf{A}^{-1}}{\partial \mathbf{A}} &= -(\mathbf{A}^{-\top} \otimes \mathbf{A}^{-1}) \\ \frac{\partial \mathbf{A} \mathbf{A}^\top}{\partial \mathbf{A}} &= (\mathbf{A} \otimes \mathbf{I}_J) \frac{\partial \mathbf{A}}{\partial \mathbf{A}} + (\mathbf{I}_J \otimes \mathbf{A}) \frac{\partial \mathbf{A}^\top}{\partial \mathbf{A}} \\ &= (\mathbf{A} \otimes \mathbf{I}_J) + (\mathbf{I}_J \otimes \mathbf{A}) \frac{\partial \mathbf{A}^\top}{\partial \mathbf{A}} \\ \frac{\partial \text{diag}(\mathbf{A})}{\partial \mathbf{A}} &= \text{diag}(\text{vec}(\mathbf{I}_J)) \\ \frac{\partial \mathbf{A}}{\partial \mathbf{A}} &= \text{diag}(I_{J^2}) \\ \frac{\mathbf{y}^\top \mathbf{A} \mathbf{y}}{\partial \mathbf{y}} &= \mathbf{y}^\top (\mathbf{A} + \mathbf{A}^\top)\end{aligned}$$

and the “vec trick”  $\text{vec}(\mathbf{X})^\top (\mathbf{B} \otimes \mathbf{A}^\top) = \text{vec}(\mathbf{A} \mathbf{X} \mathbf{B})^\top$ .

# Index

## Files

"lpmvnorm.c" Defined by 56b.  
"lpmvnorm.R" Defined by 56a.  
"ltMatrices.c" Defined by 3.  
"ltMatrices.R" Defined by 2.

## Fragments

<.subset ltMatrices 11> Referenced in 12.  
<add diagonal elements 17> Referenced in 2.  
<aperm 45> Referenced in 2.  
<assign diagonal elements 18> Referenced in 2.  
<C Header 102> Referenced in 3, 56b.  
<C length 21a> Referenced in 21b, 23, 27, 38a.  
<call Lapack 26a> Referenced in 27.  
<check A argument 39b> Referenced in 40.  
<check and / or set integration weights 65b> Referenced in 66, 79.  
<check C argument 38b> Referenced in 40.  
<check obs 50b> Referenced in 2.  
<check S argument 39a> Referenced in 40.  
<chol 36> Referenced in 3.  
<chol scores 68a> Referenced in 69a.  
<chol syMatrices 35> Referenced in 2.  
<Cholesky of precision 65c> Referenced in 66, 79.  
<compute x 59a> Referenced in 59d, 74a.  
<compute y 58c> Referenced in 59d, 74a.  
<cond general 47> Referenced in 48b.  
<cond simple 48a> Referenced in 48b.  
<conditional 48b> Referenced in 2.  
<convenience functions 43> Referenced in 2.  
<copy elements 25b> Referenced in 27.  
<crossprod ltMatrices 34> Referenced in 2.  
<D times C 41> Referenced in 43.  
<destandardize 97> Referenced in 2.  
<diagonal matrix 19> Referenced in 2.  
<diagonals ltMatrices 16> Referenced in 2.  
<dim ltMatrices 5c> Referenced in 2.  
<dimensions 62b> Referenced in 64, 76.  
<dimnames ltMatrices 6a> Referenced in 2.  
<dp input checks 90> Referenced in 91, 93.  
<extract slots 8> Referenced in 9, 10, 11, 14, 16, 18, 20a, 24.  
<first element 29> Referenced in 30, 31a.  
<IDX 31b> Referenced in 32, 38a.  
<increment 60a> Referenced in 64.

<init center 63b> Referenced in 64, 76.  
 <init dans 74c> Referenced in 76.  
 <init logLik loop 58b> Referenced in 64, 70b.  
 <init random seed, reset on exit 65a> Referenced in 66, 79.  
 <init score loop 70b> Referenced in 76.  
 <initialisation 58a> Referenced in 64, 76.  
 <inner logLik loop 59d> Referenced in 64.  
 <inner score loop 74a> Referenced in 76.  
 <input checks 57a> Referenced in 55, 66, 79.  
 <kronecker vec trick 40> Referenced in 2.  
 <L times D 42> Referenced in 43.  
 <ldmvnorm 50a> Referenced in 2.  
 <ldmvnorm chol 51a> Referenced in 50a.  
 <ldmvnorm invchol 51b> Referenced in 50a.  
 <ldpmvnorm 91> Referenced in 2.  
 <lower scores 68c> Referenced in 69a.  
 <lower triangular elements 14> Referenced in 2.  
 <lpmvnorm 66> Referenced in 56a.  
 <lpmvnormR 55> Not referenced.  
 <ltMatrices 5a> Referenced in 2.  
 <ltMatrices dim 4a> Referenced in 5a.  
 <ltMatrices input 4c> Referenced in 5a.  
 <ltMatrices names 4b> Referenced in 5a.  
 <marginal 46b> Referenced in 2.  
 <mc input checks 46a> Referenced in 46b, 48b.  
 <mean scores 68b> Referenced in 69a.  
 <move on 60c> Referenced in 64, 76.  
 <mult 21b> Referenced in 3.  
 <mult ltMatrices 20a> Referenced in 2.  
 <mult ltMatrices transpose 22> Referenced in 20a.  
 <mult syMatrices 24> Referenced in 2.  
 <mult transpose 23> Referenced in 3.  
 <names ltMatrices 6b> Referenced in 2.  
 <new score means, lower and upper 72c> Referenced in 74a.  
 <output 60b> Referenced in 64.  
 <pnorm 61c> Referenced in 64, 76.  
 <pnorm fast 61a> Referenced in 56b.  
 <pnorm slow 61b> Referenced in 56b.  
 <post differentiate chol score 77d> Referenced in 79.  
 <post differentiate invchol score 78a> Referenced in 79.  
 <post differentiate lower score 77b> Referenced in 79.  
 <post differentiate mean score 77a> Referenced in 79.  
 <post differentiate upper score 77c> Referenced in 79.  
 <post process score 78b> Referenced in 79.  
 <print ltMatrices 9> Referenced in 2.  
 <R Header 101> Referenced in 2, 56a.  
 <R lpmvnorm 64> Referenced in 56b.  
 <R slpmvnorm 76> Referenced in 56b.  
 <R slpmvnorm variables 63c> Referenced in 64, 76.  
 <RC input 20b> Referenced in 21b, 23, 27, 32, 38a.  
 <reorder ltMatrices 10> Referenced in 2.  
 <return objects 26b> Referenced in 27.  
 <score a, b 70a> Referenced in 70b, 76.  
 <score c11 69b> Referenced in 70b, 76.  
 <score output 74b> Referenced in 76.  
 <score output object 69a> Referenced in 76.  
 <score wrt new chol diagonal 72b> Referenced in 74a.  
 <score wrt new chol off-diagonals 72a> Referenced in 74a.

[⟨setup memory 25a⟩](#) Referenced in [27](#).  
[⟨setup return object 62c⟩](#) Referenced in [64](#).  
[⟨sldmvnorm 53⟩](#) Referenced in [2](#).  
[⟨sldpmvnorm 93⟩](#) Referenced in [2](#).  
[⟨sldpmvnorm invchol 92⟩](#) Referenced in [93](#).  
[⟨slpmvnorm 79⟩](#) Referenced in [56a](#).  
[⟨solve 27⟩](#) Referenced in [3](#).  
[⟨solve ltMatrices 28⟩](#) Referenced in [2](#).  
[⟨standardise 57b⟩](#) Referenced in [66](#), [79](#).  
[⟨standardize 95⟩](#) Referenced in [2](#).  
[⟨subset ltMatrices 12⟩](#) Referenced in [2](#).  
[⟨syMatrices 5b⟩](#) Referenced in [2](#).  
[⟨t\(C\) S t\(A\) 37⟩](#) Referenced in [38a](#).  
[⟨tcrossprod 32⟩](#) Referenced in [3](#).  
[⟨tcrossprod diagonal only 30⟩](#) Referenced in [32](#).  
[⟨tcrossprod full 31a⟩](#) Referenced in [32](#).  
[⟨tcrossprod ltMatrices 33⟩](#) Referenced in [2](#).  
[⟨univariate problem 63a⟩](#) Referenced in [64](#).  
[⟨update d, e 59b⟩](#) Referenced in [59d](#), [74a](#).  
[⟨update f 59c⟩](#) Referenced in [59d](#), [74a](#).  
[⟨update score for chol 73a⟩](#) Referenced in [74a](#).  
[⟨update score means, lower and upper 73b⟩](#) Referenced in [74a](#).  
[⟨update yp for chol 70c⟩](#) Referenced in [74a](#).  
[⟨update yp for means, lower and upper 71⟩](#) Referenced in [74a](#).  
[⟨upper scores 68d⟩](#) Referenced in [69a](#).  
[⟨vec trick 38a⟩](#) Referenced in [3](#).  
[⟨W length 62a⟩](#) Referenced in [64](#), [76](#).

# Bibliography

- Alan Genz. Numerical computation of multivariate normal probabilities. *Journal of Computational and Graphical Statistics*, 1(2), 1992. doi: 10.1080/10618600.1992.10477010. 1, 56
- Alan Genz and Frank Bretz. Methods for the computation of multivariate  $t$  probabilities. *Journal of Computational and Graphical Statistics*, 11(4):950–971, 2002. doi: 10.1198/106186002394. 1, 55
- Ivan Matic, Radoš Radoičić, and Dan Stefanica. A sharp Pólya-based approximation to the normal CDF. *Applied Mathematics and Computation*, 322:111–122, 2018. doi: 10.2139/ssrn.2842681. 60