
Stream: Internet Engineering Task Force (IETF)
RFC: [0000](#)
Category: Informational
Published: February 2021
ISSN: 2070-1721
Author: J. Doe, Ed.

RFC 0000

Test File

Abstract

This document has an abstract.

Status of This Memo

This document is not an Internet Standards Track specification; it is published for informational purposes.

This document is a product of the Internet Engineering Task Force (IETF). It represents the consensus of the IETF community. It has received public review and has been approved for publication by the Internet Engineering Steering Group (IESG). Not all documents approved by the IESG are candidates for any level of Internet Standard; see Section 2 of RFC 7841.

Information about the current status of this document, any errata, and how to provide feedback on it may be obtained at <https://www.rfc-editor.org/info/rfc0000>.

Copyright Notice

Copyright (c) 2021 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to BCP 78 and the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Table of Contents

1. [Example \(from draft-ietf-extra-imap4rev2-30\)](#)
2. [Example \(from 8866\)](#)
3. [References](#)
 - 3.1. [Normative References](#)
 - 3.2. [Informative References](#)

[Author's Address](#)

1. Example (from draft-ietf-extra-imap4rev2-30)

----- using br

Arguments: user name
password

Responses: no specific responses for this command

Result: OK - login completed, now in authenticated state
NO - login failure: user name or password rejected
BAD - command unknown or arguments invalid

----- using t

Arguments: user name
password

Responses: no specific responses for this command

Result: OK - login completed, now in authenticated state
NO - login failure: user name or password rejected
BAD - command unknown or arguments invalid

----- (A) using ul empty="true" bare="true"

Arguments:
user name
password

Responses: no specific responses for this command

Result: OK - login completed, now in authenticated state
NO - login failure: user name or password rejected
BAD - command unknown or arguments invalid

----- (B) using ul empty="true"

Arguments:

user name
password

Responses: no specific responses for this command

Result: OK - login completed, now in authenticated state
NO - login failure: user name or password rejected
BAD - command unknown or arguments invalid

----- using ul empty="true" bare="true"

Arguments: mailbox name

Responses:

REQUIRED untagged responses: FLAGS, EXISTS, LIST

REQUIRED OK untagged responses: PERMANENTFLAGS, UIDNEXT, UIDVALIDITY

Result: OK - select completed, now in selected state
NO - select failure, now in authenticated state: no such mailbox, can't access mailbox
BAD - command unknown or arguments invalid

----- using ul empty="true" bare="true"

Arguments (basic):

reference name
mailbox name with possible wildcards

Arguments (extended):

selection options (**OPTIONAL**)
reference name
mailbox patterns
return options (**OPTIONAL**)

Responses: untagged responses: LIST

Result: OK - list completed
NO - list failure: can't list that reference or mailbox name
BAD - command unknown or arguments invalid

2. Example (from 8866)

Type name: application

Subtype name: sdp

Required parameters: None.

Optional parameters: None.

Encoding considerations: 8-bit text. SDP files are primarily UTF-8 format text. The "a=charset:" attribute may be used to signal the presence of other character sets in certain parts of an SDP file (see x of RFC 8866). Arbitrary binary content cannot be directly represented in SDP.

Security considerations: See y of RFC 8866.

Interoperability considerations: See RFC 8866.

Published specification: See RFC 8866.

Applications which use this media type:

Voice over IP, video teleconferencing, streaming media, instant messaging, among others. See also y of RFC 8866.

Fragment identifier considerations: None

Additional information:

Deprecated alias names for this type: N/A

Magic number(s): None.

File extension(s): The extension ".sdp" is commonly used.

Macintosh File Type Code(s): "sdp"

Person & email address to contact for further information:

IETF MMUSIC working group
<mmusic@ietf.org>

Intended usage: COMMON

Restrictions on usage: None

Author/Change controller: [using br]

Authors of RFC 8866
IETF MMUSIC working group delegated from the IESG

Author/Change controller: [using ul]

Authors of RFC 8866

IETF MMUSIC working group delegated from the IESG

3. References

3.1. Normative References

3.2. Informative References

Author's Address

John Doe (EDITOR)